MATERIAL SAFETY DATA SHEET

Opaque Yellow Pearl

Version Number 1.2 Revision Date 08/30/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Opaque Yellow Pearl
Product code	:	CC10096627
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Anatase (TiO2)	1317-70-0	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

Opaque Yellow Pearl

Version Number 1.2 Revision Date 08/30/2007 Page 2 of 6 Print Date 11/30/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **Opaque Yellow Pearl**

Version Number 1.2 Revision Date 08/30/2007

_

_

_

Page 3 of 6 Print Date 11/30/2011

011	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Sa	afety glasses with side-shi	elds			
Hand protection	: Pı	rotective gloves				
Skin and body protection	: Le	ong sleeved clothing				
Additional Protective Measures	: Sa	afety shoes				
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.						
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure typ	e	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	je		ACGIH	
	15 mg/m3	PEL:	Total dust.		OSHA Z1	
	10 mg/m3	Time Weighted Averag (TWA):	ge as Ti		MX OEL	
	20 mg/m3	Short Term Exposure Li (STEL):	mit as Ti		MX OEL	
9. PHYSICAL AND CHEMICAL PROPERTIES						
	<u>9. PHYSIC</u>	CAL AND CHEMICAL	PROPERTIES			
Form	: Solid	Ev	aporation rate :	Not a	pplicable	
Appearance	: pellet		ecific Gravity :		letermined	
Color	: YELI		ilk density :		stablished	
	: Very		apour pressure :		pplicable	
Odour					pplicable pplicable	
Odour Melting point/range	· Not a	nnlicable nF			ppileable	
Odour Melting point/range Boiling Point:	: Not a : Insolu	pplicable pH uble	I :	NOL a		
Odour Melting point/range Boiling Point:	: Insolu			Not a		
Odour Melting point/range Boiling Point: Water solubility	: Insolu 10. S	uble				
Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Insolu 10. S : St	uble TABILITY AND REAC				

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET

Opaque Yellow Pearl

Version Number 1.2 Revision Date 08/30/2007 Page 4 of 6 Print Date 11/30/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no
1317-70-0	Anatase (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	ot readily biodegradable.	
Environmental Toxicity	hemicals are not readily available as they are olymer matrix.	bound within the
Bioaccumulation Potential	hemicals are not readily available as they are olymer matrix.	bound within the
Additional advice	o data available	
	DISPOSAL CONSIDERATIONS	
Product	ke most thermoplastic plastics the product c	an be recycled. Where

PolyOne.

MATERIAL SAFETY DATA SHEET Opaque Yellow Pearl

sion Number 1.2 ision Date 08/30/2007	Page 5 Print Date 11/30/2
	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 H	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 7	Soxic Chemicals:
	identified under this section, this product is Not Applicable under this regula
Unless specific chemicals are	· · · · ·

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET

Opaque Yellow Pearl

Version Number 1.2 Revision Date 08/30/2007 Page 6 of 6 Print Date 11/30/2011

National Pollutant Release Inventory (NPRI)				
Not applicable				
WHMIS Classification	:	D2A		
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.