MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WARM TONE W/SPECKLES PE
Product code	:	CC10096636
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 2 of 6 Print Date 11/26/2011

	4. F1K	ST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.			
Ingestion		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes		Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin		f with soap and plenty of water. If skin irritation persists seel attention.		
	5. FIRE-I	FIGHTING MEASURES		
Flash point	: Not appl	icable		
Flammable Limits				
Upper explosion limit	: Not appl	icable		
Lower explosion limit	: Not appl			
Autoignition temperature	: Not appl			
Suitable extinguishing media		lioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures		self-contained breathing apparatus (SCBA) used in positive mode should be worn to prevent inhalation of airborne		
Unusual Fire/Explosion Hazards	: Carbon o	dioxide (CO2), carbon monoxide (CO), oxides of nitrogen other hazardous materials, and smoke are all possible.		
	ACCIDEN	TAL RELEASE MEASURES		
Personal precautions		propriate personal protection during cleanup, such as bus gloves, boots and coveralls.		
Environmental precautions		not be released into the environment. The product should not ed to enter drains, water courses or the soil.		
Methods for cleaning up	plastic, c	promptly by sweeping or vacuum. Package all material in ardboard or metal containers for disposal. Refer to Section 13 ISDS for proper disposal methods.		
	7. HANI	DLING AND STORAGE		
Handling		asures to prevent the build up of electrostatic charge. Heat reas with appropriate exhaust ventilation.		
Storage	: Keep co	ntainers dry and tightly closed to avoid moisture absorption		

PolyOne.

MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 3 of 6 Print Date 11/26/2011

8. H	EXPOSURE	CONTROLS / PERSO	NAL PROTECTIO	N			
Respiratory protection	: N	lo personal respiratory p	rotective equipment n	ormally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.					
Hand protection	: P	rotective gloves.					
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			afety practic		
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		ntilation.	Provide		
Exposure limit(s)							
Components	Value	Exposure time	Exposure	type	List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable fr	Respirable fraction.			
	15 mg/m3	PEL:	Total du	st.	OSHA Z1		
	10 mg/m3	Time Weighted Avera (TWA):	age		MX OEL		
	20 mg/m3	Short Term Exposure I (STEL):	Limit		MX OEL		
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age		ACGIH		
	15 mg/m3	PEL:	Total du	st.	OSHA Z1		
	20 mg/m3	Short Term Exposure I (STEL):	Limit as Ti		MX OEL		
	9. PHYSI	CAL AND CHEMICAI	PROPERTIES				
Form	: Solid	1	Evaporation rate	: Not	applicable		
Appearance	: Pelle		Specific Gravity:	: Not determined			
Color	: TAN		1 5		established		
Odor	: Very		-		applicable		
Melting point/range	: Not		Vapour density		applicable		
Boiling Point:			pH	: Not	applicable		
Water solubility	: Insol	luble					
	10. 5	STABILITY AND REA	CTIVITY				
Stability		table.					

MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 4 of 6 Print Date 11/26/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne

MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 5 of 6 Print Date 11/26/2011

Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	
	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula

MATERIAL SAFETY DATA SHEET WARM TONE W/SPECKLES PE

Version Number 1.0 Revision Date 02/13/2007 Page 6 of 6 Print Date 11/26/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
WHMIS Classification	:		s of this product a (DSL) or are exe	are on the Canadian	1 Domestic
· • • •		Substances List		mpt.	
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.