MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

Version Number 1.0 Revision Date 02/08/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	INORGANIC PP M-300
Product code	:	CC10096654
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

Version Number 1.0 Revision Date 02/08/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	;
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.	ìt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

PolyOne.

MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

Version Number 1.0 Revision Date 02/08/2007 Page 3 of 6 Print Date 11/26/2011

8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	tive equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shield	S.			
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	T to the start of the	ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL		
	0 PHVSI	CAL AND CHEMICAL PR	OPERTIES			
	<i>7.1115</i>	CAL AND CHEMICAL I K	OI EKTIES			
Form	: Solic			t applicable		
Appearance	: Pelle		2	t determined		
Color	: BLU		5	t established		
	: Very	v faint Vapor	r pressure : No	t applicable		
Odor Malting point/range	: Not determined Vapour density : Not applica					
Melting point/range	: Not applicable pH : Not applicable : Insoluble					
		luble				
Melting point/range Boiling Point:	: Insol	STABILITY AND REACT	VITY			
Melting point/range Boiling Point:	: Insol 10. S		VITY			
Melting point/range Boiling Point: Water solubility	: Insol 10. S : S	STABILITY AND REACTI	VITY			

PolyOne.

MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

ersion Number 1.0 evision Date 02/08/200	7			Print	Page 4 of 6 Date 11/26/2011	
Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition products : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.						
11. TOXICOLOGICAL INFORMATION						
This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.						
<u>Toxicity Overview</u> This product contains t	he following c	components whi	ch in their pure forn	n have the followin	g characteristics:	
CAS-No.		cal Name	Effect	-	t Organ	
13463-67-7	Titanium die	oxide	Systemic effects	Respiratory sys	tem.	
Carcinogenicity This product contains the following components which, in their pure form, have the following carcino data: CAS-No. Chemical Name OSHA IARC N					ng carcinogenicity	
CAS-No. 13463-67-7	Titanium die		OSHA no	IARC 2B	no	
 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans. NTP Carcinogen Classifications: The component is known to be a human carcinogen. The component is reasonably anticipated to be a human carcinogen. 						
	12.	ECOLOGICA	L INFORMATIO	N		
Persistence and degrad	ability :					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: No data available				
	13.	DISPOSAL C	ONSIDERATION	S		
Product		possible recycli generator of wa	noplastic plastics the ng is preferred to di- ste material has the ransportation and dis	sposal or incinerati responsibility for p	on. The proper waste	

PolyOne.

MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

/ersion Number 1.0 Revision Date 02/08/2007		Page 5 of 6 Print Date 11/26/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
SADA THE III Section 212 Ter	- 0	
SARA Title III Section 313 Tox		
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Releas	e Ir	aventory (NPRI)

PolyOne

MATERIAL SAFETY DATA SHEET INORGANIC PP M-300

Version Number 1.0 Revision Date 02/08/2007		Page 6 of 6 Print Date <i>11/26/2011</i>
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.