### MATERIAL SAFETY DATA SHEET

### **Evolution Silver 428c**

Version Number 1.0 Revision Date 02/13/2007 Page 1 of 6 Print Date 11/26/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	Evolution Silver 428c
Product code :	CC10096883
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to over</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET *Evolution Silver 428c*

Version Number 1.0 Revision Date 02/13/2007 Page 2 of 6 Print Date 11/26/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
<b>F</b> 1				
Flammable Limits		Not applicable		
Upper explosion limit Lower explosion limit	:	Not applicable Not applicable		
Autoignition temperature	•	Not applicable		
0 1	·			
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures		pressure mode should be worn to prevent inhalation of airborne		
		contaminants.		
Unusual Fire/Explosion	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen		
Hazards		(NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as		
reisonal precautions	•	impervious gloves, boots and coveralls.		
		inpervious gioves, boots and coverans.		
Environmental precautions	:	Should not be released into the environment. The product should not		
I		be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in		
		plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **Evolution Silver 428c**

Version Number 1.0 Revision Date 02/13/2007 Page 3 of 6 Print Date 11/26/2011

8. F	XPOSURE	CONTROLS / PERSO	NAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance with Vash hands before breaks		• 1		
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		lation. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure ty	pe List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable frac			
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Avera (TWA):	ige	MX OEL		
	20 mg/m3	Short Term Exposure L (STEL):	imit	MX OEL		
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ige	ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	20 mg/m3	Short Term Exposure L (STEL):	imit as Ti	MX OEL		
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Form	: Solic	1 E	Evaporation rate	: Not applicable		
Appearance	: Pelle		pecific Gravity:	: Not determined		
Color	: GRE		Bulk density	: Not established		
Odor			apor pressure	: Not applicable		
Melting point/range			apour density	: Not applicable		
Boiling Point:			H	: Not applicable		
Water solubility	: Insol	luble				
	10. 5	STABILITY AND REA	СТІVІТҮ			
Stability	: S	table.				

PolvOne

### MATERIAL SAFETY DATA SHEET Evolution Silver 428c

Version Number 1.0 Revision Date 02/13/2007

Page 4 of 6 Print Date 11/26/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

## MATERIAL SAFETY DATA SHEET *Evolution Silver 428c*

Version Number 1.0 Revision Date 02/13/2007 Page 5 of 6 Print Date 11/26/2011

Additional advice	: No data available			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)			
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 E	xtremely Hazardous Substance			
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula			

### MATERIAL SAFETY DATA SHEET *Evolution Silver 428c*

Version Number 1.0 Revision Date 02/13/2007

Page 6 of 6 Print Date 11/26/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name Aluminum oxide Zinc ferrite brown spinel (C.I. Pigment Yellow 119)			CAS-No. 1344-28-1 68187-51-9	Weight % 0.10 - 1.00 0.10 - 1.00	NPRI ID# 13 231						
						WHMIS Classification	:	Not controlled.			
						DSL	:		s of this product a (DSL) or are exe		n Domestic
tional Inventories:											
Australia AICS	:	Listed									
China IECS	:	Listed									
Europe EINECS	:	Listed									
Japan ENCS	:	Not determined									
Korea KECI	:	Listed									
Philippines PICCS	:	Listed									

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.