MATERIAL SAFETY DATA SHEET

TS Rumba Red

Version Number 1.0 Revision Date 02/21/2007 Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TS Rumba Red
Product code	:	CC10097054
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET **TS Rumba Red**

Version Number 1.0 Revision Date 02/21/2007 Page 2 of 6 Print Date 11/26/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET TS Rumba Red

Version Number 1.0 Revision Date 02/21/2007 Page 3 of 6 Print Date 11/26/2011

: N			
	o personal respiratory pro	tective equipment normally	required.
: Sa	afety glasses with side-shi	ields.	
: P	rotective gloves.		
: L	ong sleeved clothing.		
: Sa	afety shoes.		
			safety practice
			Provide
V.1	Provincian Con-	E	1 1.4
	*		List:
			OSHA Z1
15 mg/m3 10 mg/m3			OSHA Z1 MX OEL
20 mg/m3	Short Term Exposure Li (STEL):	mit	MX OEL
5 mg/m3	Time Weighted Averag (TWA):	ge as Fe	MX OEL
10 mg/m3	Short Term Exposure Li (STEL):	mit as Fe	MX OEL
5 mg/m3	Time Weighted Averag (TWA):	ge Respirable fraction.	ACGIH
9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
			t applicable t determined
			t established
: Very	faint V	apor pressure : No	t applicable
		apour density : No	t applicable
		H : No	t applicable
1	: L : S : H W : H a : H a : H a : H a : H a : H a : 10 mg/m3 : 10 mg/m3 : 10 mg/m3 : 5 mg/m3 : 10 mg/m3 : 5 mg/m3 : 10 mg/m3 : 5 mg/m3 : 5 mg/m3 : 10 mg/m3 : 5 mg/m3 : 5 mg/m3 : 10 mg/m3 : 5	Wash hands before breaks a : Heat only in areas with app appropriate exhaust ventila Value Exposure time 5 mg/m3 PEL: 15 mg/m3 PEL: 10 mg/m3 Time Weighted Average (TWA): 20 mg/m3 Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): 10 mg/m3 Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): 10 mg/m3 Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): 10 mg/m3 Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): 10 mg/m3 Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): Exposure Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): Exposure Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): Exposure Short Term Exposure Li (STEL): 5 mg/m3 Time Weighted Average (TWA): Solid Exposure Item Short Term Exposure Li (STEL): 5 mg/m3	 Long sleeved clothing. Safety shoes. Handle in accordance with good industrial hygiene and a Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery. Value Exposure time Exposure type 5 mg/m3 PEL: Respirable fraction. 15 mg/m3 PEL: Total dust. 10 mg/m3 Time Weighted Average (TWA): 20 mg/m3 Short Term Exposure Limit (STEL): 5 mg/m3 Time Weighted Average as Fe (TWA): 10 mg/m3 Short Term Exposure Limit as Fe (STEL): 5 mg/m3 Time Weighted Average Respirable fraction. (TWA): 9. PHYSICAL AND CHEMICAL PROPERTIES 1 Solid Evaporation rate : No : Pellets Specific Gravity: No : Not determined Vapour density : No : Not applicable pH : No : Not applicable pH : No : Insoluble

PolyOne

MATERIAL SAFETY DATA SHEET **TS Rumba Red**

Version Number 1.0 Revision Date 02/21/2007 Page 4 of 6 Print Date 11/26/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial

and local regulations.

PolyOne.

MATERIAL SAFETY DATA SHEET **TS Rumba Red**

Version Number 1.0 Revision Date 02/21/2007

Page 5 of 6 Print Date 11/26/2011

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 H	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regulatio
-	
SARA Title III Section 313 7	Toxic Chemicals:
SARA Title III Section 313 T Unless specific chemicals are	Toxic Chemicals:
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulatio
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	e identified under this section, this product is Not Applicable under this regulatio Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulatio lease Inventory (NPRI)
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulatio
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulatio lease Inventory (NPRI)

PolyOne

MATERIAL SAFETY DATA SHEET **TS Rumba Red**

Version Number 1.0 Revision Date 02/21/2007 Page 6 of 6 Print Date 11/26/2011

National Inventories:

Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Not determine	d
Japan ENCS	: Listed	
Korea KECI	: Listed	
Philippines PICCS	: Listed	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.