MATERIAL SAFETY DATA SHEET JLC BLUE 3

Version Number 1.0 Revision Date 02/26/2007 Page 1 of 5 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	JLC BLUE 3
Product code	:	CC10097306
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET JLC BLUE 3

sion Number 1.0 ision Date 02/26/2007	Page 2 Print Date 11/26/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPC	SURE CONTROLS / PERSONAL PROTECTION



MATERIAL SAFETY DATA SHEET JLC BLUE 3

sion Date 02/26/2007		Pag Print Date 11/2	
Respiratory protection		ory protective equipment normally required. Sur wear appropriate respiratory protection.	If
Eye/Face Protection	: safety glasses		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		e before breaks and immediately after handling accordance with good industrial hygiene and sa ics.	
Engineering measures	-	ith appropriate exhaust ventilation. Provide ventilation at machinery.	
Exposure limit(s)			
	a componenta abova regula		
I here are no known hazardou	s components above regula	tory thresholds in this product.	
	PHYSICAL AND CHEM		
9.	PHYSICAL AND CHEM	ICAL PROPERTIES	
9. Form	PHYSICAL AND CHEM : Solid	ICAL PROPERTIES Evaporation rate : Not applicabl	
9. Form Appearance	PHYSICAL AND CHEM : Solid : flakes	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine	ed
9. Form Appearance Color	PHYSICAL AND CHEM : Solid : flakes : BLUE	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine	ed ed
9. Form Appearance Color Odor	PHYSICAL AND CHEM : Solid : flakes : BLUE : Very faint	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine	ed ed ed
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C 	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine Vapour density : Not determine	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C Not applicable 	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine	ed ed ed ed
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C 	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine Vapour density : Not determine	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C Not applicable 	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicabl	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C Not applicable Insoluble 	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicabl	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : Solid : flakes : BLUE : Very faint : Greater than 130 °C : Not applicable : Insoluble 10. STABILITY AND	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicabl	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : Solid : flakes : BLUE : Very faint : Greater than 130 °C : Not applicable : Insoluble 10. STABILITY AND : Stable. : Will not occur.	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicabl	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : Solid : flakes : BLUE : Very faint : Greater than 130 °C : Not applicable : Insoluble 10. STABILITY AND : Stable. : Will not occur. : To avoid thermal de	ICAL PROPERTIES Evaporation rate : Not applicabl Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicabl REACTIVITY	ed ed ed ed
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 PHYSICAL AND CHEM Solid flakes BLUE Very faint Greater than 130 °C Not applicable Insoluble 10. STABILITY AND Stable. Will not occur. To avoid thermal de Incompatible with state 	ICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicable REACTIVITY composition, do not overheat. trong acids and oxidizing agents. 2), carbon monoxide (CO), oxides of nitroger	ed ed ed e
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition	PHYSICAL AND CHEM : Solid : flakes : BLUE : Very faint : Greater than 130 °C : Not applicable : Insoluble 10. STABILITY AND : Stable. : Will not occur. : To avoid thermal de : Incompatible with state : Carbon dioxide (CC)	ICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not determine Vapor pressure : Not determine Vapour density : Not determine pH : Not applicable REACTIVITY composition, do not overheat. rong acids and oxidizing agents. 2), carbon monoxide (CO), oxides of nitroger	ed ed ed e

PolyOne.

MATERIAL SAFETY DATA SHEET JLC BLUE 3

Version Number 1.0 Revision Date 02/26/2007 Page 4 of 5 Print Date 11/26/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET JLC BLUE 3

Version Number 1.0 Revision Date 02/26/2007

Page 5 of 5 Print Date 11/26/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan FNCS		Not determined

Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.