PolvOne.

## **MATERIAL SAFETY DATA SHEET**

## M-T Cord Red 1795c

Version Number 1.0 Revision Date 03/12/2007

Page 1 of 7 Print Date 11/26/2011

### **1. PRODUCT AND COMPANY IDENTIFICATION**

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	M-T Cord Red 1795c
Product code	:	CC10097877
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

: Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

## **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

Version Number 1.0 Revision Date 03/12/2007 Page 2 of 7 Print Date 11/26/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon diarida (CO2) carbon menovida (CO) crides of nitrogen</li> </ul>
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

	Page 3 of 7 Print Date 11/26/2011				
:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
OSUF	RE CONTROLS / PERSONAL PROTECTION				
:	No personal respiratory protective equipment normally required.				
:	Safety glasses with side-shields.				
:	Protective gloves.				
:	Long sleeved clothing.				
:	Safety shoes.				
:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
	:				

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Iron oxide	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PolyOne

# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

Version Number 1.0 Revision Date 03/12/2007

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>		
	10. STABILITY AN	D REACTIVITY			
Stability	: Stable.				
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open fl o not overheat.	ame. To avoid thermal		
Incompatible Materials	: Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.				
Hazardous decomposition products	(NOx), hydrogen smoke are all pose or more) above 39	CO2), carbon monoxide (CC chloride (HCl), other hazard sible. Prolonged heating (ap 02 °F (200 °C) or short term product decomposition and drogen chloride.	lous materials, and pproximately 30 minutes heating at 482 °F (250		

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### <u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

## Version Number 1.0

Revision Date 03/12/2007

Page 5 of 7 Print Date 11/26/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7 Т	itanium dioxide	no	2B	no
IARC Carcinogen Classifi 1 - The component is carc 2A - The component is pr 2B - The component is po NTP Carcinogen Classific 1 - The component is know 2 - The component is reas	inogenic to humans. obably carcinogenic to ssibly carcinogenic to h ations: wn to be a human carcin	numans. nogen.		
	12. ECOLOGI	CAL INFORMATION		
Persistence and degradabi	lity : Not readily	biodegradable.		
Environmental Toxicity	: Chemicals a polymer ma	re not readily available a trix.	s they are bound v	vithin the
Bioaccumulation Potentia	Chemicals a polymer ma	re not readily available a trix.	s they are bound v	vithin the
Additional advice	: No data ava	ilable		
	13. DISPOSA	L CONSIDERATIONS		
Product	possible rec generator of classificatio	nermoplastic plastics the ycling is preferred to disp waste material has the re n, transportation and disp ederal, state/provincial ar	posal or incineration esponsibility for proposal in accordance	on. The oper waste with
Contaminated packaging	has the resp	preferred when possible onsibility for proper wast in accordance with appl gulations.	e classification, tra	ansportation
	14. TRANSPO	ORT INFORMATION		
U.S. DOT Classification	: Not regulate	ed for transportation.		
ICAO/IATA (air)	: Refer to spe	cific regulation.		
IMO / IMDG (maritime)	: Refer to spe	cific regulation.		
	15. REGULAT	ORY INFORMATION	I	

PolyOne.

# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

ersion Number 1.0 evision Date 03/12/2007				Print Date	Page 6 of 7 11/26/2011	
OSHA Status	:	Classified as hazardous b	based on componen	its.		
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)				
Not applicable						
California Proposition 65	:	Not applicable				
SARA Title III Section 302 Extr	reme	ely Hazardous Substance				
Unless specific chemicals are id			s product is Not Ar	policable under th	nis regulation	
CADA THE DI Continue 212 Tour	:- C	11				
SARA Title III Section 313 Tox			1			
Unless specific chemicals are id Chemical Name	enti	fied under this section, this	s product is Not Ap CAS-No.	Weight %	is regulation	
BARIUM COMPOUNDS [E2	XCE	EPT BASO4]	7585-41-3	5.00 - 10.00		
Canadian Regulations:						
National Pollutant Releas	se In	ventory (NPRI)				
Not applicable						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				

# MATERIAL SAFETY DATA SHEET *M-T Cord Red 1795c*

Version Number 1.0 Revision Date 03/12/2007

Page 7 of 7 Print Date 11/26/2011

Philippines PICCS : Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.