MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 97966.00 BU PET
Product code	:	CC10097966
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007 Page 2 of 6 Print Date 11/27/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007 Page 3 of 6 Print Date 11/27/2011

8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	:	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		safety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9. PHYSIO	CAL AND CHEMICAL PRO	OPERTIES	
				topplicable
Form	: Solic			ot applicable
Appearance	: Solic : pelle	ts Specif	ic Gravity : No	ot determined
Appearance Color	: Solic : pelle : BLU	ts Specif E Bulk d	ic Gravity : No lensity : No	ot determined ot established
Appearance Color Odour	: Solic : pelle : BLU : Very	ts Specif E Bulk d faint Vapou	ic Gravity : No lensity : No Ir pressure : No	ot determined ot established ot applicable
Appearance Color Odour Melting point/range	: Solic : pelle : BLU : Very : Note	ts Specif E Bulk of faint Vapou determined Vapou	ic Gravity : No lensity : No Ir pressure : No Ir density : No	ot determined ot established ot applicable ot applicable
Appearance Color Odour	: Solic : pelle : BLU : Very : Note	ts Specif E Bulk of faint Vapou determined Vapou applicable pH	ic Gravity : No lensity : No Ir pressure : No Ir density : No	ot determined ot established ot applicable
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : BLU : Very : Not : Not : Insol	ts Specif E Bulk of faint Vapou determined Vapou applicable pH	ic Gravity : No lensity : No Ir pressure : No Ir density : No : No	ot determined ot established ot applicable ot applicable
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : BLU : Very : Not : Not : Insol 10. S	ts Specif E Bulk of faint Vapou determined Vapou applicable pH luble	ic Gravity : No lensity : No Ir pressure : No Ir density : No : No	ot determined ot established ot applicable ot applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Solia : pelle : BLU : Very : Not a : Not a : Insol 10. S : S	ts Specif E Bulk of faint Vapou determined Vapou applicable pH luble	ic Gravity : No lensity : No Ir pressure : No Ir density : No : No	ot determined ot established ot applicable ot applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

rsion Number 1.1 vision Date 04/09/2007			Print	Page 4 o Date 11/27/20	
Incompatible Materials	: Incompatible wi	th strong acids and o	xidizing agents.		
Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen					
products	(NOx), other haz	zardous materials, an	d smoke are all po	ossible.	
	11. TOXICOLOGIC	AL INFORMATIC	DN		
This mixture has not been ev health data for the individual			re effects listed ar	e based on existi	
<u>Toxicity Overview</u> This product contains the fol	lowing components whic	ch in their pure form	have the following	g characteristics:	
CAS-No.	Chemical Name	Effect	Target	Target Organ	
13463-67-7 Tita	nium dioxide	Systemic effects	Respiratory syst	em.	
data:	Chemical Name	OSHA	IARC	NTP	
CAS-No.	Chemical Name	OSHA	IARC	NTP	
13463-67-7 Tita	nium dioxide	no	2B	no	
2B - The component is possiNTP Carcinogen Classificati1 - The component is known2 - The component is reasonable	ons: to be a human carcinoge	en.			
	12. ECOLOGICA	L INFORMATION			
Persistence and degradability	• : Not readily biod	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are no polymer matrix.	: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential	: Chemicals are no polymer matrix.	: Chemicals are not readily available as they are bound within the polymer matrix.			
		: no data available			
Additional advice	: no data available	2			
Additional advice		e ONSIDERATIONS			

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

/ersion Number 1.1 Revision Date 04/09/2007		Page 5 of 6 Print Date 11/27/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	treme	ely Hazardous Substance
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To:	xic C	Themicals:
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	ise Ir	aventory (NPRI)

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PG 97966.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007		Page 6 of 6 Print Date <i>11/27/2011</i>	
1103/2007			
Not applicable			
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Not determined	
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.