## MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007

Page 1 of 6 Print Date 11/27/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 97967.00 BU PET
Product code	:	CC10097967
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007 Page 2 of 6 Print Date 11/27/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

Version Number 1.1 Revision Date 04/09/2007 Page 3 of 6 Print Date 11/27/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	tive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shield	S	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES	
	<u></u>			
			oration rate : No	t applicable
Form	: Solic			
Appearance	: pelle	ts Speci	fic Gravity : No	t determined
Appearance Color	: pelle : BLU	ts Speci E Bulk	fic Gravity : No density : No	t established
Appearance Color Odour	: pelle : BLU : Very	ts Speci E Bulk faint Vapo	fic Gravity:Nodensity:Nour pressure:No	t established t applicable
Appearance Color Odour Melting point/range	: pelle : BLU : Very : Not	ts Speci E Bulk faint Vapo determined Vapo	fic Gravity:Nodensity:Nour pressure:Nour density:No	t established t applicable t applicable
Appearance Color Odour	: pelle : BLU : Very : Not	ts Speci E Bulk faint Vapo determined Vapo applicable pH	fic Gravity:Nodensity:Nour pressure:Nour density:No	t established t applicable
Appearance Color Odour Melting point/range Boiling Point:	: pelle : BLU : Very : Not : Not : Insol	ts Speci E Bulk faint Vapo determined Vapo applicable pH	fic Gravity : No density : No ur pressure : No ur density : No : No	t established t applicable t applicable
Appearance Color Odour Melting point/range Boiling Point:	: pelle : BLU : Very : Not o : Not : : Insol	ts Speci E Bulk faint Vapor determined Vapor applicable pH luble	fic Gravity : No density : No ur pressure : No ur density : No : No	t established t applicable t applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: pelle : BLU : Very : Not ( : Not : : Insol 10. \$ : S	ts Speci E Bulk faint Vapo determined Vapo applicable pH uble	fic Gravity : No density : No ur pressure : No ur density : No : No	t established t applicable t applicable

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

Incompatible Materials Hazardous decomposition products	n : Carbon dioxid	with strong acids and o	xidizing agents.		
Hazardous decomposition	n : Carbon dioxid	with strong across and o	Aluizing agents.		
			00		
	Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrog (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOLOG	ICAL INFORMATIC	N		
	n evaluated as a whole for dual components which co		re effects listed an	re based on existin	
<u>Toxicity Overview</u> This product contains the	e following components wh	nich in their pure form	have the followin	g characteristics:	
CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory syst	tem.	
data:	Chemical Name	OSHA	IARC 2P	NTP	
CAS-No.	Chemical Name	OSHA	IARC	NTP	
13463-67-7	Titanium dioxide	no	2B	no	
NTP Carcinogen Classifi 1 - The component is know	ossibly carcinogenic to hur cations: own to be a human carcino sonably anticipated to be a	gen.			
	12. ECOLOGIC	AL INFORMATION			
Persistence and degradab	oility : Not readily bio	: Not readily biodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potentia		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: no data availal	: no data available			
	13. DISPOSAL	CONSIDERATIONS			
Product	possible recyc generator of w	moplastic plastics the ling is preferred to disp aste material has the re transportation and disp	oosal or incinerations of the second se	on. The roper waste	

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

ersion Number 1.1 evision Date 04/09/2007		Page 5 o Print Date 11/27/20	
		applicable federal, state/provincial and local regulations.	
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	1	4. TRANSPORT INFORMATION	
U.S. DOT Classification	:	Not regulated for transportation.	
ICAO/IATA (air)	:	Refer to specific regulation.	
IMO / IMDG (maritime)	:	Refer to specific regulation.	
	15	REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	Not applicable	
SARA Title III Section 302 Ext	reme	ely Hazardous Substance	
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulat	ion
SARA Title III Section 313 Tox	tic C	'hemicals:	
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulat	ion
Canadian Regulations:			
National Pollutant Relea	se Ir	ventory (NPRI)	

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET **PG 97967.00 BU PET**

Version Number 1.1		Page 6 of 6
Revision Date 04/09/2007		Print Date 11/27/2011
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.