### MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

Version Number 1.0 Revision Date 03/28/2007 Page 1 of 6 Print Date 11/27/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ALTERNA HEMP TRANS GREEN 5
Product code	:	CC10098319
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	0.1 - 1

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

Version Number 1.0 Revision Date 03/28/2007 Page 2 of 6 Print Date 11/27/2011

	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.				
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: Not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foamnone.</li> </ul>				
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>				
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption				

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

Version Number 1.0 Revision Date 03/28/2007 Page 3 of 6 Print Date 11/27/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	3	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		safety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	1	(TWA):		0.011 + 74
	15 mg/m3	PEL:	Total dust. as Ti	OSHA Z1 MX OEL
	20 109/105	Short Lerm Exposure Limit		min o BB
	20 mg/m3	Short Term Exposure Limit (STEL):		
		-		
	9. PHYSIC	(STEL):	OPERTIES	
	9. PHYSIC : Solic	(STEL): CAL AND CHEMICAL PRO	DPERTIES	t applicable
Appearance	9. PHYSIC : Solic : pelle	(STEL): CAL AND CHEMICAL PRO t Evapo ts Specif	DPERTIES Dration rate : No Tic Gravity: : No	t determined
Appearance Color	9. PHYSIC : Solic : pelle : GRE	(STEL): CAL AND CHEMICAL PRO t Evapo ts Specif EN Bulk of	<b>DPERTIES</b> oration rate       : No         Sic Gravity:       : No         lensity       : No	t determined t established
Form Appearance Color Odour Malting point/range	9. PHYSIC : Solic : pelle : GRE : Very	(STEL): CAL AND CHEMICAL PRO I Evapo ts Specific EN Bulk of r faint Vapou	<b>OPERTIES</b> oration rate       : No         fic Gravity:       : No         lensity       : No         or pressure       : No	t determined t established t applicable
Appearance Color Odour Melting point/range	9. PHYSIC : Solic : pelle : GRE : Very : Not o	(STEL): CAL AND CHEMICAL PRO I Evapo Is Specific EN Bulk of faint Vapou determined Vapou	<b>OPERTIES</b> oration rate       : No         fic Gravity:       : No         density       : No         ir pressure       : No         ir density       : No	t determined t established t applicable t applicable
Appearance Color Odour Melting point/range Boiling Point:	9. PHYSIC : Solic : pelle : GRE : Very : Not o	(STEL): CAL AND CHEMICAL PRO I Evapo Is Specific EN Bulk of r faint Vapou determined Vapou applicable pH	<b>OPERTIES</b> oration rate       : No         fic Gravity:       : No         density       : No         ir pressure       : No         ir density       : No	t determined t established t applicable
Appearance Color Odour Melting point/range Boiling Point:	9. PHYSIC Solid pelle GRE Very Not a Not a Insol	(STEL): CAL AND CHEMICAL PRO I Evapo Is Specific EN Bulk of r faint Vapou determined Vapou applicable pH	DPERTIES oration rate : No fic Gravity: : No lensity : No ir pressure : No ir density : No : No	t determined t established t applicable t applicable
Appearance Color Odour	9. PHYSIC : Solic : pelle : GRE : Very : Not c : Not a : Insol 10. S	(STEL):CAL AND CHEMICAL PR(IEvapoIEvapotsSpecificENBulk ctraintVapoudeterminedVapouapplicablepHluble	DPERTIES oration rate : No fic Gravity: : No lensity : No ir pressure : No ir density : No : No	t determined t established t applicable t applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solic : pelle : GRE : Very : Not c : Not a : Insol 10. S : S	(STEL):CAL AND CHEMICAL PROIEvapoIEvapoitsSpecifENBulk ofof faintVapoudeterminedVapoudeterminedpHlubleSTABILITY AND REACTIVE	DPERTIES oration rate : No fic Gravity: : No lensity : No ir pressure : No ir density : No : No	t determined t established t applicable t applicable

PolyOne.

## POLYONE CORPORATION

# MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

	007			Print	Page 4 Date 11/27/2
Incompatible Materi	als : Incomp	oatible with	n strong acids and o	oxidizing agents.	
Hazardous decompo products			CO2), carbon mono ardous materials, an		
	11. TOXICO	OLOGICA	L INFORMATI	ON	
	been evaluated as a wh dividual components wi			ure effects listed a	are based on ex
Toxicity Overview This product contain	s the following compon	ents which	n in their pure form	have the following	ng characteristi
CAS-No.	Chemical Nan	ne	Effect	Targe	t Organ
13463-67-7	Titanium dioxide		Systemic effects	Respiratory sys	0
			1 11()		no no
data: <u>CAS-No.</u> 13463-67-7	Chemical Na Titanium dioxide	ame	OSHA no	IARC 2B	NTP no
IARC Carcinogen C	lassifications:	18	10	20	10
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni	ic to huma c to humar carcinogen	ns. 1s.	20	10
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated	ic to huma c to humar carcinogen to be a hu	ns. 1s.		
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is 2 - The component is	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated <b>12. ECOL</b>	ic to huma c to humar carcinogen to be a hu	ns. 1s. 1. man carcinogen.		
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is 2 - The component is Persistence and degr	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated <b>12. ECOL</b> adability : Not rea	ic to huma c to humar carcinogen to be a hu <b>LOGICAL</b> adily biode	ns. 1s. 1. man carcinogen.	Ň	
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is 2 - The component is Persistence and degr Environmental Toxic	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated <b>12. ECOL</b> adability : Not rea city : Chemic polyme tential : Chemic	ic to huma c to humar carcinogen to be a hu <b>COGICAL</b> adily biode cals are not cr matrix.	ns. ns. man carcinogen. <b>INFORMATION</b> gradable.	N as they are bound	within the
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is 2 - The component is Persistence and degr Environmental Toxic Bioaccumulation Po	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated <b>12. ECOL</b> adability : Not rea city : Chemic polyme tential : Chemic polyme	ic to humar c to humar carcinogen to be a hu <b>COGICAL</b> adily biode cals are not er matrix.	ns. 1s. man carcinogen. <b>INFORMATION</b> gradable. t readily available a	N as they are bound	within the
IARC Carcinogen C 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is	lassifications: s carcinogenic to humar is probably carcinogen is possibly carcinogeni assifications: s known to be a human s reasonably anticipated <b>12. ECOL</b> adability : Not rea city : Chemic polyme tential : Chemic polyme : no data	ic to huma c to humar carcinogen to be a hu <b>COGICAL</b> adily biode cals are not cr matrix. cals are not er matrix.	ns. 1s. man carcinogen. <b>INFORMATION</b> gradable. t readily available a	as they are bound as they are bound	within the

PolyOne.

# MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

sion Number 1.0 rision Date 03/28/2007		Page 5 of Print Date 11/27/201
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	1 :	Not applicable
SARA Title III Section 302 E	Extrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	°oxic C	Chemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Rel	<u>ea</u> se Ir	nventory (NPRI)
Chemical Name		CAS-No. Weight % NPRI ID#

PolyOne.

# MATERIAL SAFETY DATA SHEET ALTERNA HEMP TRANS GREEN 5

Version Number 1.0 Revision Date 03/28/2007

\_

Page 6 of 6 Print Date <u>11/27/2</u>011

Phthalocyanine green			1328-53-6	0.10 - 1.00	71
WHMIS Classification	:	D2A			
DSL	:		s of this product a (DSL) or are exe	are on the Canadiar mpt.	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER I	NFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.