MATERIAL SAFETY DATA SHEET

Silver Metallic M-2853

Version Number 1.0 Revision Date 03/27/2007

Page 1 of 7 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Silver Metallic M-2853
Product code	:	CC10098453
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

: Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	5 - 10
2-Propenenitrile, polymer with	9003-54-7	60 - 100
Ethenylbenzene		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

Version Number 1.0 Revision Date 03/27/2007 Page 2 of 7 Print Date 11/27/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

Version Number 1.0 Revision Date 03/27/2007

Storage

Page 3 of 7 Print Date 11/27/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally req	uired.
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safe Wash hands before breaks and at the end of workday.	ety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Prappropriate exhaust ventilation at machinery.	rovide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	10 mg/m3	Time Weighted Average	Dust.	MX OEL
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odour
Melting point/range
Boiling Point:
Water solubility

Solid
pellets
GREY
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH Not applicableNot determinedNot establishedNot applicableNot applicable

: Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.

Hazardous Polymerization

: Will not occur.

MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

 Version Number 1.0
 Page 4 of 7

 Revision Date 03/27/2007
 Print Date
 Page 4 of 7

 Conditions to avoid
 :
 Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

 Incompatible Materials
 :
 Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition
 :
 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen

11. TOXICOLOGICAL INFORMATION

(NOx), other hazardous materials, and smoke are all possible.

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

products

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
9003-54-7	2-Propenenitrile, polymer	Oral LD50	1,800 mg/kg	rat
	with Ethenylbenzene			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
9003-54-7	2-Propenenitrile, polymer	no	3	no
	with Ethenylbenzene			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

Version Number 1.0 Revision Date 03/27/2007 Page 5 of 7 Print Date 11/27/2011

Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)
Not applicable	
California Proposition 65	a : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

ersion Number 1.0 evision Date 03/27/2007					Pri	int Date	Page 6 c 11/27/20
Unless specific chemicals are	identifie	ed under this se	ction, this produ	ict is Not Aj	pplicable	e under thi	s regulati
SARA Title III Section 313 T							
Unless specific chemicals are	identifie	ed under this se					s regulati
Chemical Name ALUMINUM (FUME OR DUST)			CAS 7429-		Weight % 5.00 - 10.00		
Canadian Regulations:	0051)		172)-	<u> </u>	5.00 -	10.00	1
National Pollutant Rele	ease Invo	entory (NPRI)					
	Chemical Name		CAS-No.	Weigh		NPRI II	D#
Aluminum	1 66		7429-90-5	5.00 -		12	
Rutile, antimony chromium buff			68186-90-3	0.10 -		69	
				0.10 -	1.00	17	
WHMIS Classification WHMIS Ingredient Di		D2B List					
	sclosure	List All component	s of this product (DSL) or are ex		Canadiar	n Domestic	
WHMIS Ingredient Di CAS-No. 7429-90-5	sclosure	List All component	s of this product (DSL) or are ex		Canadiar	1 Domestic	2
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL	sclosure	List All component			Canadiar	1 Domestic	2
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS	sclosure : : : :	List All component Substances List Listed Listed			Canadiar	n Domestic	;
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS Europe EINECS	sclosure 	List All component Substances List Listed Listed Listed			Canadiar	n Domestic	2
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	sclosure : : : : : :	List All component Substances List Listed Listed Listed			Canadiar	1 Domestic	,
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS Korea KECI	sclosure : 2 : 5 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1	List All component Substances List Listed Listed Listed Not determined Listed			Canadiar	n Domestic	2
WHMIS Ingredient Di CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	sclosure :	List All component Substances List Listed Listed Listed Not determined Listed Listed		empt.	Canadiar	1 Domestic	2

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET Silver Metallic M-2853

Version Number 1.0 Revision Date 03/27/2007 Page 7 of 7 Print Date 11/27/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.