### MATERIAL SAFETY DATA SHEET

### Solutia Brown

Version Number 1.0 Revision Date 03/28/2007 Page 1 of 6 Print Date 11/27/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Solutia Brown
Product code	:	CC10098553
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

## Solutia Brown

Version Number 1.0 Revision Date 03/28/2007 Page 2 of 6 Print Date 11/27/2011

doubt seek medical advice.         Ingestion       :       Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.         Eyes       :       Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.         Skin       :       Wash off with soap and plenty of water. If skin irritation persists se medical attention.         Skin       :       Wash off with soap and plenty of water. If skin irritation persists se medical attention.         Skin       :       Not applicable         Flash point       :       Not applicable         Flammable Limits       :       Not applicable         Lower explosion limit       :       Not applicable         Suitable extinguishing media       :       Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       :       Fulface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       :       Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> :       Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Bervironmental precautions		
persist or in all cases of doubt seek medical advice.         Eyes       :         Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.         Skin       :         Wash off with soap and plenty of water. If skin irritation persists so medical attention.         Skin       :         Skin       :         Not applicable         Flash point       :         Not applicable         Lower explosion limit       :         Not applicable         Suitable extinguishing media       :         Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       :         Procedures       :         Unusual Fire/Explosion       :         Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6</b> . ACCIDENTAL RELEASE MEASURES         Personal precautions       :         Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       :         Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       :         Cl	Inhalation	overheating or combustion. When symptoms persist or in all cases o
least 15 minutes. If eye irritation persists, seek medical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists semedical attention.         Skin       : Wash off with soap and plenty of water. If skin irritation persists semedical attention.         Skin       : Not applicable         Flash point       : Not applicable         Flammable Limits       Upper explosion limit         Upper explosion limit       : Not applicable         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positiv-pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOX), other hazardous materials, and smoke are all possible.         Bersonal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         T. HANDLING AND STORAGE <td>Ingestion</td> <td></td>	Ingestion	
medical attention.         5. FIRE-FIGHTING MEASURES         Flash point       : Not applicable         Flammable Limits         Upper explosion limit       : Not applicable         Lower explosion limit       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Take measures to prevent the build up of electrostatic charge. Heat	Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Flash point       : Not applicable         Flammable Limits       Upper explosion limit       : Not applicable         Lower explosion limit       : Not applicable         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positivpressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6.</b> ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7.</b> HANDLING AND STORAGE       : Handling	Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
Flammable Limits       Upper explosion limit       : Not applicable         Lower explosion limit       : Not applicable         Autoignition temperature       : Not applicable         Suitable extinguishing media       : Carbon dioxide blanket, Water spray, Dry powder, Foamnone.         Special Fire Fighting       : Fullface self-contained breathing apparatus (SCBA) used in positivpressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Take measures to prevent the build up of electrostatic charge. Heat		5. FIRE-FIGHTING MEASURES
Upper explosion limit Lower explosion limit: Not applicable : Not applicableAutoignition temperature Suitable extinguishing media: Not applicable : Carbon dioxide blanket, Water spray, Dry powder, Foamnone.Special Fire Fighting Procedures: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.Environmental precautions: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.Methods for cleaning up: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling: Take measures to prevent the build up of electrostatic charge. Heat	Flash point	: Not applicable
Procedures       pressure mode should be worn to prevent inhalation of airborne contaminants.         Unusual Fire/Explosion       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.         6. ACCIDENTAL RELEASE MEASURES         Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE       : Take measures to prevent the build up of electrostatic charge. Heat	Upper explosion limit Lower explosion limit Autoignition temperature	<ul><li>Not applicable</li><li>Not applicable</li></ul>
Personal precautions       : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Take measures to prevent the build up of electrostatic charge. Heat	Procedures Unusual Fire/Explosion	<ul><li>contaminants.</li><li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li></ul>
impervious gloves, boots and coveralls.         Environmental precautions       : Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.         Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         T. HANDLING AND STORAGE       Handling         : Take measures to prevent the build up of electrostatic charge. Heat	6	ACCIDENTAL RELEASE MEASURES
Methods for cleaning up       : Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. <b>7. HANDLING AND STORAGE</b> Handling       : Take measures to prevent the build up of electrostatic charge. Heat	Personal precautions	
plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.         7. HANDLING AND STORAGE         Handling       : Take measures to prevent the build up of electrostatic charge. Heat	Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Handling : Take measures to prevent the build up of electrostatic charge. Heat	Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
	Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage : Keep containers dry and tightly closed to avoid moisture absorption	Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



# MATERIAL SAFETY DATA SHEET

## Solutia Brown

Version Number 1.0 Revision Date 03/28/2007 Page 3 of 6 Print Date 11/27/2011

and contamination. Keep in a dry, cool place.								
8. H	XPOSURE	CONTROLS / PERSON	NAL PR	OTECTION				
Respiratory protection : No personal respiratory protective equipment normally required.								
Eye/Face Protection	: S	afety glasses with side-shi	ields					
Hand protection	: P	rotective gloves						
Skin and body protection	: L	ong sleeved clothing						
Additional Protective Measures	: S	afety shoes						
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.								
Engineering measures		eat only in areas with app opropriate exhaust ventila			Provide			
Exposure limit(s)								
Components	Value	Exposure time		Exposure type	List:			
Iron oxide	5 mg/m3	Time Weighted Averag (TWA):	ge	as Fe	MX OEL			
	10 mg/m3	Short Term Exposure Li (STEL):	mit	as Fe	MX OEL			
	5 mg/m3							
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ge		ACGIH			
	15 mg/m3	PEL:		Total dust.	OSHA Z1			
	20 mg/m3	Short Term Exposure Li (STEL):	mit	as Ti	MX OEL			
	9. PHYSIC	CAL AND CHEMICAL	PROPE	RTIES				
Form: SolidEvaporation rate: Not applicableAppearance: pelletsSpecific Gravity:: Not determinedColor: BROWNBulk density: Not establishedOdour: Very faintVapour pressure: Not applicableMelting point/range: Not determinedVapour density: Not applicableBoiling Point:: Not applicablepH: Not applicableWater solubility: Insoluble::								
		TABILITY AND REAC	CTIVITY	Y				
Stability	: S	table.						



## MATERIAL SAFETY DATA SHEET

### Solutia Brown

Version Number 1.0 Page 4 of 6 Print Date 11/27/2011 Revision Date 03/28/2007 Hazardous Polymerization : Will not occur. Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	LAN-NO L nemical Name		IARC	NTP	
13463-67-7	Titanium dioxide	no	2B	no	

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available



## MATERIAL SAFETY DATA SHEET

## Solutia Brown

Version Number 1.0 Revision Date 03/28/2007 Page 5 of 6 Print Date 11/27/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	as Substances (40 CFR 302)
Not applicable	
California Propositior 65	: Not applicable
SARA Title III Section 302 E	extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 T	oxic Chemicals:

PolyOne.

### MATERIAL SAFETY DATA SHEET

### Solutia Brown

Version Number 1.0 Revision Date 03/28/2007						Prin		Page 6 of 6 11/27/2011
Unless specific chemicals are id Chemical Name	entifie	d under this sec	ction, this	s product is CAS-No.		plicable Weight		is regulation
ZINC COMPOUNDS				12063-19-	-3	10.00 -	30.00	
Canadian Regulations:	a Inva	(NDDI)						_
National Pollutant Relea	se inve	entory (NPRI)	CAS-N	0	Weight	0/	NPRI I	D#
Zinc iron oxide			12063-		10.00 -		231	D#
WHMIS Ingredient Disc CAS-No. 1309-37-1 DSL National Inventories:	 : A	List All components ubstances List				anadian	Domesti	c
Australia AICS	: I	Listed						
China IECS	: I	Listed						
Europe EINECS	: I	Listed						
Japan ENCS	: N	lot determined						
Korea KECI	: I	Listed						
Philippines PICCS	: I	Listed						
	1	16. OTHER IN	<b>FORM</b>	ATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.