MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 98665.00 GN PP
Product code :	CC10098665
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007 Page 2 of 6 Print Date 11/27/2011

Inhalation	Move to fresh air in case of accidental overheating or combustion. When sym doubt seek medical advice.	
Ingestion	Do not induce vomiting without medica persist or in all cases of doubt seek med	
Eyes	Rinse immediately with plenty of water least 15 minutes. If eye irritation persis	
Skin	Wash off with soap and plenty of water medical attention.	. If skin irritation persists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits	Not appliable	
Upper explosion limit	Not applicable	
Lower explosion limit	Not applicable	
Autoignition temperature	Not applicable	
Suitable extinguishing media	Carbon dioxide blanket, Water spray, I	Dry powder, Foamnone.
Special Fire Fighting	Fullface self-contained breathing appar	atus (SCBA) used in positive
Procedures	pressure mode should be worn to preve contaminants.	
Unusual Fire/Explosion	Carbon dioxide (CO2), carbon monoxid	de(CO) oxides of nitrogen
Hazards	(NOx), other hazardous materials, and	
	CIDENTAL RELEASE MEASURES	8
Personal precautions	Wear appropriate personal protection d impervious gloves, boots and coveralls	
Environmental precautions	Should not be released into the environ be allowed to enter drains, water course	
Methods for cleaning up	Clean up promptly by sweeping or vacu plastic, cardboard or metal containers for of this MSDS for proper disposal metho	or disposal. Refer to Section 13
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up only in areas with appropriate exhaust	
Storage	Keep containers dry and tightly closed	to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007 Page 3 of 6 Print Date 11/27/2011

8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	No personal respiratory protecti	ive equipment normally	required.			
Eye/Face Protection	: S	: Safety glasses with side-shields					
Hand protection	: Protective gloves						
Skin and body protection	: L	: Long sleeved clothing					
Additional Protective Measures	: S	: Safety shoes					
General Hygiene Considerations		Handle in accordance with good Vash hands before breaks and a		afety practice			
Engineering measures		Heat only in areas with appropr ppropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9 PHVSI	CAL AND CHEMICAL PRO	PFRTIFS				
	<i>7</i> ,111,51						
			ration rate : Not	applicable			
Form	: Solid						
Appearance	: pelle	ets Specif	ic Gravity: : Not	determined			
Appearance Color	: pelle : GRE	ets Specif EEN Bulk d	ic Gravity: : Not lensity : Not	established			
Appearance Color Odour	: pelle : GRE : Very	ets Specif EEN Bulk d / faint Vapou	ic Gravity: : Not lensity : Not ir pressure : Not	established applicable			
Appearance Color Odour Melting point/range	: pelle : GRE : Very : Not	ets Specif EEN Bulk d / faint Vapou determined Vapou	ic Gravity: : Not lensity : Not ir pressure : Not ir density : Not	established applicable applicable			
Appearance Color Odour	: pelle : GRE : Very : Not	ets Specif EEN Bulk d / faint Vapou determined Vapou applicable pH	ic Gravity: : Not lensity : Not ir pressure : Not ir density : Not	established applicable			
Appearance Color Odour Melting point/range Boiling Point:	: pelle : GRE : Very : Not : Not : Inso	ets Specif EEN Bulk d / faint Vapou determined Vapou applicable pH	ic Gravity: : Not lensity : Not ir pressure : Not ir density : Not : Not	established applicable applicable			
Appearance Color Odour Melting point/range Boiling Point:	: pelle : GRE : Very : Not : Not : Inso 10. S	ets Specif EEN Bulk d / faint Vapou determined Vapou applicable pH luble	ic Gravity: : Not lensity : Not ir pressure : Not ir density : Not : Not	established applicable applicable			
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: pelle : GRE : Very : Not : Not : Inso 10. \$: S	ets Specif EEN Bulk d / faint Vapou determined Vapou applicable pH luble	ic Gravity: : Not lensity : Not ir pressure : Not ir density : Not : Not	established applicable applicable			

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

rsion Number 1.0	7			Drint I	Page 4 of Date 11/27/201
vision Date 03/30/2007	/			PIIIII	Jale 11/27/201
Incompatible Materials	:	Incompatible with	ith strong acids and o	xidizing agents.	
Hazardous decompositi products	ion :		(CO2), carbon monozardous materials, an		
	11. '	TOXICOLOGIO	CAL INFORMATIO	N	
This mixture has not be health data for the indiv	en evaluated	l as a whole for h	ealth effects. Exposu		e based on existir
<u>Toxicity Overview</u> This product contains t	he following	components whi	ch in their pure form	have the following	g characteristics:
CAS-No.	Chem	ical Name	Effect	Target	Organ
13463-67-7	Titanium d		Systemic effects	Respiratory syst	•
data:		mical Name	OSHA	IARC	NTP
13463-67-7	Titanium d		no	2B	no
2B - The component isNTP Carcinogen Classi1 - The component is k2 - The component is reasonable.	ifications: nown to be a	human carcinoge	en.		
	12	2. ECOLOGICA	L INFORMATION		
Persistence and degrada	ability :	Not readily biod	legradable.		
Environmental Toxicity	y :	Chemicals are n polymer matrix.	ot readily available a	s they are bound v	vithin the
Bioaccumulation Poten	tial :	Chemicals are n polymer matrix.	ot readily available a	s they are bound v	vithin the
Additional advice	:	no data availabl	e		
	1.	3. DISPOSAL C	ONSIDERATIONS		
Product	:	possible recyclingenerator of wa	noplastic plastics the p ng is preferred to disp ste material has the re- ansportation and disp	oosal or incinerations of the second se	on. The coper waste

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

sion Number 1.0 vision Date 03/30/2007		Page 5 of 6 Print Date 11/27/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status		Classified as hazardous based on components.
	•	-
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	xtrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (hemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Dollutant Dala	ase Ii	aventory (NPRI)
National Follutant Rele		

PolyOne

MATERIAL SAFETY DATA SHEET **PG 98665.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007

_

Page 6 of 6 Print Date <u>11/27/2</u>011

Aluminum oxide				1344-28-1	0.10 - 1.00	13
WHMIS Classific	ation :		D2A			
DSL	:	:		ts of this product t (DSL) or are exe	are on the Canadian empt.	n Domestic
ational Inventories:						
Australia AICS	:	:	Listed			
China IECS	:	:	Listed			
Europe EINECS	:	:	Listed			
Japan ENCS	:	:	Listed			
Korea KECI	:	:	Listed			
Philippines PICCS	S :	:	Listed			
			16 OTHER	INFORMATION	I	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.