MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 98666.00 GN PP
Product code	:	CC10098666
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007 Page 2 of 6 Print Date 11/27/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007 Page 3 of 6 Print Date 11/27/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.			
Eye/Face Protection	: S	afety glasses with side-shields	3				
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	: Long sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		safety practice			
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9 PHVSI	CAL AND CHEMICAL PRO	OPERTIES				
	<i>)</i> .11151						
Form	: Solic			t applicable			
Appearance	: Solic : pelle	ets Specif	fic Gravity: : Not	t determined			
Appearance Color	: Solic : pelle : GRE	ets Specifi EEN Bulk of	fic Gravity: : Not lensity : Not	t determined t established			
Appearance Color Odour	: Solic : pelle : GRE : Very	ets Specif EEN Bulk of faint Vapou	fic Gravity: : Not density : Not ir pressure : Not	t determined t established t applicable			
Appearance Color Odour Melting point/range	: Solic : pelle : GRE : Very : Not o	ets Specif EEN Bulk of faint Vapou determined Vapou	fic Gravity::Notdensity:Notur pressure:Notur density:Not	t determined t established t applicable t applicable			
Appearance Color Odour	: Solic : pelle : GRE : Very : Not o	ets Specif EEN Bulk of 7 faint Vapou determined Vapou applicable pH	fic Gravity::Notdensity:Notur pressure:Notur density:Not	t determined t established t applicable			
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : GRE : Very : Not : Not : Insol	ets Specif EEN Bulk of 7 faint Vapou determined Vapou applicable pH	fic Gravity: : Not density : Not ir pressure : Not ir density : Not : Not	t determined t established t applicable t applicable			
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : GRE : Very : Not : Not : Insol	ets Specif EEN Bulk of faint Vapou determined Vapou applicable pH luble	fic Gravity: : Not density : Not ir pressure : Not ir density : Not : Not	t determined t established t applicable t applicable			
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Solid : pelle : GRE : Very : Not (: Not (: Insol 10. S : S	ets Specif EEN Bulk of 7 faint Vapou determined Vapou applicable pH luble	fic Gravity: : Not density : Not ir pressure : Not ir density : Not : Not	t determined t established t applicable t applicable			

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

rsion Number 1.0 vision Date 03/30/2007	7			Print I	Page 4 of Date 11/27/201
		To a como et il 1 com	:4h -4mm : da d -		
Incompatible Materials	:	incompatible wi	ith strong acids and or	xidizing agents.	
Hazardous decompositi products			(CO2), carbon monoz zardous materials, and		
	11. T	OXICOLOGIO	CAL INFORMATIO	N	
This mixture has not be health data for the indiv				re effects listed ar	e based on existin
<u>Toxicity Overview</u> This product contains th	ne following o	components whi	ch in their pure form l	have the following	g characteristics:
CAS-No.	Chemi	cal Name	Effect	Target	Organ
13463-67-7	Titanium die		Systemic effects	Respiratory syst	
data: CAS-No. 13463-67-7	Chen Titanium die	nical Name	OSHA no	IARC 2B	NTP no
IARC Carcinogen Class 1 - The component is ca 2A - The component is 2B - The component is	arcinogenic to probably carc possibly carc	inogenic to hun			
NTP Carcinogen Classi 1 - The component is ki 2 - The component is re	nown to be a				
	12.	ECOLOGICA	L INFORMATION		
Persistence and degrada	ability :	Not readily biod	legradable.		
Environmental Toxicity		Chemicals are n polymer matrix.	ot readily available as	s they are bound v	vithin the
Bioaccumulation Poten		Chemicals are n polymer matrix.	ot readily available as	s they are bound v	vithin the
Additional advice	:	no data availabl	e		
	13	DISPOSAL C	ONSIDERATIONS		
Product		possible recyclingenerator of wa	noplastic plastics the p ng is preferred to disp ste material has the re ansportation and disp	osal or incinerations of the sponsibility for presence of the sponsibility for presence of the sponsibility for presence of the sponse of the	on. The coper waste



MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

ersion Number 1.0 evision Date 03/30/2007		Page 5 of 6 Print Date <i>11/27/2011</i>
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status		Classified as hererdous based on components
	•	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are i	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic C	'hemicals:
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
	ase Iı	iventory (NPRI)
National Pollutant Rele		

PolyOne

MATERIAL SAFETY DATA SHEET **PG 98666.00 GN PP**

Version Number 1.0 Revision Date 03/30/2007

_

Page 6 of 6 Print Date <u>11/27/2</u>011

Aluminum oxide			1344-28-1	0.10 - 1.00	13
WHMIS Classification	:	D2A			
DSL	:		s of this product a (DSL) or are exe	are on the Canadiar empt.	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER I	NFORMATION	-	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.