MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

Version Number 1.0 Revision Date 04/02/2007 Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	(Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	(GLOW IN THE DARK FILM
Product code :	(CC10098767
Chemical Name :	N	Mixture
CAS-No.	Ν	Mixture
Product Use :	Ι	ndustrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

sion Date 04/02/2007	Page 2 Print Date 11/27/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

Version Number 1.0 Revision Date 04/02/2007 Page 3 of 6 Print Date 11/27/2011

	OSURE CONTROLS / P	ERSONAL PROTECTIO	DN		
Respiratory protection	: No personal respira	tory protective equipment	normally required.		
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes	: Safety shoes			
General Hygiene Considerations		ce with good industrial hyg breaks and at the end of w			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
There are no known nazardou	is components above regula	atory thresholds in this pro-	duct.		
	PHYSICAL AND CHEM		duct.		
	· ·		 duct. Not applicable Not determined Not established Not applicable Not applicable Not applicable 		
9. Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid pellets GREEN Very faint Not determined Not applicable 	IICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 		
9. Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid pellets GREEN Very faint Not determined Not applicable Insoluble 	IICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 		
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : Solid : pellets : GREEN : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY ANI	IICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 		
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : Solid : pellets : GREEN : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY ANI : Stable. : Will not occur.	IICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 		
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : Solid : pellets : GREEN : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY ANI : Stable. : Will not occur. : Keep away from ox decomposition, do not applicable	IICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 		

11. TOXICOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

Version Number 1.0 Revision Date 04/02/2007 Page 4 of 6 Print Date 11/27/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
US. EPA CERCLA Hazardous Not applicable	Substances (40 CFR 302)

PolyOne.

MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

Version Number 1.0 Revision Date 04/02/2007 Page 5 of 6 Print Date 11/27/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Chemical Name CAS-No. Weight %

Chefinear Flame		tt eight 70	
ZINC COMPOUNDS	1314-98-3	10.00 - 30.00	

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	0.10 - 1.00	71
Zinc sulfide	1314-98-3	10.00 - 30.00	231
2-Propenoic acid, 2-methyl-, methyl ester	80-62-6	0.10 - 1.00	161

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined

China IECS	·	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET GLOW IN THE DARK FILM

Version Number 1.0 Revision Date 04/02/2007 Page 6 of 6 Print Date 11/27/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.