MATERIAL SAFETY DATA SHEET

Opaque FI. Pink

Version Number 1.0 Revision Date 04/19/2007 Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	Opaque Fl. Pink
Product code :	CC10099338
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

Opaque Fl. Pink

Version Number 1.0 Revision Date 04/19/2007 Page 2 of 6 Print Date 11/27/2011

		4. FIRST AID MEASURES		
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit		Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET Opaque Fl. Pink

Version Number 1.0 Revision Date 04/19/2007 Page 3 of 6 Print Date 11/27/2011

8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice	
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA):		MX OEL	
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 / 0	PEL:	Total dust.	OSHA Z1	
	15 mg/m3			ODINIE	
	15 mg/m3 10 mg/m3	Time Weighted Average (TWA):	as Ti		
	-	Time Weighted Average (TWA):	as Ti as Ti	MX OEL	
	10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Short Term Exposure Limit	as Ti	MX OEL	
Form	10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti PERTIES	MX OEL	
Form	10 mg/m3 20 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti PERTIES ration rate : Not	MX OEL MX OEL applicable	
Form Appearance Color	10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO t Evapor ts Specifi	as Ti PERTIES ration rate : Not c Gravity : Not	MX OEL	
Appearance	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : PINH	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor ts Specifi K Bulk d	as Ti PERTIES ration rate : Not c Gravity : Not ensity : Not	MX OEL MX OEL applicable determined established	
Appearance Color	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : PINI : Very	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor the Evapor the Specific X Bulk d faint Vapour	as Ti PPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not	MX OEL MX OEL applicable determined	
Appearance Color Odour	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : PINH : Very : Not of	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifit K Bulk d taint Vapou determined Vapou applicable pH	as Ti PERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not	MX OEL MX OEL applicable determined established applicable	

blvUne

MATERIAL SAFETY DATA SHEET **Opaque FI. Pink**

Version Number 1.0 Revision Date 04/19/2007

Page 4 of 6 Print Date 11/27/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the



MATERIAL SAFETY DATA SHEET **Opaque Fl. Pink**

Version Number 1.0 Revision Date 04/19/2007

Page 5 of 6 Print Date 11/27/2011

	polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : Not applicable		
SARA Title III Section 302 I	Extremely Hazardous Substance		
TT-1	e identified under this section, this product is Not Applicable under this regula		

PolyOne.

MATERIAL SAFETY DATA SHEET Opaque Fl. Pink

ion Number 1.0 sion Date 04/19/2007		Page of Print Date 11/27/	
SARA Title III Section 313 7	oxic Chemicals:		
Unless specific chemicals are	identified under this	section, this product is Not Applicable under this regul	
_	identified under uns		
Canadian Regulations:			
National Pollutant Rel	ase Inventory (NPR))	
Not applicable			
WHMIS Classificatio	a : D2A		
DSL	Inventories or product is on	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.	
National Inventories:			
Australia AICS	: Listed		
China IECS	: Listed		
Europe EINECS	: Listed		
Japan ENCS	: Listed		
Korea KECI	: Listed		
Philippines PICCS	: Listed		
	16. OTHER	INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.