## MATERIAL SAFETY DATA SHEET KEY BRANDS GOLD

Version Number 1.0 Revision Date 05/09/2007

Page 1 of 6 Print Date 11/28/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KEY BRANDS GOLD
Product code	:	CC10099884
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Rutile (TiO2)	1317-80-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>
Aggravated by Exposure:	

PolyOne.

# MATERIAL SAFETY DATA SHEET **KEY BRANDS GOLD**

Version Number 1.0 Revision Date 05/09/2007 Page 2 of 6 Print Date 11/28/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **KEY BRANDS GOLD**

Version Number 1.0 Revision Date 05/09/2007 Page 3 of 6 Print Date 11/28/2011

	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection		To personal respiratory protecti usty conditions occur wear app		
Eye/Face Protection	: S	afety glasses		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations	р	Vash hands and face before bre roduct. Handle in accordance ractice for diagnostics.		
Engineering measures		Heat only in areas with appropr ppropriate exhaust ventilation		Provide
Components	Value	Exposure time	Exposure type	List:
Components Mica	20 mppcf	PEL:	Total dust.	OSHA
		PEL: Time Weighted Average		
	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf 3 mg/m3 3 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Total dust. Respirable fraction.	OSHA ACGIH
	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust. Respirable fraction.	OSHA ACGIH MX OEL
Mica Form	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable fraction.         DPERTIES         ration rate       : Not	OSHA ACGIH MX OEL applicable
Mica Form Appearance	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solic : flake	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo es Specif	Total dust.         Respirable fraction. <b>DPERTIES</b> ration rate       : Not         ic Gravity       : Not	OSHA ACGIH MX OEL applicable determined
Mica Mica Form Appearance Color	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solic : flake : YEL	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Des Specific LOW Bulk d	Total dust.         Respirable fraction. <b>DPERTIES</b> ration rate       : Not         ic Gravity       : Not         lensity       : Not	OSHA ACGIH MX OEL applicable determined determined
Mica Mica Form Appearance Color Odour	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO CAL AND CHEMICAL PRO Ses Specific LOW Bulk do 7 faint Vapou	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ur pressure       : Not	OSHA ACGIH MX OEL applicable determined determined determined
Mica Mica Form Appearance Color Odour Melting point/range	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very : Grea	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo es Specific LOW Bulk do r faint Vapou tter than 130 °C Vapou	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ur pressure       : Not         ur density       : Not	OSHA ACGIH MX OEL applicable determined determined determined
Mica Mica Form Appearance Color Odour	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very : Grea	PEL:         Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         CAL AND CHEMICAL PRO         d       Evapo         cs       Specif         LOW       Bulk d         / faint       Vapou         tter than 130 °C       Vapou         applicable       pH	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ur pressure       : Not         ur density       : Not	OSHA ACGIH MX OEL applicable determined determined determined
Mica Mica Form Appearance Color Odour Melting point/range Boiling Point:	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very : Grea : Not : Insol	PEL:         Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         CAL AND CHEMICAL PRO         d       Evapo         cs       Specif         LOW       Bulk d         / faint       Vapou         tter than 130 °C       Vapou         applicable       pH	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ir density       : Not         : Not	OSHA ACGIH MX OEL applicable determined determined determined
Mica Mica Form Appearance Color Odour Melting point/range Boiling Point:	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very : Grea : Not : Insol 10. §	PEL:         Time Weighted Average (TWA):         Time Weighted Average (TWA):         CAL AND CHEMICAL PRO         d       Evapo         es       Specif         LOW       Bulk do         / faint       Vapou         uter than 130 °C       Vapou         applicable       pH	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ir density       : Not         : Not	OSHA ACGIH MX OEL applicable determined determined determined
Mica Mica Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	20 mppcf 3 mg/m3 3 mg/m3 9. PHYSIC : Solid : flake : YEL : Very : Grea : Not : Insol 10. \$ : S	PEL:         Time Weighted Average (TWA):         Time Weighted Average (TWA):         CAL AND CHEMICAL PRO         d       Evapo         cs       Specification         LOW       Bulk down of the	Total dust.         Respirable fraction.         PPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         ir density       : Not         : Not	OSHA ACGIH MX OEL applicable determined determined determined

## MATERIAL SAFETY DATA SHEET KEY BRANDS GOLD

Version Number 1.0 Revision Date 05/09/2007 Page 4 of 6 Print Date 11/28/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

# MATERIAL SAFETY DATA SHEET **KEY BRANDS GOLD**

sion Number 1.0 vision Date 05/09/2007		Page 5 of 6 Print Date 11/28/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulatior
SARA Title III Section 313 To	xic C	Chemicals:
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	ase Ir	iventory (NPRI)

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET KEY BRANDS GOLD

Version Number 1.0		Page 6 of 6	
Revision Date 05/09/2007		Print Date 11/28/201	4
Not applicable			
WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	╉

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.