## MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007

Page 1 of 6 Print Date 11/28/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone | : | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|----------------------------------|---|---|
| Product name                     | : | PG 99962.00 RD PP LM  |
| Product code                     | : | CC10099962  |
| Chemical Name                    | : | Mixture   |
| CAS-No.                          | : | Mixture   |
| Product Use                      | : | Industrial Applications   |

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5    |
| Mica             | 12001-26-2 | 10 - 30  |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Ingestion, Skin contact   |  |  |
|---|---|--|--|
| Acute exposure                                |   |  |  |
| Inhalation<br>Ingestion<br>Eyes               | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul> |  |  |
| Skin  | eyes.<br>: Experience shows no unusual dermatitis hazard from routine handling.   |  |  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.  |  |  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |  |  |

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007 Page 2 of 6 Print Date 11/28/2011

|                                     |       | 4. FIRST AID MEASURES   |
|-------------------------------------|-------|---|
| Inhalation                          | :     | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.               |
| Ingestion                           | :     | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes                                | :     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin                                | :     | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|                                     |       | 5. FIRE-FIGHTING MEASURES   |
| Flash point                         | :     | Not applicable  |
| Flammable Limits                    |       |   |
| Upper explosion limit               | :     | Not applicable  |
| Lower explosion limit               | :     | Not applicable  |
| Autoignition temperature            | :     | Not applicable  |
| Suitable extinguishing media        | :     | Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures | :     | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                    |
| Unusual Fire/Explosion<br>Hazards   | :     | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
| (                                   | 6. A( | CCIDENTAL RELEASE MEASURES  |
| Personal precautions                | :     | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions           | :     | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up             | :     | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|                                     |       | 7. HANDLING AND STORAGE   |
| Handling                            | :     | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.   |
| Storage                             | :     | Keep containers dry and tightly closed to avoid moisture absorption   |

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007 Page 3 of 6 Print Date 11/28/2011

| 8. H   | XPOSURE   | CONTROLS / PERSONAL   | PROTECTION   |   |  |  |
|--|---|---|--|---|--|--|
| Respiratory protection   | : N   | lo personal respiratory protecti  | ve equipment normally  | required.   |  |  |
| Eye/Face Protection  | : S   | : Safety glasses with side-shields  |  |   |  |  |
| Hand protection  | : P   | : Protective gloves   |  |   |  |  |
| Skin and body protection   | : L   | ong sleeved clothing  |  |   |  |  |
| Additional Protective<br>Measures  | : S   | afety shoes   |  |   |  |  |
| General Hygiene<br>Considerations  |   | Iandle in accordance with good<br>Vash hands before breaks and a  |  | safety practice   |  |  |
| Engineering measures   |   | leat only in areas with appropri<br>ppropriate exhaust ventilation a  |  | Provide   |  |  |
| Exposure limit(s)  |   |   |  |   |  |  |
| Components   | Value   | Exposure time   | Exposure type  | List:   |  |  |
| Mica   | 20 mppcf  | PEL:  | Total dust.  |   |  |  |
| Mica   | <u> </u>  |   |  | OSHA  |  |  |
| Wilca  | 3 mg/m3   | Time Weighted Average (TWA):  | Respirable fraction.   | ACGIH   |  |  |
|  | <u> </u>  | Time Weighted Average   |  |   |  |  |
| Titanium dioxide   | 3 mg/m3   | Time Weighted Average<br>(TWA):<br>Time Weighted Average  |  | ACGIH   |  |  |
|  | 3 mg/m3<br>3 mg/m3  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average   |  | ACGIH<br>MX OEL   |  |  |
|  | 3 mg/m3<br>3 mg/m3<br>10 mg/m3  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):   | Respirable fraction.   | ACGIH<br>MX OEL<br>ACGIH  |  |  |
|  | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>15 mg/m3  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>Time Weighted Average  | Respirable fraction.   | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1                               |  |  |
|  | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>15 mg/m3<br>10 mg/m3<br>20 mg/m3  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>Time Weighted Average<br>(TWA):<br>Short Term Exposure Limit   | Respirable fraction.<br>Total dust.<br>as Ti<br>as Ti  | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL                     |  |  |
| Titanium dioxide   | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>15 mg/m3<br>10 mg/m3<br>20 mg/m3<br>9. PHYSI  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>Time Weighted Average<br>(TWA):<br>Short Term Exposure Limit<br>(STEL):<br>CAL AND CHEMICAL PRO  | Respirable fraction.<br>Total dust.<br>as Ti<br>as Ti<br>DPERTIES  | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL           |  |  |
| Titanium dioxide   | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>15 mg/m3<br>10 mg/m3<br>20 mg/m3<br>9. PHYSIC<br>: Solid  | Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>Time Weighted Average<br>(TWA):<br>Short Term Exposure Limit<br>(STEL):<br>CAL AND CHEMICAL PRO  | Respirable fraction. Total dust. as Ti as Ti DPERTIES ration rate : Not  | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL           |  |  |
| Titanium dioxide   | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>15 mg/m3<br>10 mg/m3<br>20 mg/m3<br>9. PHYSIC<br>: Solid<br>: pelle                                       | Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         PEL:         Time Weighted Average<br>(TWA):         Short Term Exposure Limit<br>(STEL):         CAL AND CHEMICAL PRO         the Evapore<br>triangle Specific   | Respirable fraction. Total dust. as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not   | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL           |  |  |
| Titanium dioxide   | 3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>10 mg/m3<br>10 mg/m3<br>20 mg/m3<br>9. PHYSIC<br>: Solic<br>: pelle<br>: RED                              | Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         PEL:         Time Weighted Average<br>(TWA):         Short Term Exposure Limit<br>(STEL):         CAL AND CHEMICAL PRO<br>the Evapor<br>ots         Bulk d  | Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ic Gravity       : Not         ensity       : Not                                | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL<br>MX OEL |  |  |
| Titanium dioxide<br>Titanium dioxide<br>Form<br>Appearance<br>Color<br>Odour | 3 mg/m3<br>3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>10 mg/m3<br>20 mg/m3<br>20 mg/m3<br>9. PHYSI<br>: Solid<br>: pelle<br>: RED<br>: Very          | Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         PEL:         Time Weighted Average<br>(TWA):         Short Term Exposure Limit<br>(STEL):         CAL AND CHEMICAL PRO         d       Evapor         ets       Specific         D       Bulk d         / faint       Vapou | Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ic Gravity       : Not         ensity       : Not         r pressure       : Not | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL           |  |  |
| Titanium dioxide   | 3 mg/m3<br>3 mg/m3<br>3 mg/m3<br>10 mg/m3<br>10 mg/m3<br>20 mg/m3<br>20 mg/m3<br>9. PHYSI<br>: Solid<br>: pelle<br>: RED<br>: Very<br>: Not | Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         Time Weighted Average<br>(TWA):         PEL:         Time Weighted Average<br>(TWA):         Short Term Exposure Limit<br>(STEL):         CAL AND CHEMICAL PRO         d       Evapor         ets       Specific         D       Bulk d         / faint       Vapou | Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ensity       : Not         r pressure       : Not         r density       : Not  | ACGIH<br>MX OEL<br>ACGIH<br>OSHA Z1<br>MX OEL<br>MX OEL<br>MX OEL |  |  |

## MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007 Page 4 of 6 Print Date 11/28/2011

| Stability                        | : | Stable.  |
|----------------------------------|---|--|
| Hazardous Polymerization         | : | Will not occur.  |
| Conditions to avoid              | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
| Incompatible Materials           | : | Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ        |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 12001-26-2 | Mica             | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | : | Not readily biodegradable.   |
|-------------------------------|---|--|
| Environmental Toxicity        | : | Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential     | : | Chemicals are not readily available as they are bound within the polymer matrix. |

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007 Page 5 of 6 Print Date 11/28/2011

| <ul> <li>13. DISPOSAL CONSIDERATIONS</li> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste</li> </ul> |
|---|
| possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste  |
| classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.  |
| : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                        |
| 14. TRANSPORT INFORMATION   |
|   |
| : Not regulated for transportation.   |
| : Refer to specific regulation.   |
| : Refer to specific regulation.   |
| 15. REGULATORY INFORMATION  |
|   |
| : Classified as hazardous based on components.  |
| : All components of this product are listed on or exempt from the TSCA Inventory.   |
| ubstances (40 CFR 302)  |
|   |
| : Not applicable  |
| emely Hazardous Substance   |
| ntified under this section, this product is Not Applicable under this regula  |
|   |
|   |

## MATERIAL SAFETY DATA SHEET **PG 99962.00 RD PP LM**

Version Number 1.0 Revision Date 05/14/2007 Page 6 of 6 Print Date 11/28/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

:

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No. 12001-26-2

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

| Australia AICS    | : | Listed         |
|-------------------|---|----------------|
| China IECS        | : | Listed         |
| Europe EINECS     | : | Listed         |
| Japan ENCS        | : | Not determined |
| Korea KECI        | : | Listed         |
| Philippines PICCS | : | Listed         |
|                   |   |                |

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.