## MATERIAL SAFETY DATA SHEET 415C GREY PE

Version Number 1.0 Revision Date 05/21/2007 Page 1 of 7 Print Date 11/28/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	415C GREY PE
Product code	:	CC10100301
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Chromium (III) oxide	1308-38-9	1 - 5	
Titanium dioxide	13463-67-7	30 - 60	

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **415C GREY PE**

Version Number 1.0 Revision Date 05/21/2007 Page 2 of 7 Print Date 11/28/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/7

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **415C GREY PE**

Version Number 1.0 Revision Date 05/21/2007

\_

Page 3 of 7 Print Date 11/28/2011

δ. Ι	EXPOSURE	CONTROLS / PERS	SONAL PR	OTECTION		
Respiratory protection	: N	lo personal respiratory	ersonal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side	e-shields			
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		Iandle in accordance w Vash hands before bre				fety practice.
Engineering measures		leat only in areas with ppropriate exhaust ver			ation. 1	Provide
Exposure limit(s)						
Components	Value	Exposure time	e	Exposure typ	be	List:
Chromium (III) oxide	0.5 mg/m3	*		as Cr		ACGIH
	0.5 mg/m3	PEL:		as Cr		OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):	erage			ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	10 mg/m3	Time Weighted Av (TWA):				MX OEL
	20 mg/m3			as Ti		MX OEL
	9. PHYSI	CAL AND CHEMIC	AL PROPI	ERTIES		
Form	: Solid	4	Evaporati	on rate ·	Note	nnlicabla
Appearance	: pelle		Specific Gravity		Not applicable Not determined	
Color	: GRE		Bulk density :			established
Odour	: Very	/ faint	5		Not a	applicable
Melting point/range		determined	Vapour d			pplicable
Boiling Point:		applicable	pH	:		applicable
Water solubility	: Insol	luble				
	10. 5	STABILITY AND RI	EACTIVIT	Y		
Stability	: S	table.				

## MATERIAL SAFETY DATA SHEET 415C GREY PE

 

 Version Number 1.0 Revision Date 05/21/2007
 Page 4 of 7 Print Date 11/28/2011

 Hazardous Polymerization
 :

 Will not occur.
 :

 Conditions to avoid
 :

 Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

 Incompatible Materials
 :

 Hazardous decomposition products
 :

 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1308-38-9	Chromium (III) oxide	Irritant	Eyes, Skin.
		sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.



# MATERIAL SAFETY DATA SHEET **415C GREY PE**

sion Number 1.0 ision Date 05/21/2007	Page 5 Print Date 11/28/2
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	a : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET 415C GREY PE

ersion Number 1.0 evision Date 05/21/2007			Pr	Page 6 of int Date 11/28/201
Unless specific chemicals are id	entified under this	section, this produc	t is Not Applicabl	e under this regulatio
SARA Title III Section 313 Tox	tic Chemicals:			
Unless specific chemicals are id	entified under this	section, this produc	t is Not Applicabl	e under this regulatio
Chemical Name		CAS-	No. Weigh	1t %
ZINC COMPOUNDS		12063-	19-3 1.00	- 5.00
Canadian Regulations:				
National Pollutant Releas	se Inventory (NPRI			
Chemical Name		CAS-No.	Weight %	NPRI ID#
Aluminum oxide		1344-28-1	0.10 - 1.00	13 69
Chromium (III) oxide Zinc iron oxide		1308-38-9 12063-19-3	0.10 - 1.00	231
WHMIS Ingredient Disc CAS-No. 1308-38-9				
DSL		nts of this product a st (DSL) or are exe		n Domestic
National Inventories:				
Australia AICS	: Listed			
China IECS	: Listed			
Europe EINECS	: Listed			
Japan ENCS	: Not determine	ed		
Korea KECI	: Listed			
Philippines PICCS	: Listed			
	16. OTHER	INFORMATION		
he information provided in this Safe				formation and beli

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **415C GREY PE**

Version Number 1.0 Revision Date 05/21/2007 Page 7 of 7 Print Date 11/28/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.