MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007

Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

e

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007 Page 2 of 6 Print Date 11/28/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature		Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007 Page 3 of 6 Print Date 11/28/2011

8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations	: H W	landle in accordance with good Vash hands before breaks and a	industrial hygiene and sa at the end of workday.	afety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value			
Components	value	Exposure time	Exposure type	List:
Silica, amorphous, fumed, crystal-free	0.8 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: Z3
Silica, amorphous,		Time Weighted Average	Exposure type Inhalable particulate.	Z3
Silica, amorphous,	0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average	· · · ·	Z3 MX OEL
Silica, amorphous,	0.8 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Inhalable particulate.	Z3 MX OEL
Silica, amorphous, fumed, crystal-free	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Inhalable particulate. Respirable dust. Total dust.	Z3 MX OEL MX OEL ACGIH OSHA Z
Silica, amorphous, fumed, crystal-free	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Inhalable particulate. Respirable dust.	Z3 MX OEL MX OEL
Silica, amorphous, fumed, crystal-free	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Inhalable particulate. Respirable dust. Total dust.	Z3 MX OEL MX OEL ACGIH OSHA Z3 MX OEL
Silica, amorphous, fumed, crystal-free	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti	Z3 MX OEL MX OEL ACGIH OSHA Z3 MX OEL
Silica, amorphous, fumed, crystal-free Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PERTIES	Z3 MX OEL MX OEL ACGIH OSHA Z1 MX OEL
Silica, amorphous, fumed, crystal-free Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not	Z3 MX OEL MX OEL ACGIH OSHA Z MX OEL MX OEL
Silica, amorphous, fumed, crystal-free Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PERTIES ration rate : Not ic Gravity : Not	Z3 MX OEL MX OEL ACGIH OSHA Z MX OEL MX OEL applicable determined
Silica, amorphous, fumed, crystal-free Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : PINE	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PERTIES ration rate : Not ic Gravity : Not ensity : Not	Z3 MX OEL MX OEL ACGIH OSHA Z MX OEL MX OEL MX OEL
Silica, amorphous, fumed, crystal-free Titanium dioxide	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : PINH : Very	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifit X Bulk d faint Vapout	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not	Z3 MX OEL MX OEL ACGIH OSHA Z3 MX OEL MX OEL MX OEL
Silica, amorphous, fumed, crystal-free	0.8 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solid : pelle : PINH : Very : Not of	Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifit X Bulk d faint Vapout	Inhalable particulate. Respirable dust. Total dust. as Ti as Ti PPERTIES ration rate : Not ensity : Not r pressure : Not r density : Not	Z3 MX OEL MX OEL ACGIH OSHA Z MX OEL MX OEL MX OEL

MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007 Page 4 of 6 Print Date 11/28/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
112945-52-5	Silica, amorphous, fumed,	Oral LD50	3,160 mg/kg	rat
	crystal-free			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007 Page 5 of 6 Print Date 11/28/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: Not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET CABANA BIRD FEEDER

Version Number 1.0 Revision Date 05/23/2007 Page 6 of 6 Print Date 11/28/2011

65

SARA Title III Section 313 Toxic Che Unless specific chemicals are identified Canadian Regulations: National Pollutant Release Inve Not applicable WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A	ed under this section, this product is Not Applicable under this regulat entory (NPRI) D2A
Unless specific chemicals are identified Canadian Regulations: National Pollutant Release Inve Not applicable WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A S	ed under this section, this product is Not Applicable under this regulat entory (NPRI) D2A List
Canadian Regulations: National Pollutant Release Inve Not applicable WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A S	entory (NPRI) D2A List All components of this product are on the Canadian Domestic
National Pollutant Release Inve Not applicable WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A S	D2A List All components of this product are on the Canadian Domestic
Not applicable WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A S	D2A List All components of this product are on the Canadian Domestic
WHMIS Classification : D WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A S	List All components of this product are on the Canadian Domestic
WHMIS Ingredient Disclosure CAS-No. 112945-52-5 DSL : A St	List All components of this product are on the Canadian Domestic
CAS-No. 112945-52-5 DSL : A S	All components of this product are on the Canadian Domestic
112945-52-5 DSL : A Si	
S	
National Inventories	substances East (BSE) of the exempt.
Australia AICS : I	Listed
China IECS : L	Listed
Europe EINECS : N	Not determined
Japan ENCS : N	Not determined
Korea KECI : I	Listed
Philippines PICCS : I	Listed
1	16. OTHER INFORMATION

with any other materials or in any process, unless specified in the text.