MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Revision Date 05/18/2007

Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	SILVER BLACK #2
Product code	CC10100331
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Revision Date 05/18/2007 Page 2 of 6 Print Date 11/28/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elemmohle Limite		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Revision Date 05/18/2007 Page 3 of 6 Print Date 11/28/2011

0. E	APUSUKE	CONTROLS / PERSON	NAL PROTECTION		
Respiratory protection	: N	o personal respiratory pro	otective equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations			good industrial hygiene and s and at the end of workday.	afety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Aluminum	10 mg/m3	Time Weighted Avera (TWA):	ge Dust.	ACGIH	
	5 mg/m3	Time Weighted Avera (TWA):	ge Pyrophoric powder. as Al	ACGIH	
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z	
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z	
	5 mg/m3	Time Weighted Avera (TWA):	ge Pyrophoric powder.	MX OEL	
	10 mg/m3	Time Weighted Avera (TWA):	ge Dust.	MX OEL	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid	l F	vaporation rate : Not	applicable	
Appearance	: pelle			determined	
Color	: BLA			established	
Odour			•	applicable	
Melting point/range				applicable	
Boiling Point:		applicable pl		applicable	
Water solubility	: Insoluble			Tr	
	10. 8	STABILITY AND REA	CTIVITY		
Stability	: S	table.			

MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Page 4 of 6 Print Date 11/28/2011 Revision Date 05/18/2007 Hazardous Polymerization : Will not occur. Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents. : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

products

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Revision Date 05/18/2007	Р	Page 5 of 6 rint Date 11/28/2011		
U.S. DOT Classification :	Not regulated for transportation.			
ICAO/IATA (air) :	Refer to specific regulation.			
IMO / IMDG (maritime) :	Refer to specific regulation.			
15.	REGULATORY INFORMATION			
US Regulations:				
OSHA Status :	Classified as hazardous based on components.			
TSCA Status :	All components of this product are listed on or exer Inventory.	mpt from the TSCA		
US. EPA CERCLA Hazardous Subs	ances (40 CFR 302)			
Not applicable				
California Proposition : 65	Not applicable			
SARA Title III Section 302 Extreme	ly Hazardous Substance			
Unless specific chemicals are identif	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 Toxic C	SARA Title III Section 313 Toxic Chemicals:			
	ied under this section, this product is Not Applicable			
Chemical Name ALUMINUM (FUME OR DUST)	CAS-No. Weig 7429-90-5 1.00	<u>nt %</u> - 5.00		
	1427 70 5 1.00	5.00		
Canadian Regulations:				
National Pollutant Release In	ventory (NPRI)			
Chemical Name	CAS-No. Weight %	NPRI ID#		
Aluminum	7429-90-5 1.00 - 5.00	12		
Phthalocyanine blue	147-14-8 0.10 - 1.00	71		
WHMIS Classification :	D2B			
WHMIS Ingredient Disclosur	e List			

PolyOne

MATERIAL SAFETY DATA SHEET SILVER BLACK #2

Version Number 1.0 Revision Date 05/18/2007 Page 6 of 6 Print Date <u>11/28/2</u>011

CAS-No. 7429-90-5	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.