MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/30/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10100468
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/30/2007 Page 2 of 6 Print Date 11/29/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	8
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants. 	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	1
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	on

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/30/2007

Page 3 of 6 Print Date 11/29/2011

Considerations Wash hands before breaks and at the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : Components Value Exposure limit(s) : Components Value Exposure limit(s) : Components Value Exposure limit(s) : Itanium dioxide 10 mg/m3 Time Weighted Average (TWA): : 15 mg/m3 PEL: Total 10 mg/m3 Time Weighted Average (TWA): as 20 mg/m3 Short Term Exposure Limit (STEL): Short Term Exposure Limit (STEL): as PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate (STEL): Appearance : : pellets Specific Gravity Color : Odour : Very faint Wapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH	11			
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hywith the end of General Hygiene : Handle in accordance with good industrial hywith the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : Exposure time Expost <u>Components Value Exposure time Expost <u>Titanium dioxide</u> 10 mg/m3 Time Weighted Average (TWA): as 10 mg/m3 Time Weighted Average (TWA): as 20 mg/m3 Short Term Exposure Limit as as (STEL): . . PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not appli</u>	normally i	required.		
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hywith the end of Considerations : Wash hands before breaks and at the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : Components Value Exposure time Exposure Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Item (TWA): 15 mg/m3 PEL: Total 10 mg/m3 10 mg/m3 Short Term Exposure Limit (as (STEL): as (STEL): Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not determined Vapour density Boilbility : Insoluble pel	: Safety glasses with side-shields			
Additional Protective Measures : Safety shoes General Hygiene Considerations : Handle in accordance with good industrial hy Wash hands before breaks and at the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) Image: Components Value Exposure limit(s) Image: Components <				
Measures General Hygiene : Handle in accordance with good industrial hy Wash hands before breaks and at the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : : Components Value Exposure time Exposure Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): as 15 mg/m3 PEL: Total 10 mg/m3 Time Weighted Average (TWA): as 20 mg/m3 Short Term Exposure Limit (STEL): as Short Term Exposure Limit (STEL): as as Value Evaporation rate Appearance Specific Gravity Vapour pressure Golor : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Vapour density Boiling Point: : Not applicable pH				
Considerations Wash hands before breaks and at the end of Engineering measures : Heat only in areas with appropriate exhaust appropriate exhaust ventilation at machinery Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation at machinery Exposure limit(s) : Exposure time Exposure Itanium dioxide 10 mg/m3 Time Weighted Average (TWA): : Total 10 mg/m3 Time Weighted Average as (TWA): : Total : as (STEL): 20 mg/m3 Short Term Exposure Limit (STEL): : as (STEL): : as (STEL): Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH				
appropriate exhaust ventilation at machinery Exposure limit(s) Exposure time Exposure		afety practice		
Components Value Exposure time Exposure time Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Total 15 mg/m3 PEL: Total 10 mg/m3 Time Weighted Average (TWA): Total 10 mg/m3 Time Weighted Average (TWA): as 20 mg/m3 Short Term Exposure Limit (STEL): as PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH Water solubility : Insoluble Insoluble	entilation.	Provide		
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): 15 mg/m3 PEL: Total 10 mg/m3 Time Weighted Average (TWA): as 10 mg/m3 Time Weighted Average (TWA): as 20 mg/m3 Short Term Exposure Limit (STEL): as 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH Water solubility : Insoluble Insoluble				
Image: Constraint of the constraint	e type	List:		
10 mg/m3 Time Weighted Average (TWA): as (TWA): 20 mg/m3 Short Term Exposure Limit (STEL): as 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH Water solubility : Insoluble		ACGIH		
Image: constraint of the state of the s	ust.	OSHA Z1		
(STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate Appearance : pellets Specific Gravity Color : BLUE Bulk density Odour : Very faint Vapour pressure Melting point/range : Not determined Vapour density Boiling Point: : Not applicable pH Water solubility : Insoluble Insoluble	as Ti			
Form: SolidEvaporation rateAppearance: pelletsSpecific GravityColor: BLUEBulk densityOdour: Very faintVapour pressureMelting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble	ĩ	MX OEL		
Form: SolidEvaporation rateAppearance: pelletsSpecific GravityColor: BLUEBulk densityOdour: Very faintVapour pressureMelting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble				
Appearance: pelletsSpecific GravityColor: BLUEBulk densityOdour: Very faintVapour pressureMelting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble				
Appearance: pelletsSpecific GravityColor: BLUEBulk densityOdour: Very faintVapour pressureMelting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble	· Not	applicable		
Color: BLUEBulk densityOdour: Very faintVapour pressureMelting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble		determined		
Melting point/range: Not determinedVapour densityBoiling Point:: Not applicablepHWater solubility: Insoluble		established		
Boiling Point:: Not applicablepHWater solubility: Insoluble		applicable		
Water solubility : Insoluble		applicable		
-	: Not	applicable		
10. STABILITY AND REACTIVITY				
Stability : Stable.				
Hazardous Polymerization : Will not occur.				
Conditions to avoid : Keep away from oxidizing agents and open	ame. To a	avoid thermal		

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Page 4 of 6 Print Date 11/29/2011 Revision Date 05/30/2007 decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : (NOx), other hazardous materials, and smoke are all possible. products 11. TOXICOLOGICAL INFORMATION This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: Target Organ CAS-No. Chemical Name Effect 13463-67-7 Systemic effects Titanium dioxide Respiratory system. Carcinogenicity This product contains the following components which, in their pure form, have the following carcinogenicity data: Chemical Name OSHA IARC NTP CAS-No. 13463-67-7 Titanium dioxide 2B no no IARC Carcinogen Classifications: 1 - The component is carcinogenic to humans. 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans. NTP Carcinogen Classifications: 1 - The component is known to be a human carcinogen. 2 - The component is reasonably anticipated to be a human carcinogen. **12. ECOLOGICAL INFORMATION** Persistence and degradability Not readily biodegradable. : **Environmental Toxicity** Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the • polymer matrix. Additional advice : No data available

13. DISPOSAL CONSIDERATIONS

: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The

Product

4/6



MATERIAL SAFETY DATA SHEET **BLUE**

sion Number 1.0 vision Date 05/30/2007	Page 5 o Print Date 11/29/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 To	xic Chemicals:
	dentified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are	ientified under tills section, tills product is Not Applicable under tills regulat



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0						Page 6 of
Revision Date 05/30/2007				P	rint Date	11/29/201
National Pollutant Relea	se Iı	ventory (NPRI)				
Chemical Name			CAS-No.	Weight %	NPRI	ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13	
WHMIS Classification DSL	:		s of this product (DSL) or are exc	are on the Canadia empt.	in Domest	ic
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER I	NFORMATION	1		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.