## MATERIAL SAFETY DATA SHEET GOLD NO PEARL 2

Version Number 1.0 Revision Date 06/06/2007 Page 1 of 6 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone <b>Emergency telephone</b>	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GOLD NO PEARL 2
Product code	:	CC10100693
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %		
Rutile, antimony chromium buff	68186-90-3	10 - 30		

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>			
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			

PolyOne.

# MATERIAL SAFETY DATA SHEET GOLD NO PEARL 2

Version Number 1.0 Revision Date 06/06/2007 Page 2 of 6 Print Date 11/29/2011

	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes f overheating or combustion. When symptoms persist or in a doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When syn persist or in all cases of doubt seek medical advice.	ptoms		
Eyes	: Rinse immediately with plenty of water, also under the eyel least 15 minutes. If eye irritation persists, seek medical atte			
Skin	: Wash off with soap and plenty of water. If skin irritation per medical attention.	rsists seek		
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Elemental I. I. inside				
Flammable Limits Upper explosion limit	: Not applicable			
Lower explosion limit				
Autoignition temperature	: Not applicable			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbo contaminants.			
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni (NOx), other hazardous materials, and smoke are all possibl			
	ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such a impervious gloves, boots and coveralls.	ıs		
Environmental precautions	: Should not be released into the environment. The product s be allowed to enter drains, water courses or the soil.	hould not		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all maplastic, cardboard or metal containers for disposal. Refer to of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charg only in areas with appropriate exhaust ventilation.	e. Heat		
Storage	: Keep containers dry and tightly closed to avoid moisture ab	sorption		

PolyOne.

# MATERIAL SAFETY DATA SHEET **GOLD NO PEARL 2**

Version Number 1.0 Revision Date 06/06/2007 Page 3 of 6 Print Date 11/29/2011

8.1	EXPOSURE	CONTROLS / PERSO	NAL PROTECTIO	N		
Respiratory protection	: N	o personal respiratory pr	otective equipment n	ormally r	equired.	
Eye/Face Protection	: S	afety glasses with side-sl	nields			
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure	type	List:	
Rutile, antimony chromium buff	0.5 mg/m3 Time Weighted Average (TWA):				ACGIH	
	0.5 mg/m3	PEL:	as Cr		OSHA Z	
	0.5 mg/m3	Time Weighted Avera (TWA):			MX OEL	
	0.5 mg/m3	Time Weighted Avera (TWA):	age as Sb	as Sb		
	0.5 mg/m3	PEL:	as Sb		OSHA Z	
	0.5 mg/m3	Time Weighted Avera (TWA):	as Sb	as Sb		
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Form	: Solid	I E	Evaporation rate : Not appl			
Appearance	: pelle		Specific Gravity		determined	
Color			Bulk density		established	
Odour	•		Vapour pressure : Not applicable			
Melting point/range			Vapour density : Not applicable			
Boiling Point:			Н	: Not	applicable	
Water solubility	: Insol	uble				
	10. S	STABILITY AND REA	CTIVITY			
Stability	· 5	table.				

3/6

Page 4 of 6

# POLYONE CORPORATION

## **MATERIAL SAFETY DATA SHEET GOLD NO PEARL 2**

Version Number 1.0 Print Date 11/29/2011 Revision Date 06/06/2007

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.	

### Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

#### **12. ECOLOGICAL INFORMATION**

: : :	Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix.
:	
:	
	Chemicals are not readily available as they are bound within the polymer matrix.
:	No data available
1	3. DISPOSAL CONSIDERATIONS
:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial
-	

PolyOne.

# MATERIAL SAFETY DATA SHEET GOLD NO PEARL 2

Version Number 1.0 Revision Date 06/06/2007 Page 5 of 6 Print Date 11/29/2011

	1	4. TRANSPORT INFO	RMATIC	DN				
U.S. DOT Classification	:	Not regulated for transp	ortation.					
ICAO/IATA (air)	:	Refer to specific regulat	ion.					
IMO / IMDG (maritime)	:	Refer to specific regulat	ion.					
	15	. REGULATORY INFO	ORMATI	ON				
US Regulations:								
OSHA Status	:	Classified as hazardous	based on	componen	ts.			
TSCA Status	:	All components of this plant inventory.	product ar	e listed on	or exem	pt from the TSC		
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR 302)						
Not applicable								
California Propositio 65		Not applicable						
SARA Title III Section 302 I	Extrem	ely Hazardous Substance						
Unless specific chemicals are	e identi	fied under this section, th	is product	t is Not Ap	plicable	under this regu		
	Гохіс (	Chemicals:						
SARA Title III Section 313	. : 1 4:	fied under this section, th	is product	t is Not Ap	plicable	under this regul		
Unless specific chemicals are	e identi	Chemical Name CAS-No. Weight %						
Unless specific chemicals are Chemical Name				10.2	CHROMIUM III COMPOUNDSANTIMONY68186-90-310.00 - 30.00COMPOUNDS			
Unless specific chemicals are Chemical Name CHROMIUM III COMPO		ANTIMONY		90-3	10.00 -	30.00		
Unless specific chemicals are Chemical Name CHROMIUM III COMPO		ANTIMONY		90-3	10.00 -	30.00		
Unless specific chemicals are Chemical Name CHROMIUM III COMPO COMPOUNDS Canadian Regulations: National Pollutant Re	UNDS	nventory (NPRI)	68186-9					
Unless specific chemicals are Chemical Name CHROMIUM III COMPO COMPOUNDS Canadian Regulations:	UNDS lease Ir		68186- <u>9</u> No.	Weigh		NPRI ID# 69		

PolyOne

## MATERIAL SAFETY DATA SHEET GOLD NO PEARL 2

Version Number 1.0 Revision Date 06/06/2007 Page 6 of 6 Print Date <u>11/29/2</u>011

WHMIS Classi	fication :	D2B
WHMIS Ingred		
CAS-N 68186-		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINEC	S :	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PIC	CCS :	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.