PolvOne

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0 Revision Date 06/05/2007

Page 1 of 7 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MED BLUE W/UV 10%
Product code	:	CC10100741
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	5 - 10
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0 Revision Date 06/05/2007 Page 2 of 7 Print Date 11/29/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0 Revision Date 06/05/2007		Page 3 of 7 Print Date 11/29/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXF	POSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour
- SolidpelletsBLUEVery faint

Evaporation rate Specific Gravity Bulk density Vapour pressure Not applicableNot determinedNot establishedNot applicable

4/7

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0 Revision Date 06/05/2007

Melting point/range Boiling Point: Water solubility	:	Not determined Not applicable Insoluble	Vapour density pH	:	Not applicable Not applicable
		10. STABILITY AND RE	EACTIVITY		
Stability		: Stable.			
Hazardous Polymerization		: Will not occur.			
Conditions to avoid		: Keep away from oxidiz decomposition, do not o	00	ne.	To avoid thermal
Incompatible Materials		: Incompatible with stron	ng acids and oxidizing a	gen	ts.
Hazardous decomposition products		: Carbon dioxide (CO2), (NOx), other hazardous	. , ,		U

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine,	Irritant	Eyes, Skin, Respiratory system.
	N,N'-bis(2,2,6,6-tetrameth		
	yl-4-piperidinyl)-,polymer		
	with		
	2,4,6-trichloro-1,3,5-triazi		
	ne, reaction products		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	Oral LD50	> 2,000 mg/kg	rat
	N,N'-bis(2,2,6,6-tetrameth	Dermal LD50	> 3,000 mg/kg	rat
	yl-4-piperidinyl)-,polymer			
	with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			

Carcinogenicity

PolyOne.

Page 4 of 7 Print Date 11/29/2011

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0

Revision Date 06/05/2007

Page 5 of 7 Print Date 11/29/2011

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
CAO/IATA (air)	: Refer to specific regulation.
MO / IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

ision Date 06/05/2007					Print Date	Page 6 11/29/2
US Regulations:						
OSHA Status	:	Classified as ha	azardous based or	n components.		
TSCA Status	:	All componen Inventory.	ts of this product a	are listed on or e	xempt from	the TSCA
US. EPA CERCLA Hazardou	ıs Subs	stances (40 CFR	302)			
Not applicable						
California Proposition 65	ı :	Not applicable				
SARA Title III Section 302 E	xtreme	ely Hazardous S	ubstance			
		find under this a		at is Not Applie	abla undar t	his rocul
Unless specific chemicals are	1dent1	neo under mis s	ection, this produce			
Unless specific chemicals are SARA Title III Section 313 T			ection, this produ	et is Not Applie		C
-	°oxic C	Chemicals:	-			-
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u>	`oxic C identif	Chemicals: fied under this s	ection, this produc	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	`oxic C identif	Chemicals: fied under this s	ection, this produce	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u>	`oxic C identif	Chemicals: fied under this s	ection, this produc	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	oxic C identif	Chemicals: fied under this s nventory (NPRI)	ection, this produce	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u>	oxic C identif	Chemicals: fied under this s nventory (NPRI)	ection, this produce	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification	oxic C identif	Chemicals: fied under this s nventory (NPRI)	ection, this produce	ct is Not Applic	able under t	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification WHMIS Ingredient Di <u>CAS-No.</u>	oxic C identif	Chemicals: fied under this s nventory (NPRI) D2A re List All componen	ection, this produce	ct is Not Applic Weight % 1.00 - 5.00	able under t NPRI 71	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rela</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification WHMIS Ingredient Di <u>CAS-No.</u> <u>147-14-8</u>	oxic C identif	Chemicals: fied under this s nventory (NPRI) D2A re List All componen	cAS-No. 147-14-8	ct is Not Applic Weight % 1.00 - 5.00	able under t NPRI 71	his regula
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification WHMIS Ingredient Di <u>CAS-No.</u> 147-14-8 DSL	oxic C identif	Chemicals: fied under this s nventory (NPRI) D2A re List All componen	cAS-No. 147-14-8	ct is Not Applic Weight % 1.00 - 5.00	able under t NPRI 71	his regula

PolyOne

MATERIAL SAFETY DATA SHEET **MED BLUE W/UV 10%**

Version Number 1.0 Revision Date 06/05/2007 Page 7 of 7 Print Date 11/29/2011

China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.