MATERIAL SAFETY DATA SHEET

Met. Smoke Blue M2878

Version Number 1.0 Revision Date 06/06/2007 Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Met. Smoke Blue M2878
Product code	:	CC10100921
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET *Met. Smoke Blue M2878*

Version Number 1.0 Revision Date 06/06/2007 Page 2 of 6 Print Date 11/29/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET Met. Smoke Blue M2878

Version Number 1.0 Revision Date 06/06/2007 Page 3 of 6 Print Date 11/29/2011

8. E	XPOSURE	CONTROLS / PER	SONAL I	PROTECTION	
Respiratory protection	: N	o personal respirator	y protectiv	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with sid	e-shields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations				industrial hygiene and sa t the end of workday.	afety practice
Engineering measures		eat only in areas with ppropriate exhaust ve		ate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure tim	e	Exposure type	List:
Aluminum	10 mg/m3	1		Dust.	ACGIH
	5 mg/m3	5 mg/m3 Time Weighted A (TWA):		Pyrophoric powder. as Al	ACGIH
	15 mg/m3	PEL:		Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:		Respirable dust. as Al	OSHA Z1
	5 mg/m3	Time Weighted Av (TWA):	verage	Pyrophoric powder.	MX OEL
	10 mg/m3	Time Weighted Average (TWA):		Dust.	MX OEL
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES	
Form	: Solid	l	Evapor	ation rate : Not	applicable
Appearance	: pelle				determined
Color	: BLU		Bulk de	ensity : Not	established
Odour	•	faint			applicable
Melting point/range		letermined	-		applicable
Boiling Point:		applicable	pН	: Not	applicable
Water solubility	: Insol	uble			
	10. 5	STABILITY AND R	EACTIV	ITY	

PolyOne.

MATERIAL SAFETY DATA SHEET *Met. Smoke Blue M2878*

Version Number 1.0Page 4 of 6Revision Date 06/06/2007Print Date 11/29/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET *Met. Smoke Blue M2878*

ersion Number 1.0 evision Date 06/06/2007				Page 5 of 6 Print Date 11/29/2011	
U.S. DOT Classification	: Not regul	lated for transportation	n.		
ICAO/IATA (air)	: Refer to s	specific regulation.			
IMO / IMDG (maritime)	: Refer to s	specific regulation.			
	15. REGUL	ATORY INFORMA	TION		
US Regulations:					
OSHA Status	: Classified	d as hazardous based	on componer	nts.	
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardou	is Substances (40) CFR 302)			
Not applicable					
California Propositior 65	California Proposition : Not applicable 65				
SARA Title III Section 302 E	vtremely Hazard	ous Substance			
	-		uct is Not A	pplicable under this regulation	
Unless specific chemicals are	Identified under	uns section, uns prod	uet is Not A		
SARA Title III Section 313 T					
	identified under			pplicable under this regulation	
Chemical Name ALUMINUM (FUME OR			S-No. -90-5	Weight % 10.00 - 30.00	
Canadian Regulations:			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10.00 20.00	
-					
National Pollutant Rel Chemical Name	ease Inventory (I	CAS-No.	Weigh	nt % NPRI ID#	
Aluminum		7429-90-5		- 30.00 12	
Phthalocyanine blue		147-14-8	0.10 -		
WIIMIS Classificatio	- D2D				
WHMIS Classification : D2B					
WHMIS Ingredient Di	sclosure List				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET *Met. Smoke Blue M2878*

Version Number 1.0 Revision Date 06/06/2007	Page 6 of 6 Print Date <i>11/29/2011</i>
CAS-No. 7429-90-5 DSL :	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Not determined
Japan ENCS :	Not determined
Korea KECI :	Listed
Philippines PICCS :	Not determined
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.