POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET CC TRANS RED

Version Number 1.2 Revision Date 07/09/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CC TRANS RED
Product code	:	CC10101160
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **CC TRANS RED**

Version Number 1.2 Revision Date 07/09/2007 Page 2 of 6 Print Date 11/29/2011

	4.	FIRST AID MEASURES
Inhalation	ove	ve to fresh air in case of accidental inhalation of fumes from rheating or combustion. When symptoms persist or in all cases of bt seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms sist or in all cases of doubt seek medical advice.
Eyes		se immediately with plenty of water, also under the eyelids, for at at 15 minutes. If eye irritation persists, seek medical attention.
Skin		sh off with soap and plenty of water. If skin irritation persists seel lical attention.
	5. FI	RE-FIGHTING MEASURES
Flash point	: Not	applicable
Flammable Limits		
Upper explosion limit	· Not	applicable
Lower explosion limit		applicable
Autoignition temperature		applicable
Suitable extinguishing media		bon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	pre	face self-contained breathing apparatus (SCBA) used in positive ssure mode should be worn to prevent inhalation of airborne taminants.
Unusual Fire/Explosion Hazards	: Car	bon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Dx), other hazardous materials, and smoke are all possible.
	6. ACCII	DENTAL RELEASE MEASURES
Personal precautions		ar appropriate personal protection during cleanup, such as vervious gloves, boots and coveralls.
Environmental precautions		ould not be released into the environment. The product should not allowed to enter drains, water courses or the soil.
Methods for cleaning up	plas	an up promptly by sweeping or vacuum. Package all material in stic, cardboard or metal containers for disposal. Refer to Section 13 his MSDS for proper disposal methods.
	7. H	ANDLING AND STORAGE
Handling		te measures to prevent the build up of electrostatic charge. Heat y in areas with appropriate exhaust ventilation.
Storage	: Kee	ep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET CC TRANS RED

Version Number 1.2 Revision Date 07/09/2007 Page 3 of 6 Print Date 11/29/2011

Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): : Total dust. OSHA ZI I) 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): : : Otal dust. OSHA ZI 10 mg/m3 Time Weighted Average as Ti MX OEL (STEL): : Total dust. OSHA ZI 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): : :	8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : General Hygiene : Handle in accordance with good industrial hygiene and safety practice Considerations :: Wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meaton of the measures in the exposure time interve	Respiratory protection	: N	o personal respiratory prote	ective equipment normally	y required.
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice Considerations : Handle in accordance with good industrial hygiene and safety practice Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL 10 mg/m3 Short Term Exposure Limit as Ti MX OEL (TWA): : 10 MX OEL 20 mg/m3 Short Term Exposure Limit as Ti MX OEL Stold Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not applicable Golour : Very faint Vapour pressure : Not applicable	Eye/Face Protection	: S	afety glasses with side-shie	lds	
Additional Protective :: Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL 10 mg/m3 Time Weighted Average as Ti MX OEL 20 mg/m3 Short Term Exposure Limit as Ti MX OEL Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not established Odour : Very faint Vapour density : Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour density	Hand protection	: P	rotective gloves		
Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas in the weighted Average as Ti : ACGIH (TWA): 10 mg/m3 Time Weighted Average as Ti : MX OEL (TWA): 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity :: Not determined Color : RED Bulk density :: Not established Odour : Very faint Vapour pressure : Not applicable Bioling Point: : Not applicable pH : Not applicable Bioling Point: : Not applicable pH : Not applicable Bioling	Skin and body protection	: L	ong sleeved clothing		
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH (TWA): Iong/m3 Time Weighted Average as Ti MX OEL (STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : RED Bulk density : Not applicable Melting point/range : Not deplicable PH : Not applicable Weater solubility : Insoluble : Not applicable PH : Not applicable		: S	afety shoes		
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH (TWA): 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 10 mg/m3 Time Weighted Average as Ti MX OEL 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): 20 mg/m3 Short Term Exposure Limit as Ti MX OEL Operation rate: Not applicable Appearance : pellets Specific Gravity : Not determined Odour : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Not applicable pH :			e		l safety practice
Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL (TWA): 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Vot applicable Not applicable Appearance : pellets Specific Gravity : Not applicable Appearance : pellets Specific Gravity : Not determined Color : RED Bulk density : Not applicable Melting point/range : Not determined Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Not applicable Hazardous Polymerization : Will not occur. : :	Engineering measures				n. Provide
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL (TWA): 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Odour : RED Bulk density : Not applicable Melting point/range : Not determined Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Stable. : Stable. : Hazardous Polymerization : Will not occur.	Exposure limit(s)				
Image: Constraint of the state of the s	Components	Value	Exposure time	Exposure type	List:
10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Odour : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Stability : Insoluble IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Titanium dioxide	10 mg/m3	• •		ACGIH
Image: constraint of the constraint		15 mg/m3		Total dust.	OSHA Z1
(STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Not applicable Hazardous Polymerization : Will not occur.		10 mg/m3		as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability Hazardous Polymerization : Will not occur.		20 mg/m3		it as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability Hazardous Polymerization : Will not occur.					
Appearance:pelletsSpecific Gravity:Not determinedColor:REDBulk density:Not establishedOdour:Very faintVapour pressure:Not applicableMelting point/range:Not determinedVapour density:Not applicableBoiling Point::Not applicablepH:Not applicableWater solubility:Insoluble:Not applicabletot STABILITY AND REACTIVITYStability:Stable.Hazardous Polymerization:Will not occur.		9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
Appearance:pelletsSpecific Gravity:Not determinedColor:REDBulk density:Not establishedOdour:Very faintVapour pressure:Not applicableMelting point/range:Not determinedVapour density:Not applicableBoiling Point::Not applicablepH:Not applicableWater solubility:Insoluble:Not applicableIO. STABILITY AND REACTIVITYStabilityHazardous Polymerization:Will not occur.	Form	: Solid	l Eva	poration rate : N	ot applicable
Color : RED Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble					
Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Not applicable Stability : Stable. Hazardous Polymerization : Will not occur. : Will not occur.		: RED	Bul	k density : N	ot established
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Insoluble IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					
Water solubility : Insoluble Insoluble IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.			1		
IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.				: N	or applicable
Stability: Stable.Hazardous Polymerization: Will not occur.	water soluointy	. 111501			
Hazardous Polymerization : Will not occur.		10. 8	STABILITY AND REACT	TIVITY	
	Stability	: S	table.		
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal	Hazardous Polymerization	n : W	Vill not occur.		
	Conditions to avoid	: K	eep away from oxidizing a	gents and open flame. To	avoid thermal

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET CC TRANS RED

Version Number 1.2 Revision Date 07/09/2007

Page 4 of 6 Print Date 11/29/2011

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
	13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: No	t readily biodegradable.	
Environmental Toxicity		emicals are not readily available as they are bound within the lymer matrix.	
Bioaccumulation Potential		emicals are not readily available as they are bound within the lymer matrix.	
Additional advice	: No	data available	
	13. D	ISPOSAL CONSIDERATIONS	
Product		the most thermoplastic plastics the product can be recycled. Where ssible recycling is preferred to disposal or incineration. The	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **CC TRANS RED**

sion Number 1.2 vision Date 07/09/2007	Page 5 of Print Date 11/29/201
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	 All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	
Not applicable	
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET CC TRANS RED

Version Number 1.2 Revision Date 07/09/2007 Page 6 of 6 Print Date 11/29/2011

National Pollutant Release Inventory (NPRI)						
Not applicable	Not applicable					
WHMIS Classification	:	D2A				
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.				
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Not determined				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				
Philippines PICCS	:	Not determined				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.