MATERIAL SAFETY DATA SHEET Yellow II

Version Number 1.0 Revision Date 06/19/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Yellow ll
Product code	:	CC10101396
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	10 - 30	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET Yellow II

Version Number 1.0 Revision Date 06/19/2007 Page 2 of 6 Print Date 11/29/2011

		4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits				
Upper explosion limit		Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

PolyOne.

MATERIAL SAFETY DATA SHEET Yellow II

Version Number 1.0 Revision Date 06/19/2007

Page 3 of 6 Print Date 11/29/2011

8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields	5			
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		l safety practice		
Engineering measures		eat only in areas with appropriate exhaust ventilation		n. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL		
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL		
	9. PHYSIC	CAL AND CHEMICAL PRO	DPERTIES			
Form	: Solic	Evapo	ration rate : No	ot applicable		
Appearance	: pelle	-		ot determined		
Color	: YEL	LOW Bulk of	lensity : No	ot established		
Odour	•			ot applicable		
Melting point/range		1		ot applicable		
Boiling Point:	: Not a : Insol	applicable pH	: No	ot applicable		
Water solubility	: Insol	uble				
	10. 8	TABILITY AND REACTIV	VITY			
Stability	: S	table.				
Hazardous Polymerizatio	n : W	/ill not occur.				
Conditions to avoid	: K	eep away from oxidizing age	nts and open flame. To	avoid thermal		



MATERIAL SAFETY DATA SHEET Yellow II

llow II				
ion Number 1.0 sion Date 06/19/2007			Print [Page 4 c Date 11/29/20
	decomposition	do not overheat		
	decomposition,	do not overheat.		
Incompatible Materials	: Incompatible w	vith strong acids and o	oxidizing agents.	
Hazardous decompositio products		e (CO2), carbon mono azardous materials, ar		
	11. TOXICOLOGI	CAL INFORMATIO	DN	
health data for the individ Toxicity Overview	n evaluated as a whole for h dual components which con e following components whi	nprise the mixture.		
CAS-No.	Chemical Name	Effect	Torract	Oncon
	Titanium dioxide	Systemic effects	Target Respiratory system	*
CAS-No. 13463-67-7	Chemical Name Titanium dioxide	OSHA no	IARC 2B	NTP no
2B - The component is p NTP Carcinogen Classifi 1 - The component is kno	cinogenic to humans. probably carcinogenic to hur ossibly carcinogenic to hur ications: own to be a human carcinog isonably anticipated to be a	ians. jen.	I	
Persistence and degradab	oility : Not readily bio	degradable.		
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potenti		Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data availat	ble		
	13. DISPOSAL C	CONSIDERATIONS		
Product	: Like most there	noplastic plastics the ing is preferred to dis	product can be rec	



MATERIAL SAFETY DATA SHEET Yellow II

rsion Number 1.0		Page 5 of
vision Date 06/19/2007		Print Date 11/29/20
Contaminated packaging	:	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
	-	
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are	denti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (Chemicals:
Unless specific chemicals are	denti	fied under this section, this product is Not Applicable under this regulation
I I I I I I I I I I I I I I I I I I I		
Canadian Regulations:		



MATERIAL SAFETY DATA SHEET Yellow II

ersion Number 1.0					Page 6
Revision Date 06/19/2007				Pri	int Date 11/29/2
Notice at Dath and Dates	т				
National Pollutant Releas	se II	nventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
WHMIS Classification	•	D2A			
	•	2 - 1 - 1			
DSL	:			are on the Canadian	n Domestic
		Substances List	t (DSL) or are exe	empt.	
National Inventories:					
Australia AICS	:	Listed			
China IECS	•	Listed			
	•	210000			
Europe EINECS	:	Listed			
Japan ENCS		Not determined			
Japan ENCS	·	Not determined	L		
Korea KECI	:	Not determined	l		
		T • 1			
Philippines PICCS	:	Listed			
		16 ОТНЕР 1	NFORMATION	r	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.