PolvOne

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007

Page 1 of 7 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	UV MED BLUE BU31
Product code :	CC10101565
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007 Page 2 of 7 Print Date 11/29/2011

4. FIRST AID MEASURES
: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
5. FIRE-FIGHTING MEASURES
: Not applicable
 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.
. ACCIDENTAL RELEASE MEASURES
: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007		Page 3 of 7 Print Date 11/29/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour
- SolidpelletsBLUEVery faint

Evaporation rate Specific Gravity Bulk density Vapour pressure Not applicableNot determinedNot establishedNot applicable

4/7

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007

_

Melting point/range Boiling Point: Water solubility	:	Not	determined applicable luble	Vapour density pH		Not applicable Not applicable
		10.	STABILITY AND RE	ACTIVITY		
Stability		: 5	stable.			
Hazardous Polymerization		: 1	Will not occur.			
Conditions to avoid			Keep away from oxidizi lecomposition, do not o	ng agents and open flar verheat.	ne.	To avoid thermal
Incompatible Materials		: I	ncompatible with strong	g acids and oxidizing ag	gent	S.
Hazardous decomposition products			. , .	carbon monoxide (CO), materials, and smoke an		U

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine,	Irritant	Eyes, Skin, Respiratory system.
	N,N'-bis(2,2,6,6-tetrameth		
	yl-4-piperidinyl)-,polymer		
	with		
	2,4,6-trichloro-1,3,5-triazi		
	ne, reaction products		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat

Carcinogenicity

PolyOne.

Page 4 of 7 Print Date 11/29/2011

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007 Page 5 of 7 Print Date 11/29/2011

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.
refinite and degradability	. Not readily blodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	
ICAU/IATA (all)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

ion Number 1.0 sion Date 06/27/2007			Pr	Pag int Date 11/2	
US Regulations:					
OSHA Status	: Classified as	hazardous based o	n components.		
TSCA Status	: All compone Inventory.	nts of this product	are listed on or exer	npt from the T	SC
US. EPA CERCLA Hazardou	s Substances (40 CF	R 302)			
Not applicable					
California Proposition 65	: Not applicabl	e			
SARA Title III Section 302 E	xtremely Hazardous	Substance			
			act is Not Applicabl	e under this re	
Unless specific chemicals are SARA Title III Section 313 To		section, this produ			gul
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations:	oxic Chemicals: identified under this	section, this produ			-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u>	oxic Chemicals: identified under this	section, this produ I) CAS-No.	ict is Not Applicabl	e under this re	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: National Pollutant Rele	oxic Chemicals: identified under this	section, this produ	ict is Not Applicabl	e under this re	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u>	oxic Chemicals: identified under this ease Inventory (NPR n : D2A : All compone	section, this produ I) CAS-No. 147-14-8	Weight % 0.10 - 1.00	e under this re NPRI ID# 71	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: National Pollutant Rele Chemical Name Phthalocyanine blue WHMIS Classification DSL	oxic Chemicals: identified under this ease Inventory (NPR n : D2A : All compone	section, this produ I) CAS-No. 147-14-8	Weight % 0.10 - 1.00	e under this re NPRI ID# 71	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification	oxic Chemicals: identified under this ease Inventory (NPR n : D2A : All compone	section, this produ I) CAS-No. 147-14-8	Weight % 0.10 - 1.00	e under this re NPRI ID# 71	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: National Pollutant Rele Chemical Name Phthalocyanine blue WHMIS Classification DSL National Inventories:	oxic Chemicals: identified under this ease Inventory (NPR n : D2A : All compone Substances L	section, this produ I) CAS-No. 147-14-8	Weight % 0.10 - 1.00	e under this re NPRI ID# 71	-
SARA Title III Section 313 To Unless specific chemicals are Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS	oxic Chemicals: identified under this ease Inventory (NPR n : D2A : All compone Substances L : Listed	section, this produ I) CAS-No. 147-14-8	Weight % 0.10 - 1.00	e under this re NPRI ID# 71	-

MATERIAL SAFETY DATA SHEET UV MED BLUE BU31

Version Number 1.0 Revision Date 06/27/2007 Page 7 of 7 Print Date 11/29/2011

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.