MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 06/29/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PINK
Product code	:	CC10101630
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Polystyrene	9003-53-6	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 06/29/2007 Page 2 of 6 Print Date 11/29/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 06/29/2007

Page 3 of 6 Print Date 11/29/2011

8. EXF	POSURE CONTROLS	S / PERSONAL PROTECTION	
Respiratory protection	: No personal re	spiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses	with side-shields	
Hand protection	: Protective glov	res	
Skin and body protection	: Long sleeved c	lothing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		rdance with good industrial hygiene and safety practi fore breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
Form	: Solid	HEMICAL PROPERTIES Evaporation rate : Not applicable	
Form Appearance Color Odour Melting point/range Boiling Point:	 Solid pellets PINK Very faint Not determined Not applicable 		
Form Appearance Color Odour Melting point/range Boiling Point:	: Solid : pellets : PINK : Very faint : Not determined	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicable	
Form Appearance Color Odour Melting point/range Boiling Point:	 Solid pellets PINK Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicable	
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid pellets PINK Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:Not applicableVapour density:Not applicablepH:Not applicable	
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 Solid pellets PINK Very faint Not determined Not applicable Insoluble 10. STABILITY	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable	
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Solid pellets PINK Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occur. Keep away fro 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable	
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid pellets PINK Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occur. Keep away fro decomposition 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable AND REACTIVITY m oxidizing agents and open flame. To avoid thermal	

PolyOne.

MATERIAL SAFETY DATA SHEET **PINK**

	007				Date 11/29/
		ted as a whole for he nponents which com	alth effects. Exposur	re effects listed are	e based on ex
Toxicity Overview This product contair	ns the followi	ing components whic	h in their pure form h	nave the following	g characterist
CAS-No.	Ch	emical Name	Effect	Target	Organ
Carcinogenicity This product contair data:	ns the followi	ing components whic	h, in their pure form,	have the followin	ng carcinoger
CAS-No.	0	Chemical Name	OSHA	IARC	NTP
9003-53-6	Polystyr	ene	no	3	no
1 - The component i	is known to b	e a human carcinoge anticipated to be a h	uman carcinogen.		
	is known to b is reasonably	e a human carcinoge anticipated to be a h	uman carcinogen.		
1 - The component i 2 - The component i	is known to b is reasonably radability	 a human carcinoge anticipated to be a h 12. ECOLOGICA : Not readily biod 	uman carcinogen.	s they are bound w	vithin the
 The component i The component i Persistence and degr 	is known to b is reasonably radability icity	 e a human carcinoge anticipated to be a h 12. ECOLOGICAT : Not readily biod : Chemicals are no polymer matrix. 	uman carcinogen. L INFORMATION egradable.	-	
 The component i The component i Persistence and degr Environmental Toxi 	is known to b is reasonably radability icity	 e a human carcinoge anticipated to be a h 12. ECOLOGICAI Not readily biod Chemicals are no polymer matrix. Chemicals are no 	uman carcinogen. L INFORMATION egradable. ot readily available as ot readily available as	-	
 The component i The component i Persistence and degr Environmental Toxi Bioaccumulation Po 	is known to b is reasonably radability icity	 a human carcinoge anticipated to be a h 12. ECOLOGICAI Not readily biod Chemicals are no polymer matrix. Chemicals are no polymer matrix. No data availabl 	uman carcinogen. L INFORMATION egradable. ot readily available as ot readily available as	-	
 The component i The component i Persistence and degr Environmental Toxi Bioaccumulation Po 	is known to b is reasonably radability icity	 a human carcinoge anticipated to be a h 12. ECOLOGICAI Not readily biod Chemicals are ne polymer matrix. Chemicals are ne polymer matrix. Chemicals are ne polymer matrix. No data availabl 13. DISPOSAL CO Like most therm possible recyclir generator of was classification, tra 	uman carcinogen. L INFORMATION egradable. ot readily available as ot readily available as e	oroduct can be recosal or incineratio sponsibility for prosal in accordance	vithin the ycled. Wher on. The oper waste e with

PolyOne.

MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 06/29/2007

Page 5 of 6 Print Date 11/29/2011

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	as Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
65 SARA Title III Section 302 F	Extremely Hazardous Substance
65 SARA Title III Section 302 F	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 F Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 F Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Yoxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Yoxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation 'oxic Chemicals: identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation 'oxic Chemicals: identified under this section, this product is Not Applicable under this regulation ease Inventory (NPRI)



MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 06/29/2007 Page 6 of 6 Print Date 11/29/2011

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.