MATERIAL SAFETY DATA SHEET GRAY 2

Version Number 1.0 Revision Date 07/10/2007

Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRAY 2
Product code	:	CC10101800
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **GRAY 2**

Version Number 1.0 Revision Date 07/10/2007 Page 2 of 6 Print Date 11/29/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Y		
Flammable Limits		Not applicable
Upper explosion limit	:	Not applicable Not applicable
Lower explosion limit Autoignition temperature	•	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **GRAY 2**

Version Number 1.0 Revision Date 07/10/2007

Page 3 of 6 Print Date 11/29/2011

8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	y required.
Eye/Face Protection	: S	afety glasses with side-shield	S	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		l safety practice
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form	: Solic	Evan	oration rate : N	ot applicable
Appearance	: pelle			ot determined
Color	: GRE	Y Bulk	density : N	ot established
Odour				ot applicable
Melting point/range				ot applicable
Boiling Point: Water solubility	: Not a : Insol	applicable pH	: N	ot applicable
water solubility	: Insol	uble		
	10. 8	STABILITY AND REACTI	VITY	
Stability	: S	table.		
Hazardous Polymerization	n : V	Vill not occur.		
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal				

PolyOne.

MATERIAL SAFETY DATA SHEET

RAY2					
rsion Number 1.0 vision Date 07/10/2007	7			Print D	Page 4 o Date 11/29/20
	deco	position, do	not overheat.		
Incompatible Materials	: Inco	patible with	strong acids and o	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXI	OLOGICA	L INFORMATIO	ON	
health data for the indiv <u>Toxicity Overview</u> This product contains the				have the following	characteristics:
CAS-No.	Chemical N	me	Effect	Target (Organ
13463-67-7	Titanium dioxide		ystemic effects	Respiratory syste	0
CAS-No.	Chemical Name OSHA IARC				NTP
13463-67-7	Titanium dioxide		no	2B	no
IARC Carcinogen Class 1 - The component is ca 2A - The component is 2B - The component is NTP Carcinogen Classi 1 - The component is k 2 - The component is re	arcinogenic to hum probably carcinog possibly carcinoge ifications: nown to be a huma	nic to human ic to humans carcinogen.			
	12. ECO	LOGICAL	NFORMATION	1	
Persistence and degrada	ability : Not	adily biodeg	radable.		
Environmental Toxicity		icals are not a er matrix.	readily available	as they are bound w	ithin the
Bioaccumulation Poten		icals are not a er matrix.	readily available	as they are bound w	ithin the

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The

PolyOne.

MATERIAL SAFETY DATA SHEET **GRAY 2**

rsion Number 1.0 vision Date 07/10/2007		Page 5 of Print Date 11/29/201
		generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	xtrem	ely Hazardous Substance
Unless specific chemicals are	identi	ified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (Chemicals:
Unless specific chemicals are	identi	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:		



MATERIAL SAFETY DATA SHEET GRAY 2

Version Number 1.0 Revision Date 07/10/2007 Page 6 of 6 Print Date 11/29/2011

National Pollutant Release Inventory (NPRI)					
Not applicable	Not applicable				
WHMIS Classification	:	D2A			
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
	16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.