## MATERIAL SAFETY DATA SHEET RUBY FR PP IN

Version Number 1.0 Revision Date 07/16/2007 Page 1 of 6 Print Date 11/30/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	RUBY FR PP IN
Product code	CC10102128
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **RUBY FR PP IN**

Version Number 1.0 Revision Date 07/16/2007 Page 2 of 6 Print Date 11/30/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

**POLYONE CORPORATION** 



## MATERIAL SAFETY DATA SHEET RUBY FR PP IN

Version Number 1.0 Revision Date 07/16/2007

\_

Page 3 of 6 Print Date 11/30/2011

10 mg/m3     Time Weighted Average (TWA):     as Ti     MX OEL	and contamination. Keep in a dry, cool place.					
Eye/Face Protection       :       Safety glasses with side-shields         Hand protection       :       Protective gloves         Skin and body protection       :       Long sleeved clothing         Additional Protective       :       Safety shoes         Measures       :       Safety shoes         General Hygiene       :       Handle in accordance with good industrial hygiene and safety practice         Considerations       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       Exposure time       Exposure type       List:         Titanium dioxide       10 mg/m3       Time Weighted Average       as Ti       MX OEL         (TWA):       :       Total dust.       OSHA ZI         10 mg/m3       Time Weighted Average       as Ti       MX OEL         (STEL):       :       Not applicable         Appearance       :       :       PHYSICAL AND CHEMICAL PROPERTIES         Form       :       :       Solid       Evaporation rate       :       Not applicable         Appearance       :       :       PHYSICAL AND CHEMICAL PROPERTIES       Not established         Golor       :       RED       Bulk density	8.1	EXPOSURE	CONTROLS / PERSON	AL PROTECTION		
Hand protection       :       Protective gloves         Skin and body protection       :       Long sleeved clothing         Additional Protective       :       Safety shoes         Measures       :       Safety shoes         General Hygiene       :       Handle in accordance with good industrial hygiene and safety practice         Considerations       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Engineering measures       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       KacGH         Components       Value       Exposure time       Exposure type       List:         Titanium dioxide       10 mg/m3       Time Weighted Average       ACGH       (TWA):       OSHA ZI         10 mg/m3       Time Weighted Average       as Ti       MX OEL         20 mg/m3       Short Term Exposure Limit       as Ti       MX OEL         Specific Gravity       :       Not applicable         Appearance       :       pellets       Specific Gravity       :       Not applicable         Appearance       :       pellets       Specific Gravity       :       Not applicable	Respiratory protection : No personal respiratory protective equipment normally required.					
Skin and body protection       : Long sleeved clothing         Additional Protective       : Safety shoes         Measures       : Handle in accordance with good industrial hygiene and safety practice         Considerations       : Handle in accordance with good industrial hygiene and safety practice         Considerations       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Total dust.       OSHA ZI         Components       Value       Exposure time       Exposure type       List:         Titanium dioxide       10 mg/m3       Time Weighted Average       as Ti       MX OEL         10 mg/m3       Short Term Exposure Limit       as Ti       MX OEL         (TWA):       :       10 MX OEL         20 mg/m3       Short Term Exposure Limit       as Ti       MX OEL         Solid       Evaporation rate       : Not applicable         Appearance       ::       pellets       Specific Gravity       : Not applicable         Alduring point/range       : Not determined       Vapour pressure       : Not applicable         Boiling Point:       ::       : Not applic	Eye/Face Protection	: S	afety glasses with side-shi	elds		
Additional Protective       ::       Safety shoes         Measures       :       Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.         Engineering measures       ::       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       :       Exposure time       Exposure type       List:         Titanium dioxide       10 mg/m3       Time Weighted Average as Ti       MX OEL (TWA):       OSHA ZI         10 mg/m3       Time Weighted Average as Ti       MX OEL (TWA):       MX OEL (TWA):       :         20 mg/m3       Short Term Exposure Limit as Ti       MX OEL (STEL):       Not applicable Appearance : pellets       Specific Gravity :: Not applicable Appearance : pellets       Specific Gravity :: Not established Odour : Very faint       Vapour pressure : Not applicable Boiling point/range :: Not deplicable pH : Not applicable Bioling Point: : Not applicable pH : Not applicable Bioling Point: : Not applicable pH : Not applicable Bioling Point: : Insoluble         IDESTABILITY AND REACTIVITY         Stability : Stable.         Hatardous Polymerization : Will not occur.	Hand protection	: P	rotective gloves			
Measures	Skin and body protection	: L	ong sleeved clothing			
Considerations       Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s) <ul> <li></li></ul>		: S	afety shoes			
appropriate exhaust ventilation at machinery.         Exposure limit(s)         Components       Value       Exposure time       Exposure type       List:         Titanium dioxide       10 mg/m3       Time Weighted Average       ACGIH         (TWA):       Ising/m3       PEL:       Total dust.       OSHA ZI         10 mg/m3       Time Weighted Average       as Ti       MX OEL         (TWA):       Image: Color of the state						afety practice.
Components         Value         Exposure time         Exposure type         List:           Titanium dioxide         10 mg/m3         Time Weighted Average (TWA):         ACGIH           15 mg/m3         PEL:         Total dust.         OSHA ZI           10 mg/m3         Time Weighted Average (TWA):         as Ti         MX OEL (TWA):           20 mg/m3         Short Term Exposure Limit (STEL):         as Ti         MX OEL           PHYSICAL AND CHEMICAL PROPERTIES         Vot applicable         Not applicable           Appearance         :         pellets         Specific Gravity         : Not applicable           Appearance         :         pellets         Specific Gravity         : Not determined           Color         :         RED         Bulk density         : Not applicable           Melting point/range         : Not determined         Vapour pressure         : Not applicable           Boiling Point:         : Not applicable         pH         : Not applicable           Water solubility         : Insoluble         Insoluble         : Not applicable           Hazardous Polymerization         : Will not occur.         : Will not occur.         : Will not occur.	Engineering measures				ilation.	Provide
Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH         15 mg/m3       PEL:       Total dust.       OSHA ZI         10 mg/m3       Time Weighted Average (TWA):       as Ti       MX OEL         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OEL         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       :       Solid       Evaporation rate       :       Not applicable         Appearance       :       pellets       Specific Gravity       :       Not determined         Odour       :       Very faint       Vapour pressure       :       Not applicable         Melting point/range       :       Not determined       Vapour density       :       Not applicable         Boiling Point:       :       Not applicable       pH       :       Not applicable         Boiling Point:       :       Not applicable       pH       :       Not applicable         Boiling Point:       :       Stable.       :       Stable.       :       Will not occur.	Exposure limit(s)					
Image: Constraint of the second se	Components	Value	Exposure time	Exposure ty	pe	List:
15 mg/m3       PEL:       Total dust.       OSHA ZI         10 mg/m3       Time Weighted Average (TWA):       as Ti       MX OEL (TWA):         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OEL         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       :       Solid       Evaporation rate       :       Not applicable         Appearance       :       pellets       Specific Gravity       :       Not determined         Color       :       RED       Bulk density       :       Not applicable         Melting point/range       :       Not determined       Vapour pressure       :       Not applicable         Boiling Point:       :       Not applicable       pH       :       Not applicable         Water solubility       :       Insoluble       :       Not applicable         IO. STABILITY AND REACTIVITY         Stability       :       Stable.         Hazardous Polymerization       :       Will not occur.	Titanium dioxide	10 mg/m3		ge		ACGIH
Image: constraint of the constraint		15 mg/m3		Total dust	t.	OSHA Z1
20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OEL         9. PHYSICAL AND CHEMICAL PROPERTIES         Form       : Solid       Evaporation rate       : Not applicable         Appearance       : pellets       Specific Gravity       : Not determined         Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       : Not applicable         Hexardous Polymerization         :       Will not occur.		10 mg/m3		ge as Ti		MX OEL
Form       : Solid       Evaporation rate       : Not applicable         Appearance       : pellets       Specific Gravity       : Not determined         Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       Insoluble         Stability         Hazardous Polymerization       : Will not occur.		20 mg/m3	-	mit as Ti		MX OEL
Form       : Solid       Evaporation rate       : Not applicable         Appearance       : pellets       Specific Gravity       : Not determined         Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       Insoluble         Stability       : Stable.       :       Will not occur.						
Appearance       : pellets       Specific Gravity       : Not determined         Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       Insoluble         Stability       : Stable.       : Stable.         Hazardous Polymerization       : Will not occur.       : Will not occur.		9. PHYSI	CAL AND CHEMICAL	PROPERTIES		
Appearance       : pellets       Specific Gravity       : Not determined         Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       Insoluble         Stability       : Stable.       : Stable.         Hazardous Polymerization       : Will not occur.       : Will not occur.	Form	: Solic	i Ev	vaporation rate	: Not	applicable
Color       : RED       Bulk density       : Not established         Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       : Not applicable         Stability       : Stable.       : Stable.       : Will not occur.				-		
Odour       : Very faint       Vapour pressure       : Not applicable         Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       Insoluble       : Not applicable         Image: Mater solubility       : Insoluble       : Not applicable       : Not applicable         Stability       : Stable.       : Stable.       : Will not occur.		-		•		
Melting point/range       : Not determined       Vapour density       : Not applicable         Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       10. STABILITY AND REACTIVITY	Odour	: Very			: Not	applicable
Boiling Point:       : Not applicable       pH       : Not applicable         Water solubility       : Insoluble       : Insoluble       : Insoluble         IO. STABILITY AND REACTIVITY         Stability       : Stable.         Hazardous Polymerization       : Will not occur.	Melting point/range	: Not				
Water solubility       : Insoluble         Insoluble         IO. STABILITY AND REACTIVITY         Stability       : Stable.         Hazardous Polymerization       : Will not occur.		: Not				
Stability:Stable.Hazardous Polymerization:Will not occur.	e					
Hazardous Polymerization : Will not occur.		10. 8	STABILITY AND REAC	CTIVITY		
·	Stability	: S	table.			
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal	Hazardous Polymerizatio	n : V	Vill not occur.			
	Conditions to avoid	: K	Keep away from oxidizing	agents and open flam	e. To a	woid thermal

PolvOne

## **MATERIAL SAFETY DATA SHEET RUBY FR PP IN**

Version Number 1.0 Revision Date 07/16/2007	Page Print Date 11/30
	decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The	

Page 4 of 6 Date 11/30/2011



# MATERIAL SAFETY DATA SHEET **RUBY FR PP IN**

sion Number 1.0 rision Date 07/16/2007	Page 5 o Print Date 11/30/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 H	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 7	oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
Canadian Regulations:	

<u>PolyOne</u>

## **MATERIAL SAFETY DATA SHEET** RUBY FR PP IN

Version Number 1.0		Page 6 of 6 Print Date 11/30/2011
Revision Date 07/16/2007		Print Date 11/30/2011
National Pollutant Releas	e Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.