PolvOne

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

Version Number 1.0 Revision Date 07/16/2007

Page 1 of 7 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EVERGREEN w/UV
Product code	:	CC10102284
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	5 - 10
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

Version Number 1.0 Revision Date 07/16/2007 Page 2 of 7 Print Date 11/30/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET **EVERGREEN w/UV**

	<u>EXPOSURE</u>	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields				
Hand protection	: P	Protective gloves				
Skin and body protection	: L	long sleeved clothing				
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Engineering measures				ilation. Provide		
Engineering measures Exposure limit(s)	aj			ilation. Provide		
Exposure limit(s) Components	aj Value	ppropriate exhaust ventilati Exposure time	on at machinery.	/pe List:		
Exposure limit(s)	aj Value 10 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA):	e Exposure ty	/pe List: ACGIH		
Exposure limit(s) Components	aj Value 10 mg/m3 15 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA): PEL:	on at machinery. Exposure ty Total dust	/pe List: ACGIH t. OSHA Z		
Exposure limit(s) Components	aj Value 10 mg/m3 15 mg/m3 10 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Averag (TWA): PEL: Time Weighted Averag (TWA):	Exposure ty Exposure ty Total dust as Ti	/pe List: ACGIH t. OSHA Z MX OE		
Exposure limit(s) Components	aj Value 10 mg/m3 15 mg/m3 10 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Averag (TWA): PEL: Time Weighted Averag (TWA):	Exposure ty Exposure ty Total dust as Ti	/pe List: ACGIH t. OSHA Z		
Exposure limit(s) Components	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Lin	e Exposure ty Total dust e as Ti nit as Ti	/pe List: ACGIH t. OSHA Z MX OE		
Exposure limit(s) Components	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Lin (STEL): CAL AND CHEMICAL F	Exposure ty Exposure ty Total dust as Ti nit as Ti PROPERTIES	/pe List: ACGIH t. OSHA Z MX OE		
Exposure limit(s) Components Titanium dioxide Form Appearance	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIO : Solic : pelle	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Lin (STEL): CAL AND CHEMICAL F d Events Spo	Exposure ty Exposure ty Total dust Total dust as Ti nit as Ti PROPERTIES	/pe List: ACGIH t. OSHA Z MX OE MX OE MX OE : Not applicable : Not determined		
Exposure limit(s) Components Titanium dioxide Form Appearance Color	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE	ppropriate exhaust ventilati Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Lin (STEL): CAL AND CHEMICAL F d Events Spo EEN Bu	Exposure ty Exposure ty E Total dust as Ti nit as Ti PROPERTIES aporation rate ecific Gravity lk density	/pe List: ACGIH t. OSHA Z MX OE MX OE MX OE : Not applicable : Not determined : Not established		
Exposure limit(s) Components Titanium dioxide Form Appearance Color Odour	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Line (STEL): CAL AND CHEMICAL F d Events EEN Bu y faint Va	Exposure ty Exposure ty Total dust as Ti nit as Ti PROPERTIES aporation rate ecific Gravity lk density pour pressure	/pe List: ACGIH t. OSHA Z MX OE MX OE MX OE : Not applicable : Not determined : Not established : Not applicable		
Exposure limit(s) Components Titanium dioxide Form Appearance Color Odour Melting point/range	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 20 mg/m3 50 cm 50	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Ling (STEL): CAL AND CHEMICAL H d Events EN Bu / faint Va	Exposure ty Exposure ty Exposure ty Total dust as Ti nit as Ti PROPERTIES aporation rate ecific Gravity k density pour pressure pour density	/pe List: ACGIH t. OSHA Z MX OE MX OE MX OE : Not applicable : Not determined : Not established : Not applicable : Not applicable		
Exposure limit(s) Components Titanium dioxide Form Appearance Color Odour	aj Value 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 20 mg/m3 50 cm 50	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Line (STEL): CAL AND CHEMICAL F d Events EEN Bu y faint Va	Exposure ty Exposure ty Exposure ty Total dust as Ti nit as Ti PROPERTIES aporation rate ecific Gravity k density pour pressure pour density	/pe List: ACGIH t. OSHA Z MX OE MX OE MX OE : Not applicable : Not determined : Not established : Not applicable		

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

 Version Number 1.0
 Page 4 of 7

 Revision Date 07/16/2007
 Print Date 11/30/2011

 Hazardous Polymerization
 : Will not occur.

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	Oral LD50	> 2,000 mg/kg	rat
	N,N'-bis(2,2,6,6-tetrameth	Dermal LD50	> 3,000 mg/kg	rat
	yl-4-piperidinyl)-,polymer			
	with			
	2,4,6-trichloro-1,3,5-triazi			
	ne, reaction products			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

PolyOne.

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

Version Number 1.0 Revision Date 07/16/2007 Page 5 of 7 Print Date 11/30/2011

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
	5/7

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

Version Number 1.0 Revision Date 07/16/2007 Page 6 of 7 Print Date 11/30/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation
Chemical Name
CAS-No.
Weight %

		0
ZINC COMPOUNDS	12063-19-3	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine green	1328-53-6	1.00 - 5.00	71
Zinc iron oxide	12063-19-3	1.00 - 5.00	231

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1328-53-6	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

:

PolyOne

MATERIAL SAFETY DATA SHEET EVERGREEN w/UV

Version Number 1.0 Revision Date 07/16/2007

Page 7 of 7 Print Date 11/30/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.