## MATERIAL SAFETY DATA SHEET **TRANL SHELL WHITE M2920**

Version Number 1.1 Revision Date 08/27/2007 Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	TRANL SHELL WHITE M2920
Product code :	CC10102470
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Ethyl acrylate	140-88-5	0.1 - 1

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANL SHELL WHITE M2920**

Version Number 1.1 Revision Date 08/27/2007 Page 2 of 6 Print Date 11/30/2011

		4. FIRST AID MEASURES		
Inhalation	C	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of loubt seek medical advice.		
Ingestion		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes		Rinse immediately with plenty of water, also under the eyelids, for a east 15 minutes. If eye irritation persists, seek medical attention.		
Skin		Wash off with soap and plenty of water. If skin irritation persists seel nedical attention.		
	5.	FIRE-FIGHTING MEASURES		
Flash point	: 1	Not applicable		
Flammable Limits				
Upper explosion limit	۲ ·	Not applicable		
Lower explosion limit		Not applicable		
Autoignition temperature		Not applicable		
Suitable extinguishing media		Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	I	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: (	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen NOx), other hazardous materials, and smoke are all possible.		
	6. AC(	CIDENTAL RELEASE MEASURES		
Personal precautions		Wear appropriate personal protection during cleanup, such as mpervious gloves, boots and coveralls.		
Environmental precautions		Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	I	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7	HANDLING AND STORAGE		
Handling		Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: I	Keep containers dry and tightly closed to avoid moisture absorption		

PolyOne.

## MATERIAL SAFETY DATA SHEET TRANL SHELL WHITE M2920

Version Number 1.1 Revision Date 08/27/2007 Page 3 of 6 Print Date 11/30/2011

8. ]	EXPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	o personal respiratory protect	ctive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields				
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		andle in accordance with go Vash hands before breaks and		safety practice		
Engineering measures		eat only in areas with appropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Ethyl acrylate	5 ppm	Time Weighted Average (TWA):		ACGIH		
	15 ppm	Short Term Exposure Limi (STEL):	t	ACGIH		
	25 ppm 100 mg/m3	PEL:		OSHA Z1		
	5 ppm 20 mg/m3	Time Weighted Average (TWA):		MX OEL		
	25 ppm 100 mg/m3	Short Term Exposure Limi (STEL):	t	MX OEL		
	0					
	9. PHYSIC	CAL AND CHEMICAL PR	ROPERTIES			
Form Appearance	: Solic : pelle	ts Spec	cific Gravity : Not	applicable determined		
	: WHI			established		
Color				applicable applicable		
Odour	1 2 11			applicable		
Odour Melting point/range	: Not :		. 100	-rpouoro		
Odour	: Not a : Insol	uble				
Odour Melting point/range Boiling Point:	: Insol	uble	IVITY			

## MATERIAL SAFETY DATA SHEET TRANL SHELL WHITE M2920

Version Number 1.1 Revision Date 08/27/2007

Page 4 of 6 Print Date 11/30/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
140-88-5	Ethyl acrylate	Irritant	Eyes, Skin, Respiratory system.
		Systemic effects	Respiratory system, central
		-	nervous system (CNS),
			digestive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
140-88-5	Ethyl acrylate	Oral LD50	370 mg/kg	rabbit
		Dermal LD50	2,997 mg/kg	mouse

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
140-88-5	Ethyl acrylate	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANL SHELL WHITE M2920**

Page 5 c Print Date 11/30/20
: Chemicals are not readily available as they are bound within the polymer matrix.
: Chemicals are not readily available as they are bound within the polymer matrix.
: No data available
13. DISPOSAL CONSIDERATIONS
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Refer to specific regulation.
: Refer to specific regulation.
15. REGULATORY INFORMATION
: Classified as hazardous based on components.
: All components of this product are listed on or exempt from the TSCA Inventory.
s Substances (40 CFR 302)
: Not applicable

## MATERIAL SAFETY DATA SHEET **TRANL SHELL WHITE M2920**

Version Number 1.1 Revision Date 08/27/2007 Page 6 of 6 Print Date 11/30/2011

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDS	1314-98-3	1.00 - 5.00

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Zinc sulfide			1314-98-3	1.00 - 5.00	231
2-Propenoic acid, 2-methyl-, 1	net	hyl ester	80-62-6	0.10 - 1.00	161
WHMIS Classification	:	D2A, F DSL status has restricted by reg		ned. Quantity use	in Canada ma
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.