PolvOne

## MATERIAL SAFETY DATA SHEET **DW GRAY**

Version Number 1.0 Revision Date 07/23/2007 Page 1 of 7 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DW GRAY
Product code	:	CC10102529
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Rutile (TiO2)	1317-80-2	0.1 - 1
Aluminum	7429-90-5	1 - 5
Mica	12001-26-2	1 - 5

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET **DW GRAY**

Version Number 1.0 Revision Date 07/23/2007 Page 2 of 7 Print Date 11/30/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



## MATERIAL SAFETY DATA SHEET **DW GRAY**

Version Number	er 1.0
<b>Revision Date</b>	07/23/2007

Storage

Page 3 of 7 Print Date 11/30/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.	ice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	5 mg/m3	Time Weighted Average	Pyrophoric powder. as	ACGIH
		(TWA):	Al	
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	5 mg/m3	Time Weighted Average	Pyrophoric powder.	MX OEL
		(TWA):		
	10 mg/m3	Time Weighted Average	Dust.	MX OEL
		(TWA):		
Mica	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
	3 mg/m3	Time Weighted Average		MX OEL
		(TWA):		

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Solid
pellets
GREY
Very faint
Not determined
Not applicable

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

### **MATERIAL SAFETY DATA SHEET** DW GRAY

Version Number 1.0

Revision Date 07/23/2007

Page 4 of 7 Print Date 11/30/2011

Water solubility	Insoluble	
	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

**Environmental Toxicity** 

: Chemicals are not readily available as they are bound within the



# MATERIAL SAFETY DATA SHEET **DW GRAY**

Bioaccumulation Potential : Cher poly Additional advice : No contractional advice : Like poss gene class appl Contaminated packaging : Recy has t and a and a ind a U.S. DOT Classification : Refe IMO / IMDG (maritime) : Refe IMO / IMDG (maritime) : Refe US Regulations: US Regulations: OSHA Status : Clas TSCA Status : All	ble recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste ification, transportation and disposal in accordance with cable federal, state/provincial and local regulations.
Bioaccumulation Potential : Cher poly Additional advice : No contractional advice : Like poss gene class appl Contaminated packaging : Recy has t and a and a ind a U.S. DOT Classification : Refe IMO / IMDG (maritime) : Refe IMO / IMDG (maritime) : Refe US Regulations: US Regulations: OSHA Status : Clas TSCA Status : All	nicals are not readily available as they are bound within the ner matrix. ata available <b>POSAL CONSIDERATIONS</b> most thermoplastic plastics the product can be recycled. Where ble recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste ification, transportation and disposal in accordance with cable federal, state/provincial and local regulations. cling is preferred when possible. The generator of waste materia he responsibility for proper waste classification, transportation tisposal in accordance with applicable federal, state/provincial ocal regulations.
13. DIS         Product       :       Like poss gene class appl         Contaminated packaging       :       Recy has t and	POSAL CONSIDERATIONS most thermoplastic plastics the product can be recycled. Where ble recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste ification, transportation and disposal in accordance with cable federal, state/provincial and local regulations. cling is preferred when possible. The generator of waste materia he responsibility for proper waste classification, transportation lisposal in accordance with applicable federal, state/provincial ocal regulations.
Product : Like poss gene class appl Contaminated packaging : Recy has t and a and i and i and and i and i an	most thermoplastic plastics the product can be recycled. Where ble recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste ification, transportation and disposal in accordance with cable federal, state/provincial and local regulations. cling is preferred when possible. The generator of waste materia he responsibility for proper waste classification, transportation lisposal in accordance with applicable federal, state/provincial ocal regulations.
Contaminated packaging : Recy has t and and i U.S. DOT Classification : Not ICAO/IATA (air) : Refe IMO / IMDG (maritime) : Refe US Regulations: US Regulations: COSHA Status : Clas TSCA Status : All	ble recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste ification, transportation and disposal in accordance with cable federal, state/provincial and local regulations. cling is preferred when possible. The generator of waste materia he responsibility for proper waste classification, transportation lisposal in accordance with applicable federal, state/provincial ocal regulations.
has t and and IA. TR U.S. DOT Classification : Not ICAO/IATA (air) : Refe IMO / IMDG (maritime) : Refe US Regulations: US Regulations: CSHA Status : Clas TSCA Status : All	lisposal in accordance with applicable federal, state/provincial ocal regulations.
U.S. DOT Classification : Not ICAO/IATA (air) : Refe IMO / IMDG (maritime) : Refe US Regulations: OSHA Status : Clas TSCA Status : All	ANSPORT INFORMATION
ICAO/IATA (air) : Refe IMO / IMDG (maritime) : Refe IS REG US Regulations: OSHA Status : Clas TSCA Status : All	
ICAO/IATA (air) : Refe IMO / IMDG (maritime) : Refe IS REG US Regulations: OSHA Status : Clas TSCA Status : All	
IMO / IMDG (maritime) : Refe 15. REC US Regulations: OSHA Status : Clas TSCA Status : All	regulated for transportation.
15. REC         US Regulations:         OSHA Status         TSCA Status         - All	r to specific regulation.
US Regulations: OSHA Status : Clas TSCA Status : All	r to specific regulation.
OSHA Status : Clas TSCA Status : All	ULATORY INFORMATION
OSHA Status : Clas TSCA Status : All	
	sified as hazardous based on components.
IIIve	components of this product are listed on or exempt from the TSCA ntory.
US. EPA CERCLA Hazardous Substance	s (40 CFR 302)
Not applicable	
California Proposition : Not 65	
SARA Title III Section 302 Extremely Ha	applicable

PolyOne.

# MATERIAL SAFETY DATA SHEET **DW GRAY**

ersion Number 1.0 evision Date 07/23/2007				Prir	Page 6 of 7 t Date 11/30/2011
Unless specific chemicals are id	dentified under this se	ection, this produ	ict is Not Aj	pplicable	under this regulation
SARA Title III Section 313 To Unless specific chemicals are id					
Chemical Name		CAS		Weight	
ALUMINUM (FUME OR D	UST)	7429-	90-5	1.00 - 5	5.00
Canadian Regulations: National Pollutant Relea Chemical Name	ase Inventory (NPRI)	CAS-No.	Weigh	<u></u>	NPRI ID#
Aluminum		7429-90-5	1.00 -		12
WHMIS Ingredient Disc CAS-No. 7429-90-5 12001-26-2 DSL	: All component	s of this product (DSL) or are ex		Canadian	Domestic
National Inventories:					
Australia AICS	: Listed				
China IECS	: Listed				
Europe EINECS	: Listed				
Japan ENCS	: Not determined				
Korea KECI	: Listed				
Philippines PICCS	: Listed				
	16. OTHER I	NFORMATION	N		
e information provided in this Saf date of its publication. The infor- rage, transportation, disposal and	nation given is design	ned only as a gui	dance for sa	afe handli	ng, use, processing,

PolyOne.

# MATERIAL SAFETY DATA SHEET **DW GRAY**

Version Number 1.0 Revision Date 07/23/2007 Page 7 of 7 Print Date 11/30/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.