MATERIAL SAFETY DATA SHEET **AMBER**

Version Number 1.0 Revision Date 08/15/2007

Page 1 of 5 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AMBER
Product code	:	CC10102895
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			



MATERIAL SAFETY DATA SHEET AMBER

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure. Do not induce vomiting without medical advice. Seek medical attention if necessary. Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention. Wash off with soap and plenty of water. If skin irritation persists see medical attention. 5. FIRE-FIGHTING MEASURES Greater than 200 °F (93 °C) Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
overheating or combustion. Seek medical attention after significant exposure. Do not induce vomiting without medical advice. Seek medical attention if necessary. Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention. Wash off with soap and plenty of water. If skin irritation persists see medical attention. 5. FIRE-FIGHTING MEASURES Greater than 200 °F (93 °C) Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
attention if necessary. Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention. Wash off with soap and plenty of water. If skin irritation persists see medical attention. 5. FIRE-FIGHTING MEASURES Greater than 200 °F (93 °C) Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
 irritation persists, seek medical attention. Wash off with soap and plenty of water. If skin irritation persists see medical attention. 5. FIRE-FIGHTING MEASURES Greater than 200 °F (93 °C) Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
medical attention. 5. FIRE-FIGHTING MEASURES Greater than 200 °F (93 °C) Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Greater than 200 °F (93 °C) Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
CCIDENTAL RELEASE MEASURES
Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
7. HANDLING AND STORAGE
Heat only in areas with appropriate exhaust ventilation.
Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET AMBER

Version Number 1.0 Revision Date 08/15/2007

Page 3 of 5 Print Date 11/30/2011

8. EAI	POSURE CONTROLS / H	PERSONAL PROTECTI	UN		
Respiratory protection	: Under normal hand	dling conditions a respirate	or may not be required.		
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Laposule min(s)					
<u>Exposure min(s)</u>					
-	us components above regul	latory thresholds in this pro	oduct.		
-	us components above regul	latory thresholds in this pro	oduct.		
There are no known hazardo	us components above regul		oduct.		
There are no known hazardo	-		oduct.		
There are no known hazardo	PHYSICAL AND CHE : liquid	MICAL PROPERTIES Evaporation rate	: Not established		
There are no known hazardo 9 Form	 PHYSICAL AND CHEN iiquid Viscous, liquid 	MICAL PROPERTIES Evaporation rate Specific Gravity			
There are no known hazardo 9 Form Appearance	PHYSICAL AND CHE : liquid	MICAL PROPERTIES Evaporation rate	: Not established		
There are no known hazardo 9 Form Appearance Color	 PHYSICAL AND CHEN ilquid Viscous, liquid BROWN 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	: Not established : Not determined		
There are no known hazardo 9 Form Appearance Color Odour	 PHYSICAL AND CHEN ilquid Viscous, liquid BROWN Very faint 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not established Not determined Not applicable 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range	 PHYSICAL AND CHEN ilquid Viscous, liquid BROWN Very faint Not applicable 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not established Not determined Not applicable Not determined Not determined 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN ilquid Viscous, liquid BROWN Very faint 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not established Not determined Not applicable Not determined 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN ilquid Viscous, liquid BROWN Very faint Not applicable Not applicable 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined 		
There are no known hazardo 9 Form Appearance Color Odour	 PHYSICAL AND CHEN iliquid Viscous, liquid BROWN Very faint Not applicable Not applicable Immiscible 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEN liquid Viscous, liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AN 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEN liquid Viscous, liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AN Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined Not applicable 		
There are no known hazardo 9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEN liquid Viscous, liquid BROWN Very faint Not applicable Not applicable Immiscible 10. STABILITY AN Stable. Will not occur. Keep away from o 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not established Not determined Not applicable Not determined Not determined Not applicable 		

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET **AMBER**

Version Number 1.0 Revision Date 08/15/2007 Page 4 of 5 Print Date 11/30/2011

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal				
Bioaccumulation Potential	: Does not bioaccumulate.				
Additional advice	: No data available				
	13. DISPOSAL CONSIDERATIONS				
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Not regulated for transportation.				
ICAO/IATA (air)	: Not regulated for transportation.				
IMO / IMDG (maritime)	: Not regulated for transportation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					



MATERIAL SAFETY DATA SHEET AMBER

Version Number 1.0	Page 5 of 5
Revision Date 08/15/2007	Print Date 11/30/2011

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

NT. nol Dollutont Dologo Inventory (NDDI)

National Pollutant Relea	se Ii	nventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Butyl acrylate			141-32-2	0.10 - 1.00	32
1-Butanol			71-36-3	0.10 - 1.00	34
WHMIS Classification	:		not been determ	ined. Quantity use	in Canada may be
National Inventories:		restricted by reg	ulations.		
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.