# MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

Version Number 1.0 Revision Date 08/15/2007 Page 1 of 6 Print Date 11/30/2011

## **1. PRODUCT AND COMPANY IDENTIFICATION**

## POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	<ul> <li>Product Stewardship (770) 271-5902</li> <li>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).</li> </ul>
Product name Product code Chemical Name CAS-No. Product Use	<ul> <li>SPD-PV 228-6725 QUINDO MAGENTA</li> <li>CC10103091</li> <li>Mixture</li> <li>Mixture</li> <li>Industrial Applications</li> </ul>

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminate (Al(OH)63-), (OC-6-11)-,	11097-59-9	1 - 5
magnesium carbonate hydroxide (2:6:1:4)		
Calcium carbonate	1317-65-3	10 - 30

## **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

# MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

Version Number 1.0 Revision Date 08/15/2007 Page 2 of 6 Print Date 11/30/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire</li> </ul>
	conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

ion Number 1.0 sion Date 08/15/2007				Print D	Page 3 ate 11/30/2
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. H	EXPOSURE	CONTROLS / PERSON	AL PROTECTIO	ON	
Respiratory protection	: N	lo personal respiratory pro	tective equipment	normally 1	equired.
Eye/Face Protection	: S	afety glasses with side-shi	ields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with app ppropriate exhaust ventilat		entilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposur	e type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable		OSHA Z1
	15 mg/m3	PEL:	Total o		OSHA Z1
	10 mg/m3	Time Weighted Averag (TWA):	ge		MX OEL
	20 mg/m3	Short Term Exposure Li (STEL):	mit		MX OEL
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solic	i Ev	vaporation rate	: Not	applicable
Appearance	: pelle		becific Gravity		determined
Color	: RED		ulk density	: Not	established
Odour			apour pressure	: Not	applicable
	•		1 1		
Melting point/range	: Not	uetermined va	apour density		applicable
Melting point/range Boiling Point:		applicable pH			applicable

## 10. STABILITY AND REACTIVITY

Stability

: Stable.

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

Version Number 1.0 Revision Date 08/15/2007 Page 4 of 6 Print Date *11/30/2011* 

Hazardous Polymerization Conditions to avoid	:	Will not occur. Keep away from oxidizing agents and open flame. To avoid thermal
Incompatible Materials	:	decomposition, do not overheat. Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during
		processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
11097-59-9	Aluminate (Al(OH)63-),	Irritant	Eyes, Skin.
	(OC-6-11)-, magnesium carbonate hydroxide		
	(2:6:1:4)		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS

PolyOne.

# MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

sion Number 1.0 ision Date 08/15/2007	Page 5 of Print Date 11/30/201
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)
Not applicable	
California Propositior 65	n : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	'oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regu

PolyOne

# MATERIAL SAFETY DATA SHEET SPD-PV 228-6725 QUINDO MAGENTA

Version Number 1.0 Revision Date 08/15/2007			Pr	Page 6 of 6 int Date 11/30/2011
Canadian Regulations: National Pollutant Relea	ase Inventory (1	NPRI)		
Chemical Name		CAS-No.	Weight %	NPRI ID#
Zinc stearate		557-05-1	0.10 - 1.00	231
WHMIS Classification WHMIS Ingredient Dis CAS-No. 11097-59-9				
DSL		ponents of this product es List (DSL) or are ex		1 Domestic
National Inventories:				
Australia AICS	: Listed			
China IECS	: Listed			
Europe EINECS	: Listed			
Japan ENCS	: Not deter	rmined		
Korea KECI	: Listed			
Philippines PICCS	: Listed			
	16 OTI	HER INFORMATION	J	†
L	10, 011		•	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.