### MATERIAL SAFETY DATA SHEET COUNTRY PEAR

Version Number 1.0 Revision Date 08/14/2007 Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	COUNTRY PEAR
Product code :	CC10103175
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to avage</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **COUNTRY PEAR**

Version Number 1.0 Revision Date 08/14/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalat overheating or combustion. When symptoms doubt seek medical advice.	
Ingestion	Do not induce vomiting without medical advi persist or in all cases of doubt seek medical advi	
Eyes	Rinse immediately with plenty of water, also least 15 minutes. If eye irritation persists, see	
Skin	Wash off with soap and plenty of water. If sk medical attention.	in irritation persists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry por Fullface self-contained breathing apparatus (S	
Procedures Unusual Fire/Explosion Hazards	pressure mode should be worn to prevent inha contaminants. Carbon dioxide (CO2), carbon monoxide (CC (NOx), other hazardous materials, and smoke	llation of airborne ), oxides of nitrogen
	CCIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection during of impervious gloves, boots and coveralls.	leanup, such as
Environmental precautions	Should not be released into the environment. be allowed to enter drains, water courses or the	
Methods for cleaning up	Clean up promptly by sweeping or vacuum. I plastic, cardboard or metal containers for disp of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of elec only in areas with appropriate exhaust ventila	
Storage	Keep containers dry and tightly closed to avo	d moisture absorption

2/6

PolyOne.

## MATERIAL SAFETY DATA SHEET **COUNTRY PEAR**

Version Number 1.0 Revision Date 08/14/2007 Page 3 of 6 Print Date 11/30/2011

0.1	VDOCUDE		DDOTECTION			
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields				
Hand protection	: P	: Protective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice		
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide		
Exposure limit(s)				1		
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous	0.8 mg/m3	Time Waighted Average				
Sinea, amorphous	0.0 mg/m3	Time Weighted Average (TWA):		Z3		
	10 mg/m3	• •	Inhalable particulate.			
	-	(TWA): Time Weighted Average	Inhalable particulate. Respirable dust.	Z3 MX OEL MX OEL		
Titanium dioxide	10 mg/m3	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	-	MX OEL		
	10 mg/m3 3 mg/m3 10 mg/m3	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	-	MX OEL MX OEL ACGIH		
	10 mg/m3 3 mg/m3	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable dust.	MX OEL MX OEL ACGIH OSHA Z1		
	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Respirable dust. Total dust.	MX OEL MX OEL ACGIH OSHA Z1 MX OEL		
	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Respirable dust. Total dust. as Ti as Ti	MX OEL MX OEL		
Titanium dioxide	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable dust. Total dust. as Ti as Ti PPERTIES	MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL		
Titanium dioxide	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable dust. Total dust. as Ti as Ti DPERTIES ration rate : Not	MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL		
Titanium dioxide	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	(TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable dust. Total dust. as Ti as Ti PPERTIES ration rate : Not ic Gravity : Not	MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined		
Titanium dioxide Form Appearance	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : WHI	(TWA):         Time Weighted Average         (TWA):         Short Term Exposure Limit         (STEL):         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         TE       Bulk d	Respirable dust. Total dust. as Ti as Ti PPERTIES ration rate : Not c Gravity : Not ensity : Not	MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined established		
Titanium dioxide Titanium dioxide Form Appearance Color Odour	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : WHI : Very	(TWA):         Time Weighted Average         (TWA):         Short Term Exposure Limit         (STEL):         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         TE       Bulk d         faint       Vapour	Respirable dust.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ration rate       : Not         ensity       : Not         r pressure       : Not	MX OEL MX OEL ACGIH OSHA ZI MX OEL MX OEL MX OEL		
Titanium dioxide Form Appearance Color	10 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : WHI : Very : Not of	(TWA):         Time Weighted Average         (TWA):         Short Term Exposure Limit         (STEL):         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         TE       Bulk d         faint       Vapour	Respirable dust.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ration rate       : Not         resity       : Not         r pressure       : Not         r density       : Not	MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined established		

## MATERIAL SAFETY DATA SHEET COUNTRY PEAR

Version Number 1.0 Revision Date 08/14/2007

Page 4 of 6 Print Date 11/30/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral LD50Oral LD50	15,000 mg/kg22,500 mg/kg	mouserat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

PolyOne.

# MATERIAL SAFETY DATA SHEET COUNTRY PEAR

sion Number 1.0 ision Date 08/14/2007		Page 5 Print Date 11/30/2
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification		
ICAO/IATA (air)	•	Not regulated for transportation.
	•	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition	:	Not applicable

PolyOne.

# **POLYONE CORPORATION**

## **MATERIAL SAFETY DATA SHEET COUNTRY PEAR**

Version Number 1.0		Page 6 of 6
Revision Date 08/14/2007	Print Date	11/30/2011

65

\_

05	
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Rel	ease Inventory (NPRI)
Not applicable	
WHMIS Classificatio	n : D2A
WHMIS Ingredient D	sclosure List
CAS-No. 7631-86-9	
DSL	: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION

п the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.