MATERIAL SAFETY DATA SHEET ORANGE PC

Version Number 1.0 Revision Date 08/14/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE PC
Product code	:	CC10103192
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **ORANGE PC**

Version Number 1.0 Revision Date 08/14/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	5
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger (NOx), other hazardous materials, and smoke are all possible.	l
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	on

2/6



MATERIAL SAFETY DATA SHEET **ORANGE PC**

Version Number 1.0 Revision Date 08/14/2007 Page 3 of 6 Print Date 11/30/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protec	tive equipment normally	y required.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		l safety practice	
Engineering measures		eat only in areas with approp ppropriate exhaust ventilatior		n. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL	
	20 mg/m3 Short Term Exposure Limit (STEL):		as Ti	MX OEL	
			0.00000000		
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form	: Solid	Evan	oration rate : N	ot applicable	
Appearance	: pelle			ot determined	
Color	1			ot established	
Odour				ot applicable	
Melting point/range		-		ot applicable	
Boiling Point:		applicable pH	: N	ot applicable	
Water solubility	: Insol	uble			
	10.8	STABILITY AND REACTI	VITY		
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
Conditions to avoid	: K	eep away from oxidizing age	ents and open flame. To	avoid thermal	



MATERIAL SAFETY DATA SHEET ORANGE PC

sion Date 08/14/2	007			Date 11/30/
	decompositio	on, do not overheat.		
Incompatible Materi	als : Incompatible	with strong acids and	oxidizing agents.	
Hazardous decompo products		de (CO2), carbon mono hazardous materials, an		
	11. TOXICOLOG	GICAL INFORMATION	ON	
<u>Toxicity Overview</u> This product contair	ns the following components w	which in their pure form	have the following	characteristi
			_	-
CAS-No.	Chemical Name	Effect	Target	
13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Respiratory syste	
13463-67-7 Carcinogenicity This product contair data:	Titanium dioxide	Systemic effects	Respiratory systems, have the following	em. Ig carcinogen
13463-67-7 Carcinogenicity This product contair	Titanium dioxide	Systemic effects	Respiratory syste	em.
13463-67-7CarcinogenicityThis product contairdata:CAS-No.13463-67-7IARC Carcinogen C1 - The component i2A - The component2B - The componentNTP Carcinogen Cla1 - The component i	Titanium dioxide Itanium dioxide Itanium dioxide Chemical Name Titanium dioxide Itassifications: s carcinogenic to humans. t is probably carcinogenic to h t is possibly carcinogenic to h assifications: s known to be a human carcin	Systemic effects /hich, in their pure form OSHA no umans. umans.	Respiratory system, have the followin	em. g carcinogen NTP
13463-67-7CarcinogenicityThis product contairdata:CAS-No.13463-67-7IARC Carcinogen C1 - The component i2A - The component2B - The componentNTP Carcinogen Cla1 - The component i	Titanium dioxide Ins the following components we Chemical Name Titanium dioxide Classifications: s carcinogenic to humans. t is probably carcinogenic to h t is possibly carcinogenic to h t assifications:	Systemic effects /hich, in their pure form OSHA no umans. umans.	Respiratory system, have the followin	em. 1g carcinogen NTP

Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix.

: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The

Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix.

Additional advice : No data available

13. DISPOSAL CONSIDERATIONS

Product



MATERIAL SAFETY DATA SHEET **ORANGE PC**

rsion Number 1.0 vision Date 08/14/2007		Page 5 of Print Date 11/30/20
		generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification		
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are in	denti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic C	Chemicals:
Unless specific chemicals are in	denti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET ORANGE PC

Version Number 1.0 Revision Date 08/14/2007				Pr	Page 6 c int Date 11/30/20	
National Pollutant Releas	se Iı	nventory (NPRI)	CAS-No.	Waight 0/	NPRI ID#	
Aluminum oxide			1344-28-1	Weight % 0.10 - 1.00	13	
WHMIS Classification DSL	:		s of this product (DSL) or are exe	are on the Canadia empt.	n Domestic	
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Not determined				
		16. OTHER I	NFORMATION	Į		Τ

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.