MATERIAL SAFETY DATA SHEET **PG 103222.00 GN PE**

Version Number 1.0 Revision Date 08/14/2007

Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
PG 103222.00 GN PE
CC10103222
Mixture
Mixture
Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 103222.00 GN PE**

Version Number 1.0 Revision Date 08/14/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants.	tive
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	n
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Secti of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion

PolyOne.

MATERIAL SAFETY DATA SHEET PG 103222.00 GN PE

Version Number 1.0 Revision Date 08/14/2007 Page 3 of 6 Print Date 11/30/2011

8. I	EXPOSURE	CONTROLS / PERSO	DNAL PROTECTION	N				
Respiratory protection	: N	lo personal respiratory p	protective equipment n	ormally	required.			
Eye/Face Protection	: S	: Safety glasses with side-shields						
Hand protection	: P	: Protective gloves						
Skin and body protection	: L	ong sleeved clothing						
Additional Protective Measures	: S	afety shoes						
General Hygiene Considerations		andle in accordance wit ash hands before break			afety practic			
Engineering measures		leat only in areas with a ppropriate exhaust venti		tilation.	Provide			
Exposure limit(s)								
Components	Value	Exposure time	Exposure	type	List:			
Silica, amorphous,	10 mg/m3	Time Weighted Aver	rage					
precipitated and gel	0.0 / 0	(TWA):						
	0.8 mg/m3	Time Weighted Aven (TWA):			Z3			
Titanium dioxide	10 mg/m3	Time Weighted Aven (TWA):	rage		ACGIH			
	15 mg/m3	PEL:	Total du	st.	OSHA ZI			
	10 mg/m3	Time Weighted Aven (TWA):	rage as Ti		MX OEL			
	20 mg/m3	Short Term Exposure (STEL):	Limit as Ti		MX OEL			
	9. PHYSIC	CAL AND CHEMICA	L PROPERTIES					
Form	: Solic	1	Evaporation rate	: Not	applicable			
Appearance	: pelle		Specific Gravity		determined			
Color	: GRE		Bulk density	: Not	established			
Odour			Vapour pressure		applicable			
Melting point/range			Vapour density		applicable			
Boiling Point:			pН	: Not	applicable			
Water solubility	: Insol	uble						
	10. 8	STABILITY AND REA	ACTIVITY					
		table.						

'olvOne

MATERIAL SAFETY DATA SHEET **PG 103222.00 GN PE**

Version Number 1.0 Revision Date 08/14/2007 Page 4 of 6 Print Date 11/30/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 103222.00 GN PE**

Version Number 1.0 Revision Date 08/14/2007 Page 5 of 6 Print Date 11/30/2011

Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Propositior 65	: Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regu

PolyOne

MATERIAL SAFETY DATA SHEET **PG 103222.00 GN PE**

Version Number 1.0 Revision Date 08/14/2007 Page 6 of 6 Print Date 11/30/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine green			1328-53-6	1.00 - 5.00	71
WHMIS Classification	n:	D2A			
WHMIS Ingredient Di	sclosu	re List			
CAS-No. 1328-53-6 112926-00-8					
DSL	:		ents of this product ist (DSL) or are exe		n Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.