MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

Version Number 1.0 Revision Date 08/21/2007

Page 1 of 7 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | CS WHITE W/LM 2 |
| Product code | : | CC10103347 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Zinc stearate | 557-05-1 | 5 - 10 |
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to |
| Skin | eyes.Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET **CS WHITE W/LM 2**

Version Number 1.0 Revision Date 08/21/2007 Page 2 of 7 Print Date 11/30/2011

| | 4. FIRST AID MEASURES | |
|---|---|--|
| Inhalation | Move to fresh air in case of accidental inhalat overheating or combustion. When symptoms doubt seek medical advice. | |
| Ingestion | Do not induce vomiting without medical advi persist or in all cases of doubt seek medical advi | |
| Eyes | Rinse immediately with plenty of water, also least 15 minutes. If eye irritation persists, see | |
| Skin | Wash off with soap and plenty of water. If sk medical attention. | in irritation persists seel |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | Not applicable | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting | Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry por Fullface self-contained breathing apparatus (S | |
| Procedures Unusual Fire/Explosion Hazards | pressure mode should be worn to prevent inha contaminants. Carbon dioxide (CO2), carbon monoxide (CC (NOx), other hazardous materials, and smoke | llation of airborne), oxides of nitrogen |
| | CCIDENTAL RELEASE MEASURES | |
| Personal precautions | Wear appropriate personal protection during of impervious gloves, boots and coveralls. | leanup, such as |
| Environmental precautions | Should not be released into the environment. be allowed to enter drains, water courses or the | |
| Methods for cleaning up | Clean up promptly by sweeping or vacuum. I plastic, cardboard or metal containers for disp of this MSDS for proper disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | Take measures to prevent the build up of elec only in areas with appropriate exhaust ventila | |
| Storage | Keep containers dry and tightly closed to avo | d moisture absorption |

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

Version Number 1.0 Revision Date 08/21/2007 Page 3 of 7 Print Date 11/30/2011

| | 1 |
|---|----------|
| Hand protection : Protective gloves | d. |
| | |
| Skin and body protection : Long sleeved clothing | |
| | |
| Additional Protective : Safety shoes Measures | |
| General Hygiene: Handle in accordance with good industrial hygiene and safety prConsiderations: Wash hands before breaks and at the end of workday. | ractice. |
| Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide | le |

| Components | Value | Exposure time | Exposure type | List: |
|------------------|----------|---------------------------|----------------------|---------|
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | as Ti | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | as Ti | MX OEL |
| | | (STEL): | | |
| Zinc stearate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | | MX OEL |
| | _ | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | | MX OEL |
| | | (STEL): | | |
| | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Solid
pellets
WHITE
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

Version Number 1.0 Revision Date 08/21/2007 Page 4 of 7 Print Date 11/30/2011

| | 10 | . STABILITY AND REACTIVITY | |
|-----|-----------------------------------|--|--|
| Sta | ability : | Stable. | |
| На | zardous Polymerization : | Will not occur. | |
| Co | nditions to avoid : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | |
| Inc | compatible Materials : | Incompatible with strong acids and oxidizing agents. | |
| | zardous decomposition : oducts | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------------------|
| 557-05-1 | Zinc stearate | Systemic effects | Eyes, Skin, Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|----------|---------------|-----------|------------|---------|
| 557-05-1 | Zinc stearate | Oral LD50 | > 10 gm/kg | rat |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

| sion Number 1.0 ision Date 08/21/2007 | Page 5 Print Date 11/30/2 |
|--|---|
| | |
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |
| | |

PolvOne

MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

Version Number 1.0 Revision Date 08/21/2007 Page 6 of 7 Print Date 11/30/2011

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

| Chemical Name | CAS-No. | Weight % |
|----------------|----------|--------------|
| ZINC COMPOUNDS | 557-05-1 | 5.00 - 10.00 |

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name | CAS-No. | Weight % | NPRI ID# |
|----------------|-----------|--------------|----------|
| Aluminum oxide | 1344-28-1 | 0.10 - 1.00 | 13 |
| Zinc stearate | 557-05-1 | 5.00 - 10.00 | 231 |

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

| CAS-No. | |
|----------|--|
| 557-05-1 | |

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

| Australia AICS | : Not determined |
|-------------------|------------------|
| China IECS | : Not determined |
| Europe EINECS | : Listed |
| Japan ENCS | : Not determined |
| Korea KECI | : Not determined |
| Philippines PICCS | : Not determined |

:

16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET CS WHITE W/LM 2

Version Number 1.0 Revision Date 08/21/2007 Page 7 of 7 Print Date 11/30/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.