MATERIAL SAFETY DATA SHEET BLUE 279 VEIN

Version Number 1.0 Revision Date 08/24/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	BLUE 279 VEIN
Product code :	CC10103375
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Calcium carbonate	1317-65-3	1 - 5	
Titanium dioxide	13463-67-7	10 - 30	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to avage
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **BLUE 279 VEIN**

Version Number 1.0 Revision Date 08/24/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES			
Inhalation	Move to fresh air in case of accidental ir overheating or combustion. When symp doubt seek medical advice.			
Ingestion	Do not induce vomiting without medical persist or in all cases of doubt seek medi			
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	Wash off with soap and plenty of water. medical attention.	If skin irritation persists seel		
	5. FIRE-FIGHTING MEASURES			
Flash point	Not applicable			
Flammable Limits				
Upper explosion limit	Not applicable			
Lower explosion limit	Not applicable			
Autoignition temperature	Not applicable			
Suitable extinguishing media	Carbon dioxide blanket, Water spray, Dr	ry powder, Foam.		
Special Fire Fighting Procedures	Fullface self-contained breathing appara pressure mode should be worn to preven contaminants.			
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2), carbon monoxide (NOx), other hazardous materials, and set			
	CCIDENTAL RELEASE MEASURES			
Personal precautions	Wear appropriate personal protection du impervious gloves, boots and coveralls.	ring cleanup, such as		
Environmental precautions	Should not be released into the environm be allowed to enter drains, water courses			
Methods for cleaning up	Clean up promptly by sweeping or vacuuplastic, cardboard or metal containers for of this MSDS for proper disposal method	disposal. Refer to Section 13		
	7. HANDLING AND STORAGE			
Handling	Take measures to prevent the build up o only in areas with appropriate exhaust ve			
Storage	Keep containers dry and tightly closed to	o avoid moisture absorption		

2/6



MATERIAL SAFETY DATA SHEET **BLUE 279 VEIN**

Version Number 1.0 Revision Date 08/24/2007 Page 3 of 6 Print Date 11/30/2011

8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION					
Respiratory protection	: N	: No personal respiratory protective equipment normally required.						
Eye/Face Protection	: S	: Safety glasses with side-shields						
Hand protection	: P	: Protective gloves						
Skin and body protection	: L	ong sleeved clothing						
Additional Protective Measures	: S	afety shoes						
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and a		afety practic				
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide				
Exposure limit(s)								
Components	Value	Exposure time	Exposure turo					
			Exposure type	List:				
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA ZI				
Calcium carbonate	15 mg/m3	PEL: PEL:		OSHA Z1 OSHA Z1				
Calcium carbonate		PEL: PEL: Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1 OSHA Z1				
	15 mg/m3	PEL: PEL: Time Weighted Average	Respirable fraction.	OSHA Z1 OSHA Z1 MX OEL				
Calcium carbonate	15 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1 OSHA Z1 MX OEL				
	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL:	Respirable fraction.	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI				
	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Respirable fraction. Total dust.	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI MX OEL				
	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average	Respirable fraction. Total dust. Total dust.	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI MX OEL				
	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Respirable fraction. Total dust. Total dust. as Ti as Ti	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI MX OEL				
	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction. Total dust. Total dust. as Ti as Ti PERTIES	OSHA Z1 OSHA Z1 MX OEL MX OEL ACGIH OSHA Z1 MX OEL				
Titanium dioxide	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSI	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction. Total dust. Total dust. as Ti as Ti PERTIES ration rate : Not	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI MX OEL				
Titanium dioxide	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solid	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts Specifi	Respirable fraction. Total dust. Total dust. as Ti as Ti PERTIES ration rate : Not c Gravity : Not	OSHA Z1 OSHA Z1 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL				
Titanium dioxide Form Appearance Color Odour	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solid : pelle : BLU : Very	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapore the Evapore the Bulk day faint	Total dust. Total dust. as Ti as Ti PPERTIES ration rate : Not ensity : Not : Not	OSHA Z1 OSHA Z1 MX OEL MX OEL ACGIH OSHA Z1 MX OEL MX OEL				
Titanium dioxide	15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solid : pelle : BLU : Very	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapore the Specific E Bulk do faint Vapour	Respirable fraction. Total dust. Total dust. as Ti as Ti PPERTIES ration rate : Not c Gravity rotation	OSHA ZI OSHA ZI MX OEL MX OEL ACGIH OSHA ZI MX OEL MX OEL				

10. STABILITY AND REACTIVITY

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET **BLUE 279 VEIN**

Version Number 1.0 Revision Date 08/24/2007

Page 4 of 6 Print Date 11/30/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the



MATERIAL SAFETY DATA SHEET **BLUE 279 VEIN**

Version Number 1.0 Revision Date 08/24/2007 Page 5 of 6 Print Date 11/30/2011

	polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : Not applicable		
SARA Title III Section 302 I	Extremely Hazardous Substance		
Unless specific chemicals are			

PolyOne

MATERIAL SAFETY DATA SHEET BLUE 279 VEIN

Version Number 1.0 Revision Date 08/24/2007 Page 6 of 6 Print Date 11/30/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

		16. OTHER I	NFORMATION	1	
Philippines PICCS	:	Listed			
Korea KECI	:	Listed			
Japan ENCS	:	Listed			
Europe EINECS	:	Listed			
China IECS	:	Listed			
Australia AICS	:	Listed			
ational Inventories:					
DSL	:		s of this product (DSL) or are exe	are on the Canadia empt.	n Domestic
WHMIS Classification	:	D2A			
Phthalocyanine blue			14/-14-8	0.10 - 1.00	/1
Aluminum oxide			1344-28-1 147-14-8	0.10 - 1.00	13 71
Chemical Name			CAS-No.	Weight %	NPRI ID#

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.