## MATERIAL SAFETY DATA SHEET **BLUE 3005C**

Version Number 1.0 Revision Date 08/29/2007 Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
BLUE 3005C
CC10103618
Mixture
Mixture
Industrial Applications
••••••

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



# MATERIAL SAFETY DATA SHEET **BLUE 3005C**

Version Number 1.0 Revision Date 08/29/2007 Page 2 of 6 Print Date 11/30/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET **BLUE 3005C**

Version Number 1.0 Revision Date 08/29/2007 Page 3 of 6 Print Date 11/30/2011

8. H	EXPOSURE	CONTROLS / PERSONAI	L PROTECTION				
Respiratory protection	: N	o personal respiratory protec	tive equipment norm	nally required.			
Eye/Face Protection	: S	: Safety glasses with side-shields					
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and					
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		tion. Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	e List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES				
Form	: Solic		oration rate :	Not applicable			
Appearance	: pelle		ific Gravity :	Not determined			
Color	: BLU		density :	Not established			
Odour Malting gaint (non ag			our pressure :	Not applicable			
Melting point/range Boiling Point:		-	our density :	Not applicable			
Water solubility	: Not applicable pH : Not applicable : Insoluble						
	10. 5	STABILITY AND REACTI	VITY				
Stability	: S	table.					
Hazardous Polymerization	n : V	Vill not occur.					
<sup>2</sup>							

PolyOne

## MATERIAL SAFETY DATA SHEET **BLUE 3005C**

ion Number 1.0 sion Date 08/29/200	)7			Print D	Page 4 Pate 11/30/2
	(	decomposition,	do not overheat.		
Incompatible Material	s : ]	Incompatible w	vith strong acids and o	oxidizing agents.	
Hazardous decomposi products			e (CO2), carbon mono azardous materials, ar		
	11. TO	OXICOLOGI	CAL INFORMATIO	DN	
health data for the indi <u>Toxicity Overview</u> This product contains	-		-	have the following	characteristic
	Chemical Name			Target Organ	
CAS-No.	Chemic	al Name	Effect	Target (	Jrgan
This product contains	Titanium dio	xide	Effect Systemic effects	Respiratory syste	em.
13463-67-7 Carcinogenicity This product contains data:	Titanium dio	xide omponents whi	Systemic effects	Respiratory syste	em. g carcinogeni
13463-67-7 Carcinogenicity This product contains	Titanium dio	xide omponents whi ical Name	Systemic effects	Respiratory syste	em.
13463-67-7 Carcinogenicity This product contains data: CAS-No.	Titanium dio   the following c   Chem   Titanium dio   ssifications:   carcinogenic to   s probably carci   sifications:   known to be a h	xide omponents whi ical Name xide humans. inogenic to hum nogenic to hum	Systemic effects ich, in their pure form OSHA no nans. nans.	Respiratory syste	m. g carcinogeni NTP
13463-67-7 Carcinogenicity This product contains data: CAS-No. 13463-67-7 IARC Carcinogen Cla 1 - The component is 2B - The component is NTP Carcinogen Class 1 - The component is	Titanium dio   the following c   Chem   Titanium dio   ssifications:   carcinogenic to   s probably carci   s possibly carci   sifications:   known to be a h   reasonably antio	xide omponents whi <u>iical Name</u> xide humans. inogenic to hum nogenic to hum uman carcinog cipated to be a l	Systemic effects ich, in their pure form OSHA no nans. nans.	Respiratory syste	m. g carcinogeni NTP
13463-67-7 Carcinogenicity This product contains data: CAS-No. 13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component is 2B - The component is NTP Carcinogen Class 1 - The component is	Titanium dio the following c Chem Titanium dio ssifications: carcinogenic to s probably carci s possibly carci sifications: known to be a h reasonably antic 12.	xide omponents whi <u>iical Name</u> xide humans. inogenic to hum nogenic to hum uman carcinog cipated to be a l	Systemic effects ich, in their pure form OSHA no nans. ans. en. human carcinogen.	Respiratory syste	m. g carcinogeni NTP

polymer matrix.

: No data available

#### **13. DISPOSAL CONSIDERATIONS**

Product

Additional advice

: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The



# MATERIAL SAFETY DATA SHEET **BLUE 3005C**

rsion Number 1.0 vision Date 08/29/2007	Page 5 of Print Date 11/30/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	is Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 I	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313	`oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
·	

PolyOne

## MATERIAL SAFETY DATA SHEET **BLUE 3005C**

Version Number 1.0 Revision Date 08/29/2007				Pri	Page 6 nt Date 11/30/2		
National Pollutant Releas	e In	ventory (NPRI)					
Chemical Name	• 111		CAS-No.	Weight %	NPRI ID#		
Aluminum oxide			1344-28-1	0.10 - 1.00	13		
Phthalocyanine blue			147-14-8	1.00 - 5.00	71		
Phthalocyanine green			1328-53-6	0.10 - 1.00	71		
WHMIS Classification : D2A   WHMIS Ingredient Disclosure List   CAS-No.   147-14-8   DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.							
National Inventories:							
Australia AICS	:	Listed					
China IECS	:	Listed					
Europe EINECS	:	Listed					
Japan ENCS	:	Listed					
Korea KECI	:	Listed					
Philippines PICCS	:	Listed					
		16. OTHER IN	FORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.