MATERIAL SAFETY DATA SHEET **TRADER MELON**

Version Number 1.0 Revision Date 08/29/2007

Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRADER MELON
Product code	:	CC10103659
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Basin particles, like other inert materials, are machanically irritating to 				
Eyes Skin	Resin particles, like other inert materials, are mechanically irritating to eyes.Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



MATERIAL SAFETY DATA SHEET **TRADER MELON**

Version Number 1.0 Revision Date 08/29/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist or in all cases of doubt seek medical advice.	15
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	tive
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	n
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET TRADER MELON

Version Number 1.0 Revision Date 08/29/2007 Page 3 of 6 Print Date 11/30/2011

0, 1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION						
Respiratory protection	: N	o personal respiratory protect	ctive equipment normall	y required.					
Eye/Face Protection	: S	: Safety glasses with side-shields							
Hand protection	: P	rotective gloves							
Skin and body protection	: L	: Long sleeved clothing							
Additional Protective Measures	: S	: Safety shoes							
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		l safety practice					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.							
Exposure limit(s)									
Components	Value	Exposure time	Exposure type	List:					
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH					
	15 mg/m3	PEL:	Total dust.	OSHA Z1					
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL					
	20 mg/m3	Short Term Exposure Limit (STEL):	t as Ti	MX OEL					
				ł					
	9. PHYSIC	CAL AND CHEMICAL PR	ROPERTIES						
Form	: Solid	Evan	ooration rate : N	ot applicable					
Appearance	: pelle			ot determined					
Color				ot established					
Odour				ot applicable					
Melting point/range		1	2	ot applicable					
Boiling Point:		applicable pH	: N	ot applicable					
Water solubility	: Insol	uble							
	10. 5	TABILITY AND REACT	IVITY						
	: S	table.							
Stability									
Stability Hazardous Polymerization	n : W	/ill not occur.							

PolyOne.

MATERIAL SAFETY DATA SHEET TRADER MELON

: Incompatible on : Carbon dioxid						
on : Carbon dioxi	de (CO2), carbon mono					
		wide (CO) evidence				
	Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
11. TOXICOLOG	SICAL INFORMATIO	DN				
Chemical Name	Effect	Target (Drgan			
Titanium dioxide	Systemic effects	c effects Respiratory system.				
te following components w Chemical Name	vhich, in their pure form	IARC	g carcinogenio NTP			
Titanium dioxide	no	2B	no			
	idual components which components which components which components where the components where the component of the component	idual components which comprise the mixture. e following components which in their pure form Chemical Name Effect Titanium dioxide Systemic effects	e following components which in their pure form have the following Chemical Name Effect Target C			

NTP Carcinogen Classifications:

The component is known to be a human carcinogen.
 The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The

PolyOne.

MATERIAL SAFETY DATA SHEET **TRADER MELON**

rsion Number 1.0 vision Date 08/29/2007	Page 5 of Print Date 11/30/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	

PolyOne

MATERIAL SAFETY DATA SHEET TRADER MELON

Version Number 1.0 Revision Date 08/29/2007				Pri		ge 6 of 6 30/2011
National Pollutant Relea	se Iı	ventory (NPRI)				
Chemical Name			CAS-No.	Weight %	NPRI ID#	1
Aluminum oxide			1344-28-1	0.10 - 1.00	13	
WHMIS Classification DSL	:		s of this product a (DSL) or are exe	are on the Canadian empt.	n Domestic	
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER IN	NFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.