MATERIAL SAFETY DATA SHEET MELITTA RED

Version Number 1.0 Revision Date 08/30/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MELITTA RED
Product code	:	CC10103660
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MELITTA RED

Version Number 1.0 Revision Date 08/30/2007 Page 2 of 6 Print Date 11/30/2011

	4. F	IRST AID MEASURES
Inhalation	overh	to fresh air in case of accidental inhalation of fumes from eating or combustion. When symptoms persist or in all cases of seek medical advice.
Ingestion		ot induce vomiting without medical advice. When symptoms at or in all cases of doubt seek medical advice.
Eyes		immediately with plenty of water, also under the eyelids, for at 15 minutes. If eye irritation persists, seek medical attention.
Skin		off with soap and plenty of water. If skin irritation persists seel cal attention.
	5. FIR	E-FIGHTING MEASURES
Flash point	: Not a	pplicable
Flammable Limits		
Upper explosion limit	• Not a	pplicable
Lower explosion limit		pplicable
Autoignition temperature		pplicable
Suitable extinguishing media		on dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	press	the self-contained breathing apparatus (SCBA) used in positive ure mode should be worn to prevent inhalation of airborne minants.
Unusual Fire/Explosion Hazards	: Carbo	on dioxide (CO2), carbon monoxide (CO), oxides of nitrogen), other hazardous materials, and smoke are all possible.
	ACCIDE	ENTAL RELEASE MEASURES
Personal precautions		appropriate personal protection during cleanup, such as vious gloves, boots and coveralls.
Environmental precautions		d not be released into the environment. The product should not owed to enter drains, water courses or the soil.
Methods for cleaning up	plasti	up promptly by sweeping or vacuum. Package all material in c, cardboard or metal containers for disposal. Refer to Section 13 s MSDS for proper disposal methods.
	7. HA	NDLING AND STORAGE
Handling		measures to prevent the build up of electrostatic charge. Heat n areas with appropriate exhaust ventilation.
Storage	: Keep	containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET MELITTA RED

Version Number 1.0 Revision Date 08/30/2007 Page 3 of 6 Print Date 11/30/2011

~ -	WDOGUDE		DDOTECTION	
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	5	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		safety practic
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA ZI
	15 mg/m3	PEL:	Total dust.	OSHA ZI
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA ZI
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9. PHYSI	CAL AND CHEMICAL PRO	OPERTIES	
	: Solic	l Evapo	oration rate : Not	applicable
Form				determined
Form Appearance	: pelle			established
	: pelle : RED	Bulk		
Appearance Color Odour	: RED : Very	Bulk of a faint Vapor	ur pressure : Not	applicable
Appearance Color Odour Melting point/range	: RED : Very : Not o	Bulk offaintVapordeterminedVapor	ur pressure : Not ur density : Not	applicable applicable
Appearance Color Odour	: RED : Very : Not o	Bulk offaintVapordeterminedVaporapplicablepH	ur pressure : Not ur density : Not	applicable

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET MELITTA RED

Version Number 1.0 Revision Date 08/30/2007

Page 4 of 6 Print Date 11/30/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the



MATERIAL SAFETY DATA SHEET MELITTA RED

Version Number 1.0 Revision Date 08/30/2007 Page 5 of 6 Print Date 11/30/2011

	polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 I	Extremely Hazardous Substance

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET MELITTA RED

Philippines PICCS

/ersion Number 1.0 Revision Date 08/30/2007		Page 6 0 Print Date <i>11/30/2</i> 0	
SARA Title III Section 313 To:	xic C	Chemicals:	
Unless specific chemicals are id	lenti	ified under this section, this product is Not Applicable under this regulat	ion
Canadian Regulations:			
National Pollutant Relea	ise Ii	nventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Not determined	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	

16. OTHER INFORMATION

Not determined

:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.