MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/12/2007

Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10103941
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	resin particles, fixe other metrimations, are meenaneanly inflating to eyes.Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/12/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/12/2007

_

_

Page 3 of 6 Print Date 12/1/2011

Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Not applicable Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): OSHA ZI 10 mg/m3 Time Weighted Average as Ti MX OEL (STEL): 9.PHYSICAL AND CHEMICAL PROPERTIES Stelermined Appearance : pellets Specific Gravity : Not applicable Appearance : pollets Specific Gravity : Not established Odour : Wery faint Vapour pressure : Not applicable Appearance : polletable Not applicable Appearance : pellets Specific Gravity : Not established Odour : Very faint Vapour pressure :	8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	I		
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. OSHA ZI Intanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 0 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): OSHA ZI 0 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): Not applicable Appearance : pellets Specific Gravity : Not applicable Appearance : pellets Specific Gravity : Not applicable Meltin	Respiratory protection	: N	o personal respiratory pr	otective equipment no	rmally 1	required.	
Skin and body protection :: Long sleeved clothing Additional Protective :: Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : : Maximum dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 10 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): : * Form : Solid Evaporation rate : Not applicable Appearance Color : pellets Specific Gravity : Not applicable Melting point/range Boilting point/range : Not deprinable PH	Eye/Face Protection	: S	afety glasses with side-sh	ields			
Additional Protective Measures : Safety shoes General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Measures Components Value Exposure time Exposure limit(s) : Total dust. OSHA ZI Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH (TWA): 10 mg/m3 PEL: Total dust. OSHA ZI 20 mg/m3 Short Term Exposure Limit (as Ti MX OEL (STEL): MX OEL (STEL): Form : Solid Evaporation rate : Not applicable Appearance : pellets Color : WHITE Bulk density : Not applicable Appearance : pellets Specific Gravity : Not applicable Boiling Point/range : Not determined Vapour density : Not applicable PH : Not applicable Boiling Point/range Boilting point/range : Not applicable pH : Not applicable Boiling Point: : Not applicable Water solubility : Insoluble : Insoluble : Not applicable Hazardous Polymerization : Wi	Hand protection	: P	rotective gloves				
Measures General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Maue Components Value Exposure time Exposure type List: : ACGIH Titanium dioxide 10 mg/m3 Time Weighted Average as Ti IS mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average (TWA): : 20 mg/m3 Short Term Exposure Limit 20 mg/m3 Short Term Exposure Limit Short Term Exposure Limit as Ti MX OEL (STEL): Not applicable Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour density : Not applicable Melting point/range : Not appli	Skin and body protection	: L	ong sleeved clothing				
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) 		: S	afety shoes				
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH (TWA): 0 ACGII ACGII 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 0 as Ti MX OEL 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): 0 MX OEL (STEL): Not applicable Appearance : pellets Specific Gravity : Not applicable Color : WHITE Bulk density : Not applicable Melting point/range : Not determined Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Not applicable Biblity : Stable. : Stable.						afety practice.	
Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not applicable Melting point/range : Not determined Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Stable. : Stable. Hazardous Polymerization : Will not occur.	Engineering measures				ilation.	Provide	
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA Z1 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 10 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble In. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur. : Will not occur. : Will not occur. : Will not occur.	Exposure limit(s)						
Image: Constraint of the constraint	Components	Value	Exposure time	Exposure t	ype	List:	
15 mg/m3 PEL: Total dust. OSHA Z1 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Stability : Insoluble Insoluble ID. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Titanium dioxide	10 mg/m3	•	ge		ACGIH	
Image: constraint of the constr		15 mg/m3		Total dus	t.	OSHA Z1	
Image: stability (STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Will not occur.		10 mg/m3	•	ge as Ti		MX OEL	
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Will not occur.		20 mg/m3		imit as Ti		MX OEL	
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. Hazardous Polymerization : Will not occur. : Will not occur.				·			
Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. Hazardous Polymerization : Will not occur. : Will not occur.		9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Appearance : pellets Specific Gravity : Not determined Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. Hazardous Polymerization : Will not occur. : Will not occur.	Form	· Solid	I F	vanoration rate	· Not	annlicable	
Color : WHITE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Melting point: : Stability : Stable. Hazardous Polymerization : Will not occur. : Will not occur.				-			
Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.		-					
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Odour	: Very					
Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.							
10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.				H	: Not	applicable	
Stability: Stable.Hazardous Polymerization: Will not occur.	Water solubility	: Insol	uble				
Hazardous Polymerization : Will not occur.		10. S	TABILITY AND REA	CTIVITY			
	Stability	: S	table.				
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal	Hazardous Polymerization	n : W	/ill not occur.				
	Conditions to avoid	: K	eep away from oxidizing	agents and open flam	ie. To a	void thermal	

MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.0 Page 4 of 6 Print Date 12/1/2011 Revision Date 09/12/2007 decomposition, do not overheat. Incompatible Materials Incompatible with strong acids and oxidizing agents. : Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), other hazardous materials, and smoke are all possible. 11. TOXICOLOGICAL INFORMATION This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. **Toxicity Overview** This product contains the following components which in their pure form have the following characteristics: Chemical Name Effect CAS-No. Target Organ 13463-67-7 Titanium dioxide Systemic effects Respiratory system. Carcinogenicity This product contains the following components which, in their pure form, have the following carcinogenicity data: Chemical Name OSHA IARC NTP CAS-No. 13463-67-7 Titanium dioxide 2B no no IARC Carcinogen Classifications: 1 - The component is carcinogenic to humans. 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans. NTP Carcinogen Classifications: 1 - The component is known to be a human carcinogen. 2 - The component is reasonably anticipated to be a human carcinogen. **12. ECOLOGICAL INFORMATION**

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	No data available	
	3. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The	here

4/6



MATERIAL SAFETY DATA SHEET **WHITE**

		Page 5 of Print Date 12/1/20
		generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
1	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are i	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (Chemicals:
Unless specific chemicals are i	identi	fied under this section, this product is Not Applicable under this regulation



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/12/2007		Page 6 of 6 Print Date 12/1/2011
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.