MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

Version Number 1.0 Revision Date 09/19/2007

Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FD&C BLUE #1
Product code	:	CC10104212
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
FD&C blue No. 1 (aluminum salt)	15792-67-3	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

Version Number 1.0 Revision Date 09/19/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature		Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

Version Number 1.0 Revision Date 09/19/2007 Page 3 of 6 Print Date 12/1/2011

8. F	XPOSURE	CONTROLS / PERSONA	AL PROTECTION		
Respiratory protection		No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.			
Eye/Face Protection	: 5	Safety glasses with side-shields			
Hand protection	: I	Protective gloves. Refer to e	quipment supplier to ensu	re protection.	
Skin and body protection	: I	Long sleeved clothing			
Additional Protective Measures	: 5	Safety shoes			
General Hygiene Considerations		Handle in accordance with g Wash hands before breaks an		l safety practice	
Engineering measures		Heat only in areas with appropriate exhaust ventilati		n. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
FD&C blue No. 1 (aluminum salt)	2 mg/m3	Time Weighted Average (TWA):	e as Al	ACGIH	
	2 mg/m3	Time Weighted Average (TWA):	2	MX OEL	
	0 DHVSI	CAL AND CHEMICAL P	ROPERTIES		
Form	: Soli			ot applicable	
Appearance	: Soli : pow	der, granular Spe	ecific Gravity : No	ot applicable	
Appearance Color	: Soli : pow : BLU	rder, granular Spe JE Bul	cific Gravity : No k density : No	ot applicable ot determined	
Appearance Color Odour	: Soli : pow : BLU : Ver	rder, granular Spe JE Bul y faint Vaj	cific Gravity : N k density : N pour pressure : N	ot applicable ot determined ot applicable	
Appearance Color	: Soli : pow : BLU : Ver : Not	rder, granular Spe JE Bul y faint Vaj	ccific Gravity : No k density : No pour pressure : No pour density : No	ot applicable ot determined	
Appearance Color Odour Melting point/range Boiling Point:	: Soli : pow : BLU : Ver : Not : Not	der, granular Spe JE Bul y faint Vaj determined Vaj	ccific Gravity : No k density : No pour pressure : No pour density : No	ot applicable ot determined ot applicable ot applicable	
Appearance Color Odour Melting point/range Boiling Point:	: Soli : pow : BLU : Ver : Not : Not : Inso	der, granular Spe JE Bul y faint Vaj determined Vaj applicable pH	ccific Gravity : No k density : No pour pressure : No pour density : No : No	ot applicable ot determined ot applicable ot applicable	
Appearance Color Odour Melting point/range	: Soli : pow : BLU : Ver : Not : Not : Inso 10.	rder, granular Spe JE Bul y faint Vaj determined Vaj applicable pH oluble	ccific Gravity : No k density : No pour pressure : No pour density : No : No	ot applicable ot determined ot applicable ot applicable	
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Soli : pow : BLU : Ver : Not : Not : Inso 10.	vder, granularSpectrumJEBuly faintVajdeterminedVajapplicablepHolubleSTABILITY AND REACT	ccific Gravity : No k density : No pour pressure : No pour density : No : No	ot applicable ot determined ot applicable ot applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

ion Number 1.0 sion Date 09/19/2007	Page 4 Print Date 12/1/2
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11. TOXICOLOGICAL INFORMATION
	uated as a whole for health effects. Exposure effects listed are based on exi omponents which comprise the mixture.
<u>Toxicity Overview</u> This product contains the follo	wing components which in their pure form have the following characteristic
CAS-No.	Chemical Name Effect Target Organ
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

ersion Number 1.0 evision Date 09/19/2007		Page 5 o Print Date 12/1/20
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or of Inventory.	exempt from the TSCA
US. EPA CERCLA Hazardous	ubstances (40 CFR 302)	
Not applicable		
California Proposition 65	: Not applicable	
SARA Title III Section 302 Extra	mely Hazardous Substance	
Unless specific chemicals are id	ntified under this section, this product is Not Applie	cable under this regulati
SARA Title III Section 313 Tox	c Chemicals:	
Unless specific chemicals are id	ntified under this section, this product is Not Applie	cable under this regulati
Canadian Regulations:		
National Pollutant Release	e Inventory (NPRI)	
Not applicable		
WHMIS Classification	: Not controlled.	
DSL	: All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domestic
National Inventories:		
National Inventories: Australia AICS	: Listed	
Australia AICS	: Listed	
Australia AICS China IECS	: Listed	
Australia AICS China IECS Europe EINECS	: Listed : Listed	
Australia AICS China IECS	: Listed	

MATERIAL SAFETY DATA SHEET **FD&C BLUE #1**

Version Number 1.0 Revision Date 09/19/2007 Page 6 of 6 Print Date 12/1/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.