MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

Version Number 1.1 Revision Date 11/08/2007

Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 104255.00 YE PP
Product code :	CC10104255
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

sion Date 11/08/2007	Print Date 1	ge 2 2/2/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	ses o
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persist medical attention.	on persists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne	tive
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible. 	en
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.	d no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt and contamination. Keep in a dry, cool place.	ion

PolyOne

MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

Version Number 1.1 Revision Date 11/08/2007 Page 3 of 6 Print Date 12/2/2011

0. 2.11	POSURE CONTROLS / P	ERSONAL PROTECTI	UN				
Respiratory protection	: No personal respira	atory protective equipment	normally required.				
Eye/Face Protection	: Safety glasses with	: Safety glasses with side-shields					
Hand protection	: Protective gloves	: Protective gloves					
Skin and body protection	: Long sleeved cloth	Long sleeved clothing					
Additional Protective Measures	: Safety shoes	: Safety shoes					
General Hygiene Considerations		ce with good industrial hy breaks and at the end of v					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)							
<u> </u>							
There are no known hazardou	us components above regula	atory thresholds in this pro	oduct.				
There are no known hazardou	us components above regula	atory thresholds in this pro	oduct.				
	us components above regula		oduct.				
9.	. PHYSICAL AND CHEN	AICAL PROPERTIES					
9. Form	. PHYSICAL AND CHEM : Solid	AICAL PROPERTIES	: Not applicable				
9. Form Appearance	• PHYSICAL AND CHEM : Solid : pellets	AICAL PROPERTIES Evaporation rate Specific Gravity	: Not applicable : Not determined				
9. Form Appearance Color	• PHYSICAL AND CHEM : Solid : pellets : YELLOW	AICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	Not applicableNot determinedNot established				
9. Form Appearance Color Odour	PHYSICAL AND CHEM Solid pellets YELLOW Very faint	AICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable 				
9. Form Appearance Color Odour Melting point/range	PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined	AICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable	AICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined	AICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range	 PHYSICAL AND CHEN Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY ANI	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 				
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. Keep away from opdecomposition, do 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 				

PolyOne

MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

Version Number 1.1 Revision Date 11/08/2007 Page 4 of 6 Print Date 12/2/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data available				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Not regulated for transportation.				
ICAO/IATA (air)	: Refer to specific regulation.				
IMO / IMDG (maritime)	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status : There are no known hazardous components above regulatory thresholds in this product.					
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					

PolvOne

MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

Version Number 1.1 Revision Date 11/08/2007 Page 5 of 6 Print Date 12/2/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name		CAS-No.	Weight %	NPRI ID#	
Zinc ferrite brown spinel (C.I. Pigment Yellow 119)		68187-51-9	0.10 - 1.00	231	
· · · · · · · · · · · · · · · · · · ·			I		L
WHMIS Classification	:	Not controlled.			
DSL	:		s of this product a (DSL) or are exe	are on the Canadia mpt.	n Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER IN	NFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET **PG 104255.00 YE PP**

Version Number 1.1 Revision Date 11/08/2007 Page 6 of 6 Print Date <u>12/2/2011</u>

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.