MATERIAL SAFETY DATA SHEET CC BLUE 299C PE

Version Number 1.0 Revision Date 10/05/2007

Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CC BLUE 299C PE
Product code	:	CC10104895
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Calcium carbonate	1317-65-3	5 - 10	
Titanium dioxide	13463-67-7	10 - 30	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to average.
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **CC BLUE 299C PE**

Version Number 1.0 Revision Date 10/05/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature		Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET CC BLUE 299C PE

Version Number 1.0 Revision Date 10/05/2007 Page 3 of 6 Print Date 12/1/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION					
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	equired.				
Eye/Face Protection	: S	: Safety glasses with side-shields						
Hand protection	: Protective gloves							
Skin and body protection	: L	: Long sleeved clothing						
Additional Protective Measures	: S	afety shoes						
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practic				
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation		Provide				
Exposure limit(s)								
Components	Value	Exposure time	Exposure type	List:				
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1				
	15 mg/m3	PEL:	Total dust.	OSHA Z1				
	10 mg/m3	Time Weighted Average (TWA):		MX OEL				
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL				
	10 mg/m3	Time Weighted Average		ACGIH				
Titanium dioxide		(TWA):						
Titanium dioxide	15 mg/m3	PEL:	Total dust.					
Titanium dioxide	15 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA):	Total dust. as Ti	MX OEL				
Titanium dioxide	15 mg/m3	PEL: Time Weighted Average		OSHA Z1 MX OEL MX OEL				
Titanium dioxide	15 mg/m3 10 mg/m3 20 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit	as Ti as Ti	MX OEL				
Titanium dioxide	15 mg/m3 10 mg/m3 20 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti as Ti PERTIES	MX OEL				
Form Appearance	15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifi	as Ti as Ti PERTIES ration rate : Not ic Gravity : Not	MX OEL				
Form	15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : BLU	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifi E Bulk d	as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not	MX OEL MX OEL applicable determined established				
Form Appearance Color Odour	15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : BLU : Very	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO t Evapor ts Specifi E Bulk d faint Vapou	as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not r pressure : Not	MX OEL MX OEL applicable determined established applicable				
Form Appearance Color	15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : BLU : Very : Not of	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO t Evapor ts Specifi E Bulk d faint Vapou	as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not	MX OEL MX OEL applicable determined established				

PolvOne

MATERIAL SAFETY DATA SHEET CC BLUE 299C PE

Version Number 1.0 Revision Date 10/05/2007 Page 4 of 6 Print Date 12/1/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the

PolyOne.

MATERIAL SAFETY DATA SHEET **CC BLUE 299C PE**

Version Number 1.0 Revision Date 10/05/2007 Page 5 of 6 Print Date 12/1/2011

Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
Not applicable	
California Propositio 65	on : Not applicable
SADA Title III Section 2021	Extremely Hazardous Substance

PolvOne.

MATERIAL SAFETY DATA SHEET CC BLUE 299C PE

Version Number 1.0 Revision Date 10/05/2007 Page 6 of 6 Print Date 12/1/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name			CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
Phthalocyanine blue			147-14-8	1.00 - 5.00	71
WHMIS Classification		D2A			
WHMIS Ingredient Dis	sclosu	re List			
CAS-No. 147-14-8					
DSL	:		of this product a (DSL) or are exe	are on the Canadiar mpt.	n Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER IN	FORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.