PolvOne

MATERIAL SAFETY DATA SHEET MINT GREEN 2

Version Number 1.0 Revision Date 10/16/2007 Page 1 of 6 Print Date 12/1/2011

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	MINT GREEN 2		
Product code	:	CC10104951		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight %
Aluminum	7429-90-5	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET MINT GREEN 2

Version Number 1.0 Revision Date 10/16/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
F 1					
Flammable Limits Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable Not applicable			
Autoignition temperature	•				
	•	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET MINT GREEN 2

Version Number 1.0 Revision Date 10/16/2007 Page 3 of 6 Print Date 12/1/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Sa	afety glasses with side-shields	3		
Hand protection	: P 1	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: Sa	afety shoes			
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		fety practice.	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder. as Al	ACGIH	
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1	
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1	
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder.	MX OEL	
	10 mg/m3	Time Weighted Average (TWA):	Dust.	MX OEL	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form	: Solid	Fuence	ration rate · Not	nnlicable	
Appearance	: pelle	1	Evaporation rate : Not applicable Specific Gravity : Not determined		
Color	: GRE		Bulk density : Not established		
Odour	: Very		Vapour pressure : Not applicable		
Melting point/range			Vapour density : Not applicable		
Boiling Point:	: Not applicable pH : Not applicab			applicable	
Water solubility	: Insoluble				
	10. S	TABILITY AND REACTIV	VITY		
Stability	: Si	able.			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **MINT GREEN 2**

Version Number 1.0 Revision Date 10/16/2007	Page 4 of 6 Print Date 12/1/2011
Hazardous Polymerization :	Will not occur.
Conditions to avoid :	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials :	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition : products	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET MINT GREEN 2

Version Number 1.0 Page 5 or Revision Date 10/16/2007 Print Date 12/1/20							
U.S. DOT Classification	: Not	: Not regulated for transportation.					
ICAO/IATA (air)	: Refe	Refer to specific regulation.					
IMO / IMDG (maritime)	: Refe	: Refer to specific regulation.					
	15. RE(GULATORY INFO	ORMATION				
US Regulations:							
OSHA Status	: Clas	sified as hazardous	based on compo	nents.			
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.						
US. EPA CERCLA Hazard	ous Substance	es (40 CFR 302)					
Not applicable							
11							
California Propositio 65	California Proposition : Not applicable 65						
SARA Title III Section 302	SARA Title III Section 302 Extremely Hazardous Substance						
Unless specific chemicals a	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313	SARA Title III Section 313 Toxic Chemicals:						
	re identified u	inder this section, th		Applicable under this regulation			
Chemical Name ALUMINUM (FUME O			CAS-No. 7429-90-5	Weight % 5.00 - 10.00			
ALOMINUM (FOME OF	ALOMINUM (FOME OK DUST) 7429-90-5 5.00 - 10.00						
Canadian Regulations:							
National Pollutant Release Inventory (NPRI)							
Chemical Name CAS-No. Weight % NPRI ID#							
Aluminum		7429-	90-5 5.0	0 - 10.00 12			
WHMIS Classification : D2B							
WHMIS Ingredient	WHMIS Ingredient Disclosure List						

PolvOne.

MATERIAL SAFETY DATA SHEET MINT GREEN 2

Version Number 1.0 Print Date 12/1/2011 Revision Date 10/16/2007 CAS-No. 7429-90-5 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS Not determined ÷ China IECS Listed · **Europe EINECS** Listed : Japan ENCS Not determined : Korea KECI : Not determined **Philippines PICCS** : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 6 of 6