PolvOne

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

Version Number 1.0 Revision Date 10/12/2007

Page 1 of 7 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	A48 ALLSTATE TAN #3
Product code :	CC10105032
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium stearate	1592-23-0	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

Version Number 1.0 Revision Date 10/12/2007 Page 2 of 7 Print Date 12/1/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

POLYONE CORPORATION

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

Version Number 1.0 Revision Date 10/12/2007		Page 3 of 7 Print Date 12/1/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Calcium stearate	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid : pellets Evaporation rate Specific Gravity Not applicableNot determined

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET A48 ALLSTATE TAN #3

Version Number 1.0 Revision Date 10/12/2007

Color Odour Melting point/range Boiling Point: Water solubility	: TAN: Very faint: Not determined: Not applicable: Insoluble	Bulk density Vapour pressure Vapour density pH	 Not established Not applicable Not applicable Not applicable
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do r	idizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	acetal copolymers a processing. At proc destructive and invo mechanically clean quantities of these n	strong oxidizers. Also, av nd with amine containing cessing conditions, these r olve rapid degradation. T processing equipment to naterials from coming in mination of feedstocks.	materials are mutually horoughly purge and avoid even trace
Hazardous decomposition products	(NOx), hydrogen ch smoke are all possit or more) above 392	°F (200 °C) or short term oduct decomposition and	dous materials, and pproximately 30 minutes heating at 482 °F (250

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1592-23-0	Calcium stearate	Oral LD50	> 10 gm/kg	rat

Carcinogenicity

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

Version Number 1.0 Revision Date 10/12/2007 Page 5 of 7 Print Date 12/1/2011

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

sion Number 1.0 rision Date 10/12/2007				Pi	Page 6 of int Date 12/1/20
US De suletiener					
US Regulations:					
OSHA Status :	: Classified as ha	zardous based o	on compone	nts.	
TSCA Status :	: All components Inventory.	s of this product	are listed o	n or exem	pt from the TSCA
US. EPA CERCLA Hazardous Su	bstances (40 CFR	302)			
Not applicable					
California Proposition : 65	: Not applicable				
SADA Title III Section 202 Extra	malu Hazandaya Su	hatanaa			
SARA Title III Section 302 Extrem	mery Hazardous Su	ibstance			
Unless specific chemicals are iden	tified under this se	ection, this prod	uct is Not A	pplicable	under this regulation
SARA Title III Section 313 Toxic	Chemicals:				
Unlass specific chemicals are iden	tified under this so	ation this prod	uat is Not A	nnliachla	under this regulation
Unless specific chemicals are iden Chemical Name	inned under uns se		S-No.	Weight	
ZINC COMPOUNDS			3-19-3	5.00 -	
Canadian Regulations:					
National Pollutant Release	Inventory (NPRI)				
Chemical Name		CAS-No.	Weig		NPRI ID#
Aluminum oxide Zinc iron oxide		1344-28-1	0.10		13
Zinc iron oxide		12062 10 2	5 00	10.00	0.21
		12063-19-3	5.00	- 10.00	231
		12063-19-3	5.00	- 10.00	231
WIDAG Charles		12063-19-3	5.00	- 10.00	231
WHMIS Classification :	: D2A	12063-19-3	5.00	- 10.00	231
WHMIS Classification : DSL :		s of this produc	·		
		s of this produc	t are on the		
	: All component	s of this produc	t are on the		
DSL : National Inventories:	: All component	s of this produc	t are on the		
DSL : National Inventories:	: All components Substances List	s of this produc	t are on the		
DSL : National Inventories: Australia AICS :	 All component Substances List Listed 	s of this produc	t are on the		

PolyOne

MATERIAL SAFETY DATA SHEET **A48 ALLSTATE TAN #3**

Version Number 1.0 Revision Date 10/12/2007 Page 7 of 7 Print Date 12/1/2011

Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.